

PEDIATRICS®

OFFICIAL JOURNAL OF THE AMERICAN ACADEMY OF PEDIATRICS

NEONATAL SEPARATION: THE MATERNAL SIDE OF INTERACTIONAL DEPRIVATION

Clicord R. Barnett, P. Herbert Leiderman, Rose Grobstein and Marshall Klaus
Pediatrics 1970;45:650

The online version of this article, along with updated information and services, is located on the World Wide Web at:
<http://www.pediatrics.org>

PEDIATRICS is the official journal of the American Academy of Pediatrics. A monthly publication, it has been published continuously since 1948. PEDIATRICS is owned, published, and trademarked by the American Academy of Pediatrics, 141 Northwest Point Boulevard, Elk Grove Village, Illinois, 60007. Copyright © 1970 by the American Academy of Pediatrics. All rights reserved. Print ISSN: 0031-4005. Online ISSN: 1098-4275.

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN™



- H. P.: Prenatal fibroelastosis ("fetal endocarditis") manifested clinically by total heart block. *J. Pediat.*, **36**:370, 1950.
34. Bernreiter, N., and O'Connell, F.: Congenital heart block. Report of a case. *J.A.M.A.*, **150**:792, 1952.
35. Devitt, R. E., and Pinto, C. J.: Congenital heart block due to endocardial fibroelastosis interpreted as foetal distress. *J. Obst. Gynaec. Brit. Emp.*, **64**:885, 1957.
36. Hogg, G. R.: Congenital, acute lupus erythematosus associated with eubendocardial fibroelastosis. *Amer. J. Clin. Path.*, **28**:648, 1957.
37. Eyton-Jones, J.: Two cases of congenital complete heart-block diagnosed antenatally. *Brit. Med. J.*, **2**:275, 1960.
38. Fabio-Lion, M., and Pimienta de Campos, E.: Bloqueo auriculo-ventricular total congenito en un enfermo con fibroelastosis endocardica y persistencia del conducto arterioso. Diagnostico en utero. *Arch. Inst. Cardiol. Mex.*, **30**:187, 1960.
39. Molthan, M. E., Miller, R. A., Hastreiter, A. R., and Paul, M. H.: Congenital heart block with fatal Adams-Stokes attacks in childhood. *PEDIATRICS*, **30**:32, 1962.
40. Hull, D., Binns, B. A. D., and Joyce, D.: Congenital heart block and widespread fibrosis due to maternal lupus erythematosus. *Arch. Dis. Childh.*, **41**:688, 1966.
41. Schaffer, A. J.: *Disease of the Newborn*, ed. 2. Philadelphia and London: W. B. Saunders Company, Case #105, p. 286, 1966.

CORRECTION

On page 197 of the February issue Dr. Barnett's name should have been spelled Clifford.

CORRECTION

In the March issue of *PEDIATRICS* two corrections should be made in the article by Drs. Rose and Lombroso:

Page 406: Table III, second footnote should read †1. Two siblings with seizures which continued and were accompanied by mental retar-

ation. 2. A case of transient familial neonatal seizures occurring in three generations and followed by normal development. 3. One sibship and a sporadic case of pyridoxine dependency. 4. A case of hypernatremia associated with hypocalcemia of unknown etiology. 5. A case of hemorrhagic disease of the newborn. 6. A case of congenital heart disease with transient seizures.

Page 418: Table referred to in second line, section on Pathologic Findings, should be XII rather than II.

NEONATAL SEPARATION: THE MATERNAL SIDE OF INTERACTIONAL DEPRIVATION

Clicord R. Barnett, P. Herbert Leiderman, Rose Grobstein and Marshall Klaus
Pediatrics 1970;45:650

Updated Information & Services	including high-resolution figures, can be found at: http://www.pediatrics.org
Permissions & Licensing	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: http://www.pediatrics.org/misc/Permissions.shtml
Reprints	Information about ordering reprints can be found online: http://www.pediatrics.org/misc/reprints.shtml

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN™

