



## ADDENDUM

# Evaluation and Management of the Infant Exposed to HIV-1 in the United States

This document is copyrighted and is property of the American Academy of Pediatrics and its Board of Directors. All authors have filed conflict of interest statements with the American Academy of Pediatrics. Any conflicts have been resolved through a process approved by the Board of Directors. The American Academy of Pediatrics has neither solicited nor accepted any commercial involvement in the development of the content of this publication.

[www.pediatrics.org/cgi/doi/10.1542/peds.2012-2965](http://www.pediatrics.org/cgi/doi/10.1542/peds.2012-2965)

doi:10.1542/peds.2012-2965

PEDIATRICS (ISSN Numbers: Print, 0031-4005; Online, 1098-4275).

Copyright © 2012 by the American Academy of Pediatrics



The following paragraph is an addendum to the clinical report “Evaluation and Management of the Infant Exposed to HIV-1 in the United States” (*Pediatrics* 2009;123[1]:175–187). It pertains to the section with the heading “HIV-1 Testing of the Infant if the Mother’s HIV-1 Infection Status Is Unknown”:

For newborn infants whose mother’s HIV-1 serostatus is unknown, the newborn infant’s health care provider should perform rapid HIV-1 antibody testing on the mother or the infant as soon as possible after birth with appropriate consent as required by state and local law. These test results should be available as early as possible and certainly within 12 hours after birth and can be used to guide initiation of infant antiretroviral prophylaxis. Rapid HIV-1 antibody testing, by using either blood or saliva, is licensed for the diagnosis of HIV infection in adults. Rapid HIV-1 antibody testing of women in labor and delivery units at 16 US hospitals identified a prevalence of undiagnosed HIV infection of 7 of 1000 women and demonstrated a sensitivity of 100% and specificity of 99.9% by using several rapid test kits.<sup>1</sup> Positive predictive value was 90% compared with 76% for enzyme immunoassay. However, the use of these tests in infants is neither well described nor licensed. Sherman et al<sup>2</sup> evaluated 7 HIV-1 rapid tests on stored samples from 116 HIV-exposed infants and compared the findings to standard HIV enzyme immunoassay testing. In the youngest cohort tested (median age, 1.5 months; range, 3–7 weeks), sensitivity of rapid testing was greater than 99%. In a subsequent study using whole blood, sensitivities ranged between 93.3% and 99.3% in infants younger than 3 months by using 5 rapid tests.<sup>3</sup> In both of these studies, rapid HIV-1 rapid tests failed to identify some HIV-infected infants. Oral fluid testing has been demonstrated to have a negative predictive value of >99% in HIV-exposed children older than 12 months.<sup>4</sup> However, when used for screening infants with a median age of 1.5 months (range, birth to 6 months), oral fluid testing had a sensitivity less than 90% and failed to detect 14 of 63 HIV-infected infants (22.2%).<sup>5</sup> On the basis of these findings, only blood should be used to perform rapid HIV-1 antibody testing in newborn infants. Furthermore, rapid testing of the mother, by using either blood or saliva, is preferred over rapid testing in her infant (blood only) because of increased sensitivity in identifying HIV-1 infection.

## REFERENCES

1. Bulterys M, Jamieson DJ, O'Sullivan MJ, et al; Mother-Infant Rapid Intervention at Delivery (MIRIAD) Study Group. Rapid HIV-1 testing during labor: a multicenter study. *JAMA*. 2004;292(2):219–223
2. Sherman GG, Driver GA, Coovadia AH. Evaluation of seven rapid HIV tests to detect HIV-exposure and seroreversion during infancy. *J Clin Virol*. 2008;43(3): 313–316
3. Sherman GG, Lilian RR, Coovadia AH. The performance of 5 rapid HIV tests using whole blood in infants and children: selecting a test to achieve the clinical objective. *Pediatr Infect Dis J*. 2012;31(3): 267–272
4. Sherman GG, Jones SA. Oral fluid human immunodeficiency virus tests: improved access to diagnosis for infants in poorly resourced prevention of mother to child transmission programs. *Pediatr Infect Dis J*. 2005;24(3):253–256
5. Sherman GG, Lilian RR, Coovadia AH. Oral fluid tests for screening of human immunodeficiency virus-exposed infants. *Pediatr Infect Dis J*. 2010;29(2):169–172

## Evaluation and Management of the Infant Exposed to HIV-1 in the United States

*Pediatrics* 2012;130:64

DOI: 10.1542/peds.2012-2965 originally published online November 26, 2012;

<b>Updated Information &amp; Services</b>	including high resolution figures, can be found at: <a href="http://pediatrics.aappublications.org/content/130/6/64">http://pediatrics.aappublications.org/content/130/6/64</a>
<b>References</b>	This article cites 5 articles, 0 of which you can access for free at: <a href="http://pediatrics.aappublications.org/content/130/6/64#BIBL">http://pediatrics.aappublications.org/content/130/6/64#BIBL</a>
<b>Subspecialty Collections</b>	This article, along with others on similar topics, appears in the following collection(s): <b>Current Policy</b> <a href="http://www.aappublications.org/cgi/collection/current_policy">http://www.aappublications.org/cgi/collection/current_policy</a> <b>Committee on Pediatric AIDS</b> <a href="http://www.aappublications.org/cgi/collection/committee_on_pediatric_aids">http://www.aappublications.org/cgi/collection/committee_on_pediatric_aids</a> <b>Infectious Disease</b> <a href="http://www.aappublications.org/cgi/collection/infectious_diseases_sub">http://www.aappublications.org/cgi/collection/infectious_diseases_sub</a> <b>HIV/AIDS</b> <a href="http://www.aappublications.org/cgi/collection/hiv_aids_sub">http://www.aappublications.org/cgi/collection/hiv_aids_sub</a>
<b>Permissions &amp; Licensing</b>	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: <a href="http://www.aappublications.org/site/misc/Permissions.xhtml">http://www.aappublications.org/site/misc/Permissions.xhtml</a>
<b>Reprints</b>	Information about ordering reprints can be found online: <a href="http://www.aappublications.org/site/misc/reprints.xhtml">http://www.aappublications.org/site/misc/reprints.xhtml</a>

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN™



# PEDIATRICS®

OFFICIAL JOURNAL OF THE AMERICAN ACADEMY OF PEDIATRICS

## **Evaluation and Management of the Infant Exposed to HIV-1 in the United States**

*Pediatrics* 2012;130:64

DOI: 10.1542/peds.2012-2965 originally published online November 26, 2012;

The online version of this article, along with updated information and services, is located on the World Wide Web at:

<http://pediatrics.aappublications.org/content/130/6/64>

Pediatrics is the official journal of the American Academy of Pediatrics. A monthly publication, it has been published continuously since 1948. Pediatrics is owned, published, and trademarked by the American Academy of Pediatrics, 141 Northwest Point Boulevard, Elk Grove Village, Illinois, 60007. Copyright © 2012 by the American Academy of Pediatrics. All rights reserved. Print ISSN: 1073-0397.

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN™

