

PEDIATRICS PERSPECTIVES

Honesty, Trust, and Respect During Consent Discussions in Neonatal Clinical Trials

AUTHORS: Sara B. DeMauro, MD, MSCE,^a Janice Cairnie, RN,^b Judy D'Ilario, RN,^b Haresh Kirpalani, BM, MSc,^{a,b} and Barbara Schmidt, MD, MSc^{a,b}

^aThe Children's Hospital of Philadelphia and the University of Pennsylvania Perelman School of Medicine, Philadelphia, Pennsylvania; and ^bMcMaster University, Hamilton, Ontario, Canada

KEY WORDS

ethics, autonomy, consent, clinical trial

Dr DeMauro drafted the initial manuscript and all subsequent versions; Ms Cairnie, Ms D'Ilario, Dr Kirpalani, and Dr Schmidt made substantial contributions to design of the commentary and critical revision of the manuscript for important intellectual content; and all authors approved the final manuscript as submitted.

www.pediatrics.org/cgi/doi/10.1542/peds.2013-3720

doi:10.1542/peds.2013-3720

Accepted for publication Jan 30, 2014

Address correspondence to Sara B. DeMauro, MD, MSCE, The Children's Hospital of Philadelphia, 34th Street and Civic Center Boulevard, Division of Neonatology, 2 Main, Philadelphia, PA 19104. E-mail: demauro@email.chop.edu

PEDIATRICS (ISSN Numbers: Print, 0031-4005; Online, 1098-4275).

Copyright © 2014 by the American Academy of Pediatrics

FINANCIAL DISCLOSURE: The authors have indicated they have no financial relationships relevant to this article to disclose.

FUNDING: The Canadian Institutes of Health Research (CIHR) funded the majority of the trials through which 4 of the 5 co-authors gathered their experience with consent discussions in neonatal research over the past 15 years. CIHR funding was not used for the preparation of this manuscript.

POTENTIAL CONFLICT OF INTEREST: The authors have indicated they have no potential conflicts of interest to disclose.

"Participating in the study provided an avenue for a premature baby like mine to receive an outstanding level of care and extra support from the research nurse that may not otherwise be available outside research. It was also fulfilling knowing that from this research may come the help that others with this same condition may need. It played a significant role in our education about improving and maintaining his health."

—Parents of a neonatal clinical trial participant

Participation in neonatal clinical trials is often viewed as risky, ethically challenging, burdensome for parents, and a favor that altruistic families are performing for future generations of babies.^{1,2} Views such as "valid consent in the antenatal/perinatal population is difficult, if not impossible, to obtain" are common.³ However, neonatal research need not be viewed through such a negative lens. Parents who have participated in clinical trials may view their research involvement very differently, as an exciting opportunity rather than a burden.⁴ Participation can have benefits for the newborn child and the family, even if the infant is not assigned by chance to a therapy that proves to be superior after completion of the trial.^{5,6}

Collectively, as a group of research nurses and clinical investigators, we have discussed research participation with >900 families. We have found that when done well, conversations about consent to research can empower and support families at a time of crisis and reassure them that health care professionals are committed to discovering the safest and most effective care for their baby. For such consent discussions to occur, 3 conditions must be met. First, all clinical and study staff must wholly believe in the importance and safety of the research. Second, the research team must cultivate open, trusting relationships with the families of potential research participants. Finally, the goal must be not a signature on the consent form, but parents who are able to make a well-informed decision that is right for their baby and their family.

"NEVER SEEK CONSENT FOR A STUDY YOU DON'T BELIEVE IN"

The literature rarely addresses the critical role of the study personnel in obtaining a valid consent. Study personnel assume direct responsibility for ensuring that the family carefully weighs the risks and benefits of study participation and understands how the research protocol will fit into the greater context of their baby's care. This task demands patience and diligence. In our view, it is best performed by health professionals with previous clinical experience (usually neonatal nurses, nurse practitioners, respiratory therapists, or neonatologists). Because newborns

whose research participation is sought are often immature or ill, study staff must be exquisitely sensitive to the current stress and vulnerability of the parents. It is imperative that the person who approaches the family for consent understands the scientific rationale for the research and firmly believes that the study question must be answered. Those seeking consent for a clinical research protocol must be convinced that the study is safe and that the results will improve medical care of infants in the future. If asked directly, the study staff must be able to honestly state that they would consider enrolling their own children in the clinical trial.

Having been briefed on all important aspects of the study protocols, the clinicians must also believe in the scientific importance of the studies in which their patients are enrolled. Ideally, the bedside nurse or another member of the clinical team joins the research staff and family during the consent conversation. This allows the clinical team to develop a deeper understanding of the research and of the family's questions and concerns. An initial joint meeting also reassures the family that the investigators and clinicians agree that participation in the proposed research would be meaningful and safe for their baby.

“EARN THE FAMILY’S TRUST AND KEEP IT”

The Belmont Report states that the “manner and context in which information is conveyed is as important as the information itself.”⁷ A kind and

ethical conversation begins with the acknowledgment that it is stressful and sometimes frightening to have a baby in the neonatal intensive care unit (NICU). The research staff should view themselves as intermediaries between parents and the NICU, rather than as a separate entity. In this role they can provide general medical updates and triage questions before broaching the subject of research. Parents cannot engage in a thoughtful conversation about research until they have understood what is happening with their baby and trust that the research team will always prioritize their child's best interest. Opening the discussion in this manner alleviates anxiety and helps the family and the research team establish a trusting relationship. The research team can then explain how current medical decisions are influenced by previous research and point out opportunities to refine existing therapies. In our experience, many parents are grateful that their infant has benefited from the altruism of families who have enrolled their children in past trials. Moreover, they value an honest discussion of the uncertainty surrounding many current clinical decisions and understand that this uncertainty may prompt new trials.

Consent is not a one-time event but an ongoing process. This process may include regular visits at the bedsides of all study participants by members of the research team to answer questions raised by the parents or the clinical team. The study team should supplement but never replace the efforts of the clinical team to keep the family

abreast of their child's clinical progress. The family's trust in both the researchers and the clinicians will grow when they see that both teams work together closely and collaboratively.

“REDEFINING SUCCESS”

When seeking consent, the neonatal research team must always respect the interests of the patient and family. We reject any notion that researchers should prioritize the science over the interests of study participants. Consent for research is valid only if the family understands the scientific importance of the study and the potential risks and benefits of participation. Families are sometimes hesitant to seek the information they need to make an informed decision. Patiently giving a family time to ask questions and permission to say “no” eliminates some stress. This allows them to process the information without feeling pressure to participate. Whether the family opts to participate or not, a consent conversation is successful if the research staff provides a family with extra support and ensures that the family understands all important aspects of the research.

In summary, good consent discussions in neonatal trials are characterized by honesty and transparency about the proposed research, development of a trusting relationship with the parents, and respect for their decision, whether or not they volunteer their baby for trial participation.

ACKNOWLEDGMENTS

We thank Elham Sabeti and Manuchehr Adel for their contribution and thoughtful review of the manuscript.

REFERENCES

1. Mason S. Obtaining informed consent for neonatal randomised controlled trials: an “elaborate ritual”? *Arch Dis Child Fetal Neonatal Ed.* 1997;76(3):F143–F145
2. Macklin R, Shepherd L, Dreger A, et al. The OHRP and SUPPORT: another view. *N Engl J Med.* 2013;369(2):e3
3. Ballard HO, Shook LA, Desai NS, Anand KJ. Neonatal research and the validity of informed consent obtained in the perinatal period. *J Perinatol.* 2004;24(7):409–415
4. Zupancic JA, Gillie P, Streiner DL, Watts JL, Schmidt B. Determinants of parental authorization for involvement of newborn infants in

- clinical trials. *Pediatrics*. 1997;99(1). Available at: www.pediatrics.org/cgi/content/full/99/1/E6
5. Lantos JD. The "inclusion benefit" in clinical trials. *J Pediatr*. 1999;134(2):130–131
 6. Rothmier JD, Lasley MV, Shapiro GG. Factors influencing parental consent in pediatric clinical research. *Pediatrics*. 2003;111(5 pt 1):1037–1041
 7. Protection of human subjects; Belmont Report: notice of report for public comment. *Fed Regist*. 1979;44(76):23191–23197

Honesty, Trust, and Respect During Consent Discussions in Neonatal Clinical Trials

Sara B. DeMauro, Janice Cairnie, Judy D'Ilario, Haresh Kirpalani and Barbara Schmidt

Pediatrics 2014;134:e1; originally published online June 9, 2014;

DOI: 10.1542/peds.2013-3720

Updated Information & Services	including high resolution figures, can be found at: /content/134/1/e1.full.html
References	This article cites 6 articles, 2 of which can be accessed free at: /content/134/1/e1.full.html#ref-list-1
Post-Publication Peer Reviews (P³Rs)	One P ³ R has been posted to this article: /cgi/eletters/134/1/e1
Permissions & Licensing	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: /site/misc/Permissions.xhtml
Reprints	Information about ordering reprints can be found online: /site/misc/reprints.xhtml

PEDIATRICS is the official journal of the American Academy of Pediatrics. A monthly publication, it has been published continuously since 1948. PEDIATRICS is owned, published, and trademarked by the American Academy of Pediatrics, 141 Northwest Point Boulevard, Elk Grove Village, Illinois, 60007. Copyright © 2014 by the American Academy of Pediatrics. All rights reserved. Print ISSN: 0031-4005. Online ISSN: 1098-4275.

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN™



PEDIATRICS®

OFFICIAL JOURNAL OF THE AMERICAN ACADEMY OF PEDIATRICS

Honesty, Trust, and Respect During Consent Discussions in Neonatal Clinical Trials

Sara B. DeMauro, Janice Cairnie, Judy D'Ilario, Haresh Kirpalani and Barbara Schmidt

Pediatrics 2014;134;e1; originally published online June 9, 2014;
DOI: 10.1542/peds.2013-3720

The online version of this article, along with updated information and services, is located on the World Wide Web at:
[/content/134/1/e1.full.html](#)

PEDIATRICS is the official journal of the American Academy of Pediatrics. A monthly publication, it has been published continuously since 1948. PEDIATRICS is owned, published, and trademarked by the American Academy of Pediatrics, 141 Northwest Point Boulevard, Elk Grove Village, Illinois, 60007. Copyright © 2014 by the American Academy of Pediatrics. All rights reserved. Print ISSN: 0031-4005. Online ISSN: 1098-4275.

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN™

