

An error occurred in the article by Olson et al, titled “Outbreak of *Mycoplasma pneumoniae*-Associated Stevens Johnson Syndrome,” published in the August 2015 issue of *Pediatrics* (2015;136[2]:e386–394; doi:10.1542/peds.2015-0278).

On page e386, under Abstract, lines 12 and 13 read: “(odds ratio [OR] 10, confidence interval [CI] 1.3–5.1), preceding respiratory symptoms (OR 30.0, CI 1.6–72.6).” This should have read: “(odds ratio [OR] 7.5, confidence interval [CI] 1.6–35.1), preceding respiratory symptoms (OR 30.0, CI 3.3–269.4).”

On page e389, under Results, lines 18 through 21 read: “pneumonia (odds ratio [OR] 10, confidence interval [CI] 1.3–5.1) and to have preceding respiratory symptoms (OR 30.0, CI 1.6–72.6).” This should have read: “pneumonia (odds ratio [OR] 7.5, confidence interval [CI] 1.6–35.1) and to have preceding respiratory symptoms (OR 30.0, CI 3.3–269.4).”

On page e390, Table 3, the OR (CI) for Pneumonia appeared as follows: “10.0 (1.3–5.1), $P = .002$.” It should have read “7.5 (1.6–35.1), $P = .013$.” The confidence intervals for the following variables in Table 3 should have read as follows, with no change in the odds ratio or statistical significance (except as noted): male, 0.4–5.9; race, nonwhite, 0.0–1.4; ethnicity, Hispanic, 0.2–3.7; fever, 0.2–25.3; conjunctival involvement, 0.2–25.3; genital involvement, 0.3–7.8; skin involvement, 0.1–1.9; recurrent SJS, 0.4–10.7; preceding URI symptoms, 3.3–269.4; household contacts with URI, OR of 2.3 instead of 2.0 and CI 0.4–12.4; ICU admission, 0.4–6.3; and amniotic graft, 0.3–4.7. A corrected version of the table is supplied here.

doi:10.1542/peds.2015-3276

TABLE 3 Comparison of Mp-associated SJS and non-Mp-associated SJS, October 2008–November 2013

Variable	Mp-SJS (n=17)	Non-Mp-SJS (n=23)	OR (CI)	P value	All inpatients (n=35,964)
<i>Demographics</i>					
Age, years, median (IQR)	12.7 (10.0-14.5)	11.7 (6.8-15.1)	-	NS	6.8 ± 6.9
Male, n (%)	12 (71)	14 (61)	1.5 (0.4-5.9)	NS	19,843 (55)
Race, non-white, n (%)	2 (12)	8 (35)	0.3 (0.0-1.4)	NS	3,356 (9)
Ethnicity, hispanic, n (%)	4 (24)	6 (26)	0.9 (0.2-3.7)	NS	10,077 (28)
<i>Clinical</i>					
Fever (≥ 39.5 C), n (%)	16 (94)	20 (87)	2.4 (0.2-25.3)	NS	-
Oral involvement, n (%)	17 (100)	23 (100)	N/A	N/A	-
Conjunctival involvement, n (%)	16 (94)	20 (87)	2.4 (0.2-25.3)	NS	-
Genital involvement, n (%)	14 (82)	17 (74)	1.6 (0.3-7.8)	NS	-
# mucus membranes involved, median (IQR)	3 (3-3)	3 (2.5-3)	-	NS	-
≥ 3 mucus membranes involved, n (%)	13 (76)	17 (74)	1.1 (0.3-4.9)	NS	-
Skin involvement, n (%)	13 (76)	21 (91)	0.3 (0.1-1.9)	NS	-
# of skin sites involved, median (IQR)	1 (1-4)	4 (2.5-4)	-	0.047	-
≤ 3 skin sites involved, n (%)	12 (71)	8 (35)	4.5 (1.2-17.4)	0.025	-
Recurrent SJS, n (%)	4 (24)	3 (13)	2.1 (0.4-10.7)	NS	-
Pneumonia, n (%)	9 (53)	3 (13)	7.5 (1.6-35.1)	0.013	-
Preceding antibiotics or AEDs ^a , n (%)	0 (0)	9 (39)	1/infinity	<0.001	-
Preceding URI symptoms, n (%)	16 (94)	8 (35)	30 (3.3-269.4)	<0.001	-
Household contacts with URI ^b , n (%)	5 (50)	4 (31)	2.3 (0.4-12.4)	NS	-
ESR > 35 mg/dL, n (%) ^c	7 (64)	1 (7)	22.8 (2.1-244.9)	0.007	-
Max CRP mg/dL, median (IQR) ^d	7.5 (2.9-10.5)	6.3 (2.8-11.8)	-	NS	-
<i>Treatment</i>					
Days hospitalized, median (IQR)	9 (5-12)	11 (5-12.5)	-	NS	-
NG feeding or TPN days, median (IQR)	7 (0-9)	5 (0-10)	-	NS	-
PCA/continuous opioid days, median (IQR)	0 (0-9)	0 (0-9)	-	NS	-
ICU admission, n (%)	5 (29)	5 (22)	1.5 (0.4-6.3)	NS	-
Amniotic graft, n (%)	6 (35)	7 (32)	1.2 (0.3-4.7)	NS	-

Olson et al. Outbreak of *Mycoplasma pneumoniae*–Associated Stevens Johnson Syndrome. *Pediatrics*. 2015;136(2):e386–394

Pediatrics 2015;136;1198

DOI: 10.1542/peds.2015-3276

Updated Information & Services

including high resolution figures, can be found at:
<http://pediatrics.aappublications.org/content/136/6/1198>

Subspecialty Collections

This article, along with others on similar topics, appears in the following collection(s):
Administration/Practice Management
http://classic.pediatrics.aappublications.org/cgi/collection/administration:practice_management_sub

Permissions & Licensing

Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at:
<https://shop.aap.org/licensing-permissions/>

Reprints

Information about ordering reprints can be found online:
<http://classic.pediatrics.aappublications.org/content/reprints>

Pediatrics is the official journal of the American Academy of Pediatrics. A monthly publication, it has been published continuously since . Pediatrics is owned, published, and trademarked by the American Academy of Pediatrics, 141 Northwest Point Boulevard, Elk Grove Village, Illinois, 60007. Copyright © 2015 by the American Academy of Pediatrics. All rights reserved. Print ISSN: .

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN™



PEDIATRICS®

OFFICIAL JOURNAL OF THE AMERICAN ACADEMY OF PEDIATRICS

Olson et al. Outbreak of *Mycoplasma pneumoniae*–Associated Stevens Johnson Syndrome. *Pediatrics*. 2015;136(2):e386–394

Pediatrics 2015;136;1198

DOI: 10.1542/peds.2015-3276

The online version of this article, along with updated information and services, is located on the World Wide Web at:

<http://pediatrics.aappublications.org/content/136/6/1198>

Pediatrics is the official journal of the American Academy of Pediatrics. A monthly publication, it has been published continuously since . Pediatrics is owned, published, and trademarked by the American Academy of Pediatrics, 141 Northwest Point Boulevard, Elk Grove Village, Illinois, 60007. Copyright © 2015 by the American Academy of Pediatrics. All rights reserved. Print ISSN: .

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN™

