

Acute Otitis Media in the 21st Century: What Now?

Richard C. Wasserman, MD, MPH,^{a,b} Jeffrey S. Gerber, MD, PhD^{c,d}

Acute otitis media (AOM) is, by far, the most common indication for antibiotic prescribing to children.¹ Thus, understanding the epidemiology of AOM is important to optimize clinical outcomes and promote judicious antibiotic use. In this issue of *Pediatrics*, Kaur et al² offer a community-based glimpse into 21st century AOM. Notably, the authors summarize the current bacteriology of AOM in the patients of Legacy Pediatrics, a research-oriented primary care practice in Rochester, New York. It is gratifying to note that research from individual practice settings is alive and well. Pichichero and co-workers^{3–5} have been tracking changes in bacteriology of AOM at Legacy Pediatrics since 2007. He previously published work with similar methodology⁶ on patients from Elmwood Pediatrics, the Rochester practice with the decades-long tradition of infectious disease research dating back to Breese and Disney's first article on group A streptococci.⁷ The rationale for reinvestigation is twofold: AOM diagnostic criteria have become ever more stringent, and use of the pneumococcal conjugate vaccine (PCV) against *Streptococcus pneumoniae* (once the dominant AOM pathogen⁸) has increased steadily.⁹ The National Institute on Deafness and Other Communication Disorders provided financial support for this investigation, but we owe even more thanks to the participating parents and children of Legacy Pediatrics. Patients are enrolled prospectively at 6 months of age. Those diagnosed with AOM are routinely approached for tympanocentesis, which is portrayed

in the article (and presumably to the parents) as both a diagnostic and therapeutic procedure. Patients are then routinely placed on amoxicillin/clavulanic acid, unless there is an allergy to penicillin.

What do the authors of the study tell us? The information on the bacteriology of first AOM infections is compelling and confirms other reports.¹⁰ However, the study design, acknowledged as problematic by the authors themselves, limits the conclusions one can draw about what follows first infections. This is because patients in the study have received initial treatment that strays in 3 ways from the most recent American Academy of Pediatrics (AAP) guideline¹¹: routine use of tympanocentesis, therapy with amoxicillin/clavulanate acid (as opposed to amoxicillin), and duration of antibiotic therapy. As such, for those of us who follow this guideline, the information gained regarding subsequent infections is less generalizable.

The prospective data collection and rigorous diagnostic criteria for AOM are clear strengths of this study. The limitations, from an epidemiological standpoint, include some lack of clarity regarding the study design and analysis. Although never stated as such, this appears to be a cohort study, but precisely who the controls are and how they have been selected is inadequately specified. We are not told the proportion of eligible children that were actually enrolled, nor how nonenrolled children might have differed from study subjects.

FREE

^aThe University of Vermont Children's Hospital and ^bLarner College of Medicine, University of Vermont, Burlington, Vermont, and ^cChildren's Hospital of Philadelphia and ^dPerelman School of Medicine, University of Pennsylvania, Philadelphia, Pennsylvania

Drs Wasserman and Gerber conceptualized the commentary; Dr Wasserman drafted the initial and final versions of the manuscript, to which Dr Gerber had made substantial additions and serial and final edits; and all authors approved the final manuscript as submitted.

DOI: <https://doi.org/10.1542/peds.2017-1966>

Accepted for publication Jun 19, 2017

Address correspondence to Richard C. Wasserman, MD, MPH, Department of Pediatrics, Larner College of Medicine, One South Prospect St, Burlington, VT 05401. E-mail: richard.wasserman@med.uvm.edu

PEDIATRICS (ISSN Numbers: Print, 0031-4005; Online, 1098-4275).

Copyright © 2017 by the American Academy of Pediatrics

FINANCIAL DISCLOSURE: The authors have indicated they have no financial relationships relevant to this article to disclose.

FUNDING: No external funding.

POTENTIAL CONFLICT OF INTEREST: The authors have indicated they have no potential conflicts of interest to disclose.

COMPANION PAPER: A companion to this article can be found online at www.pediatrics.org/cgi/doi/10.1542/peds.2017-0181.

To cite: Wasserman RC and Gerber JS. Acute Otitis Media in the 21st Century: What Now?. *Pediatrics*. 2017;140(3):e20171966

It is not clear that differences in duration of follow-up among subjects were accounted for in the analyses. Statistically significant but clinically insignificant findings (eg, the reported protective association between breastfeeding and recurrent AOM [P value = .016; odds ratio = 0.99]) are worth noting as such.

What do we know and what uncertainties remain? The incidence of AOM seems to be decreasing coincident with the introduction and expansion of pneumococcal vaccine coverage, so vaccination with PCV should remain a priority. Although it might not be every parent's (or child's) choice as a management strategy, tympanocentesis appears to be safe, diagnostic, and therapeutic. The best choice of antibiotic therapy, however, remains unclear. Although Kaur et al² use amoxicillin clavulanate and justify this choice on the basis of the bacteriology from middle ear fluid cultures, no head-to-head studies have compared this broader-spectrum antibiotic with amoxicillin, the AAP guideline-recommended choice for most children with AOM. Lastly, although 5 days of antibiotic therapy was used in this study, researchers conducting a recent randomized controlled trial found that 5 days of amoxicillin clavulanate was inferior to 10 days of that antibiotic for AOM.¹²

The take home for practicing clinicians is clear: keep using PCV and keep following the evidence-based

AAP guidelines, which reflect the most comprehensive review of evidence regarding treatment. For researchers, a head-to-head clinical trial between different antibiotic choices and durations is greatly needed to provide working clinicians with the best evidence for managing AOM in the 21st century.

ABBREVIATIONS

AAP: American Academy of Pediatrics
AOM: acute otitis media
PCV: pneumococcal conjugate vaccine

REFERENCES

1. Fleming-Dutra KE, Hersh AL, Shapiro DJ, et al. Prevalence of inappropriate antibiotic prescriptions among US ambulatory care visits, 2010-2011. *JAMA*. 2016;315(17):1864-1873
2. Kaur R, Morris M, Pichichero M. Epidemiology of acute otitis media in the postpneumococcal conjugate vaccine era. *Pediatrics*. 2017;140(3):e20170181
3. Casey JR, Adlowitz DG, Pichichero ME. New patterns in the otopathogens causing acute otitis media six to eight years after introduction of pneumococcal conjugate vaccine. *Pediatr Infect Dis J*. 2010;29(4):304-309
4. Casey JR, Kaur R, Friedel VC, Pichichero ME. Acute otitis media otopathogens during 2008 to 2010 in Rochester, New York. *Pediatr Infect Dis J*. 2013;32(8):805-809
5. Friedel V, Zilora S, Bogaard D, Casey JR, Pichichero ME. Five-year prospective study of paediatric acute otitis media in Rochester, NY: modelling analysis of the risk of pneumococcal colonization in the nasopharynx and infection. *Epidemiol Infect*. 2014;142(10):2186-2194
6. Casey JR, Pichichero ME. Changes in frequency and pathogens causing acute otitis media in 1995-2003. *Pediatr Infect Dis J*. 2004;23(9):824-828
7. Breese BB, Disney FA. The accuracy of diagnosis of beta streptococcal infections on clinical grounds. *J Pediatr*. 1954;44(6):670-673
8. Bluestone CD, Klein JO. *Otitis Media in Infants and Children*. Philadelphia, PA: W.B. Saunders Company; 1988
9. Centers for Disease Control and Prevention. Immunization. Available at: <https://www.cdc.gov/nchs/fastats/immunize.htm>. Accessed May 10, 2017
10. Block SL, Hedrick J, Harrison CJ, et al. Community-wide vaccination with the heptavalent pneumococcal conjugate significantly alters the microbiology of acute otitis media. *Pediatr Infect Dis J*. 2004;23(9):829-833
11. Lieberthal AS, Carroll AE, Chonmaitree T, et al. The diagnosis and management of acute otitis media. *Pediatrics*. 2013;131(3). Available at: www.pediatrics.org/cgi/content/full/131/3/e964
12. Hoberman A, Paradise JL, Rockette HE, et al. Shortened antimicrobial treatment for acute otitis media in young children. *N Engl J Med*. 2016;375(25):2446-2456

Acute Otitis Media in the 21st Century: What Now?

Richard C. Wasserman and Jeffrey S. Gerber

Pediatrics 2017;140;

DOI: 10.1542/peds.2017-1966 originally published online August 7, 2017;

Updated Information & Services

including high resolution figures, can be found at:
<http://pediatrics.aappublications.org/content/140/3/e20171966>

References

This article cites 9 articles, 1 of which you can access for free at:
<http://pediatrics.aappublications.org/content/140/3/e20171966.full#ref-list-1>

Subspecialty Collections

This article, along with others on similar topics, appears in the following collection(s):

Current Policy

http://classic.pediatrics.aappublications.org/cgi/collection/current_policy

Ear, Nose & Throat Disorders

http://classic.pediatrics.aappublications.org/cgi/collection/ear_nose_throat_disorders_sub

Otitis Media

http://classic.pediatrics.aappublications.org/cgi/collection/otitis_media_sub

Permissions & Licensing

Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at:

<https://shop.aap.org/licensing-permissions/>

Reprints

Information about ordering reprints can be found online:
<http://classic.pediatrics.aappublications.org/content/reprints>

Pediatrics is the official journal of the American Academy of Pediatrics. A monthly publication, it has been published continuously since . Pediatrics is owned, published, and trademarked by the American Academy of Pediatrics, 141 Northwest Point Boulevard, Elk Grove Village, Illinois, 60007. Copyright © 2017 by the American Academy of Pediatrics. All rights reserved. Print ISSN:

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN™



PEDIATRICS®

OFFICIAL JOURNAL OF THE AMERICAN ACADEMY OF PEDIATRICS

Acute Otitis Media in the 21st Century: What Now?

Richard C. Wasserman and Jeffrey S. Gerber

Pediatrics 2017;140;

DOI: 10.1542/peds.2017-1966 originally published online August 7, 2017;

The online version of this article, along with updated information and services, is located on the World Wide Web at:

<http://pediatrics.aappublications.org/content/140/3/e20171966>

Pediatrics is the official journal of the American Academy of Pediatrics. A monthly publication, it has been published continuously since . Pediatrics is owned, published, and trademarked by the American Academy of Pediatrics, 141 Northwest Point Boulevard, Elk Grove Village, Illinois, 60007. Copyright © 2017 by the American Academy of Pediatrics. All rights reserved. Print ISSN:

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN™

