

# Quantifying the Contribution of Obesity to Incident Childhood Asthma: It's About Time

Deepa Rastogi, MBBS, MS



Several studies in the past 15 years have reported a link between obesity and asthma, 2 of the most common chronic pediatric diseases. As we have understood these associations better, there has been recognition of 2 mechanistically distinct types of pediatric obesity-related asthma, one in which asthma precedes obesity<sup>1</sup> and the other in which obesity precedes asthma.<sup>2</sup> However, the incidences of these types of pediatric obesity-related asthma are not known. In the current issue of *Pediatrics*, Lang et al<sup>3</sup> address this gap in knowledge and report a risk of 23% to 28% of new asthma cases attributable to obesity among children residing in the United States.

This study has many strengths.<sup>3</sup> Access to detailed data in the PEDSnet system,<sup>4</sup> which includes clinical and medical claims data collected longitudinally on a quarterly basis from 8 large pediatric health systems in the United States, allowed the authors to conduct a stringent analysis of asthma diagnosis using different definitions routinely used in asthma research. They included children that were diagnosed in 1 clinical encounter, in 2 or more clinical encounters, who were prescribed a controller medication, or who had evidence of airway obstruction or reactivity on spirometry as an objective measure of airway disease. They excluded those on asthma medications without a formal diagnosis and those who were diagnosed with asthma within a short period of clinic follow-up. An inclusion of large health systems across the country

allowed representation of all races and ethnicities. Matching children for demographic characteristics and insurance status addressed the confounding effect of these variables. In addition, the analytic approach of modeling with and without comorbid health conditions including allergic rhinitis, food allergy, and gastroesophageal reflux disease clarified the minimal influence of these comorbidities on the relative risk of incident asthma among children who are overweight and obese. Together, this study highlights the substantial independent contribution of obesity to incident asthma in a nationally representative sample of US children.

The findings by Lang et al<sup>3</sup> are important for many reasons. Childhood asthma prevalence has remained steady at ~10% for the past several years<sup>5</sup> despite the implementation of programs for early diagnosis, proper management, and the mitigation of environmental exposures. On the basis of this study,<sup>3</sup> with the prevalence of obesity at ~20% among children in the United States and rising in certain subsets,<sup>6</sup> and with obesity increasing the risk of asthma by 23% to 28%, we are looking at an ~5% increase in childhood asthma due to obesity, suggesting that over time obesity-induced asthma will become a major type of childhood asthma. Moreover, the onset of disease in childhood adds several more years of morbidity when compared with obesity-induced adult-onset asthma.<sup>7</sup> With this daunting burden of disease, there is a silver

Department of Pediatrics, Albert Einstein College of Medicine, New York City, New York

Opinions expressed in these commentaries are those of the author and not necessarily those of the American Academy of Pediatrics or its Committees.

**DOI:** <https://doi.org/10.1542/peds.2018-2979>

Accepted for publication Sep 20, 2018

Address correspondence to Deepa Rastogi, MBBS, MS, Children's Hospital at Montefiore, Albert Einstein College of Medicine, 3415 Bainbridge Ave, Bronx, NY 10467. E-mail: [drastogi@montefiore.org](mailto:drastogi@montefiore.org)

PEDIATRICS (ISSN Numbers: Print, 0031-4005; Online, 1098-4275).

Copyright © 2018 by the American Academy of Pediatrics

**FINANCIAL DISCLOSURE:** The author has indicated she has no financial relationships relevant to this article to disclose.

**FUNDING:** Funded by National Institutes of Health and National Heart, Lung, and Blood Institute grant K23HL118733. Funded by the National Institutes of Health (NIH).

**POTENTIAL CONFLICT OF INTEREST:** The author has indicated she has no potential conflicts of interest to disclose.

**COMPANION PAPER:** A companion to this article can be found online at [www.pediatrics.org/cgi/doi/10.1542/peds.2018-2119](http://www.pediatrics.org/cgi/doi/10.1542/peds.2018-2119).

**To cite:** Rastogi D. Quantifying the Contribution of Obesity to Incident Childhood Asthma: It's About Time. *Pediatrics*. 2018;142(6):e20182979

lining. Obesity may be the first modifiable risk factor for asthma, offering an opportunity for primary prevention of asthma. There has long been awareness of the cardiovascular and endocrine implications of obesity in children. It is time we recognize the effects of obesity on the pulmonary system.

However, it is important to recognize that not all children with obesity develop asthma. Researchers, in initial investigations into the mechanisms underlying pediatric obesity-related asthma, have identified a role for truncal adiposity,<sup>8</sup> metabolic abnormalities including insulin resistance and dyslipidemia,<sup>9,10</sup> and obesity-mediated systemic inflammation.<sup>10,11</sup> All these mechanisms are notable for the lack of a role of allergy. There is consistent evidence that obesity-related asthma in children is nonallergic, severe, and poorly responsive to asthma medications as compared with normal-weight asthma.<sup>12–16</sup> Unlike allergic asthma,<sup>17</sup> there are no targeted therapies for nonallergic asthma.

Putting the findings of Lang et al<sup>3</sup> in context of the potential mechanisms underlying obesity-related asthma,<sup>8–11</sup> we suggest that clinicians consider measurement of waist circumference and quantification of metabolic abnormalities as part of their evaluation of children who are obese in an attempt to identify those at risk of developing pulmonary complications of obesity. Because normative values exist for waist circumference and for the classification of metabolic abnormalities in children,<sup>18–20</sup> those with evidence of  $\geq 1$  of these obesity-related complications should be the ones actively screened for asthma. In addition, in light of the poor response that children with obesity and asthma have to medications,<sup>15,16</sup> there is an urgent need for continued investigations of mechanisms that differentiate children with obesity

who develop asthma from those who do not and differentiate children who become obese because of asthma from those who develop asthma because of obesity. Together, this knowledge will guide the development of novel targeted therapy for obesity-related asthma, given its poor responsiveness to current asthma medications.

## REFERENCES

- Chen Z, Salam MT, Alderete TL, et al. Effects of childhood asthma on the development of obesity among school-aged children. *Am J Respir Crit Care Med*. 2017;195(9):1181–1188
- Gilliland FD, Berhane K, Islam T, et al. Obesity and the risk of newly diagnosed asthma in school-age children. *Am J Epidemiol*. 2003;158(5):406–415
- Lang JE, Bunnell H, Hossain J, et al. Being overweight or obese and the development of asthma. *Pediatrics*. 2018;142(6):e20182119
- Forrest CB, Margolis PA, Bailey LC, et al. PEDSnet: a national pediatric learning health system. *J Am Med Inform Assoc*. 2014;21(4):602–606
- Center for Disease Control. Asthma. Available at: <https://www.cdc.gov/asthma/default.htm>. Accessed September 15, 2018
- Center for Disease Control. Overweight & obesity. Available at: <https://www.cdc.gov/obesity/index.html>. Accessed September 15, 2018
- Holguin F, Bleecker ER, Busse WW, et al. Obesity and asthma: an association modified by age of asthma onset. *J Allergy Clin Immunol*. 2011;127(6):1486–1493.e2
- Forno E, Han YY, Libman IM, Muzumdar RH, Celedón JC. Adiposity and asthma in a nationwide study of children and adults in the United States. *Ann Am Thorac Soc*. 2018;15(3):322–330
- Rastogi D, Bhalani K, Hall CB, Isasi CR. Association of pulmonary function with adiposity and metabolic abnormalities in urban minority adolescents. *Ann Am Thorac Soc*. 2014;11(5):744–752
- Rastogi D, Fraser S, Oh J, et al. Inflammation, metabolic dysregulation, and pulmonary function among obese urban adolescents with asthma. *Am J Respir Crit Care Med*. 2015;191(2):149–160
- Rastogi D, Canfield SM, Andrade A, et al. Obesity-associated asthma in children: a distinct entity. *Chest*. 2012;141(4):895–905
- Just J, Gouvis-Echraghi R, Rouve S, Wanin S, Moreau D, Annesi-Maesano I. Two novel, severe asthma phenotypes identified during childhood using a clustering approach. *Eur Respir J*. 2012;40(1):55–60
- Weinmayr G, Forastiere F, Büchele G, Jaensch A, Strachan DP, Nagel G; ISAAC Phase Two Study Group. Overweight/obesity and respiratory and allergic disease in children: international study of asthma and allergies in childhood (ISAAC) phase two [published correction appears in *PLoS One*. 2015;10(40):e0126678]. *PLoS One*. 2014;9(12):e113996
- Gross E, Lee DS, Hotz A, Ngo KC, Rastogi D. Impact of obesity on asthma morbidity during a hospitalization. *Hosp Pediatr*. 2018;8(9):538–546
- Forno E, Lescher R, Strunk R, Weiss S, Fuhlbrigge A, Celedón JC; Childhood Asthma Management Program Research Group. Decreased response to inhaled steroids in overweight and obese asthmatic children. *J Allergy Clin Immunol*. 2011;127(3):741–749
- McGarry ME, Castellanos E, Thakur N, et al. Obesity and bronchodilator response in black and Hispanic children and adolescents with asthma. *Chest*. 2015;147(6):1591–1598
- Busse WW, Morgan WJ, Gergen PJ, et al. Randomized trial of omalizumab (anti-IgE) for asthma in inner-city children. *N Engl J Med*. 2011;364(11):1005–1015
- Fernández JR, Redden DT, Pietrobelli A, Allison DB. Waist circumference percentiles in nationally representative samples of African-American, European-American, and Mexican-American children and adolescents. *J Pediatr*. 2004;145(4):439–444
- Expert Panel on Integrated Guidelines for Cardiovascular Health and Risk Reduction in

Children and Adolescents; National Heart, Lung, and Blood Institute. Expert panel on integrated guidelines for cardiovascular health and risk reduction in children and

adolescents: summary report. *Pediatrics*. 2011;128(suppl 5): S213–S256

20. American Diabetes Association.  
2. Classification and diagnosis of

diabetes [published correction appears in *Diabetes Care*. 2016;39(9);1653]. *Diabetes Care*. 2016;39(suppl 1): S13–S22

## Quantifying the Contribution of Obesity to Incident Childhood Asthma: It's About Time

Deepa Rastogi

*Pediatrics* 2018;142;

DOI: 10.1542/peds.2018-2979 originally published online November 26, 2018;

### Updated Information & Services

including high resolution figures, can be found at:  
<http://pediatrics.aappublications.org/content/142/6/e20182979>

### References

This article cites 18 articles, 5 of which you can access for free at:  
<http://pediatrics.aappublications.org/content/142/6/e20182979#BIBL>

### Subspecialty Collections

This article, along with others on similar topics, appears in the following collection(s):  
**Pulmonology**  
[http://www.aappublications.org/cgi/collection/pulmonology\\_sub](http://www.aappublications.org/cgi/collection/pulmonology_sub)  
**Asthma**  
[http://www.aappublications.org/cgi/collection/asthma\\_subtopic](http://www.aappublications.org/cgi/collection/asthma_subtopic)  
**Obesity**  
[http://www.aappublications.org/cgi/collection/obesity\\_new\\_sub](http://www.aappublications.org/cgi/collection/obesity_new_sub)

### Permissions & Licensing

Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at:  
<http://www.aappublications.org/site/misc/Permissions.xhtml>

### Reprints

Information about ordering reprints can be found online:  
<http://www.aappublications.org/site/misc/reprints.xhtml>

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN™



# PEDIATRICS®

OFFICIAL JOURNAL OF THE AMERICAN ACADEMY OF PEDIATRICS

## **Quantifying the Contribution of Obesity to Incident Childhood Asthma: It's About Time**

Deepa Rastogi

*Pediatrics* 2018;142;

DOI: 10.1542/peds.2018-2979 originally published online November 26, 2018;

The online version of this article, along with updated information and services, is located on the World Wide Web at:

<http://pediatrics.aappublications.org/content/142/6/e20182979>

Pediatrics is the official journal of the American Academy of Pediatrics. A monthly publication, it has been published continuously since 1948. Pediatrics is owned, published, and trademarked by the American Academy of Pediatrics, 141 Northwest Point Boulevard, Elk Grove Village, Illinois, 60007. Copyright © 2018 by the American Academy of Pediatrics. All rights reserved. Print ISSN: 1073-0397.

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN™

