



Mediators and Adverse Effects of Child Poverty in the United States

John M. Pascoe, MD, MPH, FAAP, David L. Wood, MD, MPH, FAAP, James H. Duffee, MD, MPH, FAAP, Alice Kuo, MD, PhD, MEd, FAAP, COMMITTEE ON PSYCHOSOCIAL ASPECTS OF CHILD AND FAMILY HEALTH, COUNCIL ON COMMUNITY PEDIATRICS

The link between poverty and children's health is well recognized. Even temporary poverty may have an adverse effect on children's health, and data consistently support the observation that poverty in childhood continues to have a negative effect on health into adulthood. In addition to childhood morbidity being related to child poverty, epidemiologic studies have documented a mortality gradient for children aged 1 to 15 years (and adults), with poor children experiencing a higher mortality rate than children from higher-income families. The global great recession is only now very slowly abating for millions of America's children and their families. At this difficult time in the history of our nation's families and immediately after the 50th anniversary year of President Lyndon Johnson's War on Poverty, it is particularly germane for the American Academy of Pediatrics, which is "dedicated to the health of all children," to publish a research-supported technical report that examines the mediators associated with the long-recognized adverse effects of child poverty on children and their families. This technical report draws on research from a number of disciplines, including physiology, sociology, psychology, economics, and epidemiology, to describe the present state of knowledge regarding poverty's negative impact on children's health and development. Children inherit not only their parents' genes but also the family ecology and its social milieu. Thus, parenting skills, housing, neighborhood, schools, and other factors (eg, medical care) all have complex relations to each other and influence how each child's genetic canvas is expressed. Accompanying this technical report is a policy statement that describes specific actions that pediatricians and other child advocates can take to attenuate the negative effects of the mediators identified in this technical report and improve the well-being of our nation's children and their families.

abstract

This document is copyrighted and is property of the American Academy of Pediatrics and its Board of Directors. All authors have filed conflict of interest statements with the American Academy of Pediatrics. Any conflicts have been resolved through a process approved by the Board of Directors. The American Academy of Pediatrics has neither solicited nor accepted any commercial involvement in the development of the content of this publication.

Technical reports from the American Academy of Pediatrics benefit from expertise and resources of liaisons and internal (AAP) and external reviewers. However, technical reports from the American Academy of Pediatrics may not reflect the views of the liaisons or the organizations or government agencies that they represent.

The guidance in this report does not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate.

All technical reports from the American Academy of Pediatrics automatically expire 5 years after publication unless reaffirmed, revised, or retired at or before that time.

DOI: 10.1542/peds.2016-0340

PEDIATRICS (ISSN Numbers: Print, 0031-4005; Online, 1098-4275).

Copyright © 2016 by the American Academy of Pediatrics

There is no keener revelation of a society's soul than the way in which it treats its children.

—Nelson Mandela

To cite: Pascoe JM, Wood DL, Duffee JH, et al. AAP Committee on Psychosocial Aspects of Child and Family Health, Council on Community Pediatrics. Mediators and Adverse Effects of Child Poverty in the United States. *Pediatrics*. 2016;137(4):e20160340

The advent of the Great Recession in December 2007 heralded an increase in child poverty from a prerecession 13.3 million children to 16.3 million children by 2010.^{1,2} The Great Recession is only now very slowly abating for millions of this nation's families, and "full employment" is forecasted finally to return sometime in 2017.³ In 2014, an estimated 21.1% of children, or 15.5 million, lived in poverty.²

Although medical care and access to medical care are important factors in the health of children as well as adults, a broader perspective of the social determinants of health throughout the life cycle is critically important if significant gains are to be realized in our efforts to improve the health of this nation's children. Research that examines mediators of health as well as the effects of poverty and other circumstances in which people grow, live, work, and age in childhood and throughout the life course is accumulating rapidly, and findings are providing critical insights that can inform these efforts.⁴

The environment in which a child develops is influenced by parents' health, the immediate and extended family, housing, and community. All these factors are related to a family's social, economic, and health status.⁵ These multiple factors in both the social and the physical domains have dynamic influences that link them to the long-term physical and mental health of children, youth, and adults.^{6,7} The interaction of these factors that ultimately influence children's health has been published as a figure within an earlier technical report from the American Academy of Pediatrics (AAP) on toxic stress.⁸ The ongoing investigation of these factors creates the basic science of pediatrics (Fig 1). A 1958 birth cohort longitudinal study from the United Kingdom recently reported that 45-year-old adults who experienced psychological distress during childhood were at




FIGURE 1 The basic science of pediatrics. An emerging, multidisciplinary science of development supports an ecobiodevelopmental framework for understanding the evolution of human health and disease across the life span. In recent decades, epidemiology, developmental psychology, and longitudinal studies of early childhood interventions have shown significant associations (dashed arrow) between the ecology of childhood and a wide range of developmental outcomes and life-course trajectories. Concurrently, advances in the biological sciences, particularly in developmental neuroscience and epigenetics, have made parallel progress in beginning to elucidate the biological mechanisms (solid arrows) underlying these important associations. The convergence of these diverse disciplines defines a promising new basic science of pediatrics.

increased risk of adult cardiovascular and metabolic disease even if the distress resolved during adulthood.⁹ Another recent study from Europe reviewed 201 studies from 32 countries from all European regions. The investigators found that multiple social factors from different levels (eg, neighborhood, household) are sources of child health or development disadvantage. These findings support the necessity for effective interventions to target multiple social factors operating at different levels.¹⁰

The notion that development is affected by both biology and experience coactively is sometimes referred to as "canalization." This idea is a major tenet of the psychobiological model of growth and development and provides a framework to understand why

individuals do, or do not, develop specific sets of skills that reflect their genes as well as their life experiences.¹¹ This concept is very similar to the ecobiodevelopmental framework proposed in the AAP policy statement and technical report on toxic stress.^{8,12} Although occasional stories appear of extraordinary disadvantaged youth who have overcome the myriad negative experiences of their childhood, for most children early adversity casts a long shadow into their adulthood and even into the next generation.¹³ This technical report provides an analysis of the current research on child poverty and mechanisms by which poverty and other factors associated with disadvantage influence the health and well-being of children. This report is especially appropriate immediately after the 50th anniversary year of President Johnson's War on Poverty.^{14,15}

OVERVIEW OF POVERTY, RELATIONAL HEALTH, AND TOXIC STRESS

Poor families experience a plethora of stressful challenges that influence health.¹⁶ Housing and food insecurity are 2 examples of social determinants of health that contribute to health disparities in childhood.^{17,18} Poverty is an independent determinant of health through its adverse effect on family relationships, also called relational health.¹⁹ Relational health in early childhood is the ability to form secure attachments with engaged, responsive caregivers in a safe, stable, and nurturing emotional environment²⁰; it is an essential protective factor for the development of emotional regulation and resilience and the ability to cope with adversity during an individual's lifetime.²¹

Family relational processes can be affected by both biological and psychosocial pathways. For example, parents' poverty-related stress can

activate children's stress mechanisms or children's immune systems, and economic hardship has been associated with depressed parental mood and marital conflict.²²

Poverty has direct negative effects on early brain development through the mechanism of toxic stress. The pathophysiology of toxic stress consists of frequent, unremitting activation of the hypothalamic-pituitary-adrenocortical (HPA) axis stress system and chronic elevation of cortisol as well as inflammatory mediators. The most common physiologic adaptive response to stress involves activation of the HPA axis and the sympathetic-adrenomedullary system. This activation results in increased levels of stress hormones, such as corticotropin-releasing hormone, cortisol, norepinephrine, and adrenaline. These changes occur at the same time that other mediators are released, such as inflammatory cytokines.^{23,24} Although transient increases in these hormones are protective and may be necessary for survival, very high levels or prolonged exposures can be harmful and even toxic for the human body.²⁵ The dysregulation of this combination of physiologic mediators (eg, too much or too little cortisol or inflammatory response) can create a "wear and tear" effect on a number of organs, including the brain.²⁶ The overall stress-induced burden on body functioning and the aggregated physiologic and psychological costs required for coping and returning to homeostatic balance have been termed "allostatic load."

The chronic stress of poverty during early childhood development is associated with an impaired ability of the prefrontal cortex to suppress the amygdala, the "on switch" for the stress response.²⁷ Prefrontal lobe dysfunction impairs executive control²⁸ of affect regulation and impulsive behavior, and the epigenetic, anatomic, and

neuroendocrine disruption related to chronic toxic stress may impair learning, behavior, and interpersonal relationships.²⁹ This dysregulation adversely affects physical and mental illness throughout the life course. The combination of impaired self-regulation and chronic stress may lead to maladaptive behaviors, such as smoking, excessive alcohol intake, overeating, promiscuity, and substance abuse, that transiently turn off the stress response but over the life course may cause morbidity and early mortality.^{30,31}

In summary, poverty and other social determinants of health adversely affect relational health. Poor relational health, particularly the absence of emotional support by a nurturing adult, increases the risk of childhood toxic stress and difficulties in emotional regulation, early child development, and eventually, lifelong health. Prolonged activation of the body's stress response becomes intolerable in the absence of the buffering effect of a supportive adult relationship.³² On the other hand, with good relational health and family stability, a child who experiences stress is more likely to turn off the physiologic stress response in a timely manner and avoid the adverse consequences.^{8,33} Programs focused on building self-regulation in impoverished children have been shown to improve executive function and decrease chronic stress.³⁴ Thus, poverty-related stress may be tolerable if good relational health is present as a protective factor. Recommendations made in the accompanying policy statement,³⁵ "Poverty and Child Health in the United States," are based on emerging research and evaluation findings that support the notion that the brain development of a child experiencing poverty and his or her health during the life course may be protected from harm by programs that foster improved parent engagement and relational

health within the family and help to buffer the chronic stress of poverty.^{34,36}

DEFINING AND DESCRIBING POVERTY IN THE UNITED STATES

Poverty is defined as a state in which one lacks a usual or socially acceptable amount of money or material possessions to provide for his or her basic needs, which typically include food, water, sanitation, clothing, shelter, health care, and education.³⁷

Federal Poverty Level

In the United States, the current method of operationalizing and measuring poverty is called the federal poverty level (FPL). Each year, the US Department of Health and Human Services develops a set of poverty guidelines and thresholds on the basis of family size and family composition. These guidelines and thresholds are based on census data and are loosely referred to as the FPL. The income and demographic data for FPL estimates are collected within the Current Population Survey, an annual and nationally representative household survey jointly conducted by the US Census Bureau and the US Bureau of Labor Statistics within the US Department of Labor.

The FPL was developed in the early 1960s on the basis of data from the US Department of Agriculture's 1955 Food Consumption Survey. That research in the 1950s found that the average US family spent one-third of its pretax income on food. By using the US Department of Agriculture's Economy Food Plan, a bare-bones plan designed to provide a healthy diet for a temporary period when funds are low, the federal poverty measure was determined by multiplying the budget for the basic food plan by 3.

The federal poverty measure has not changed fundamentally since 1969, except that it is adjusted annually

for overall food price inflation, as measured by the Consumer Price Index. Thus, the FPL reflects 1950s living standards and has not been adjusted to reflect changes in needs associated with the dramatic increase in 2-parent working families and the improvement in the standards of living that have occurred over the past 45 years, which have significantly changed the composition of the family budget. Food now accounts for approximately 15% of the budget, and the proportion allocated to work-related costs, child care, housing, and transportation has increased substantially. If the same methodology of the basic food basket were applied today, the FPL would be more than 2 times higher than the current level.³⁸ However, it is also important to note that the FPL does not take into consideration government cash or near-cash subsidies, such as the Supplemental Nutrition Assistance Program (SNAP), the Special Supplemental Nutrition Program for Women, Infants, and Children (WIC), housing subsidies, low-income home energy assistance, or earned income and child tax credits. The FPL also does not account for variations in medical costs across population groups or geographic differences in the cost of living. To account for geographic variations in the cost of living and to include income-transfer programs listed above, in 2010 the National Academy of Sciences³⁹ conducted a study of current family budgets and developed the Supplemental Poverty Measure (SPM).⁴⁰

Individuals and families living below the FPL are referred to as “poor” (in 2014, this was \$15 379 for a 2-person family and \$24 230 for a family of 4).² Research suggests that, on average, families need an income equal to at least 2 times the FPL to meet their basic needs.⁴¹ Families with incomes up to 200% of the FPL are referred to as “low income” (\$48 460 for a family of 4). Families at 50% of the

TABLE 1 Definitions of Poverty

Low-income: income at 150% to 200% of the FPL
Poverty: income less than 100% of the FPL
Extreme or deep poverty: income less than 50% of the FPL
Sources:
Low-income: http://datacenter.kidscount.org/data/tables/118-children-living-in-low-income-families-below-200-percent-of-the-poverty-threshold-by-family-nativity?loc=1&loct=2#detailed/2/2-52/false/36,868,867,133,38/78,79/451,452
Poverty: http://datacenter.kidscount.org/data/tables/52-population-in-poverty?loc=1&loct=2#detailed/2/2-52/false/36,868,867,133,38/any/339,340
Deep poverty: http://datacenter.kidscount.org/data/tables/45-children-in-extreme-poverty-50-percent-poverty#detailed/1/any/false/36,868,867,133,38/any/325,326 ; http://www.ers.usda.gov/amber-waves/2014-march/poverty-and-deep-poverty-increasing-in-rural-america.aspx#VSkzILrVQbA

FPL are considered to be living in “deep poverty”; in 2014, 9.3% of children younger than 18 years in the United States lived in deep poverty, representing 32.7% of people living in deep poverty (Table 1).²

Family income is not the only, or perhaps best, indicator of poverty. Family wealth, defined as the total value of family assets such as housing, monetary savings, investments, etc, may be a more important measure of both family financial stability and the capacity to sufficiently provide for children. The wealth gap has widened significantly since the recent economic downturn. In 1995, the disparity of median household wealth (net assets) between white families and for both black and Hispanic families was 7:1. By 2009, at the end of the Great Recession, the median household wealth for white families was 18 times that for Hispanic families and 20 times that for black families.⁴² Other measures of financial status or stability include measures of educational achievement, quality of housing, and stability of employment, all of which contribute to quality of life more directly than does a moderate increase in income or net wealth.⁴³

Challenges With the Poverty Measures

Current poverty measures all have inherent difficulties, and attempts have been made to compensate for them. For example, these measures are point-in-time or prevalence measures of poverty. However,

individual and family poverty and deprivation are not static; family income changes over time. Moreover, poverty and deprivation most strongly affect children and families over time. To measure the longitudinal dimension of poverty, researchers use recurring surveys, such as the Panel Study of Income Dynamics,⁴⁴ a nationally representative survey that interviewed respondents (including families with children) annually from 1968 to 1997 and biennially thereafter.⁴⁵

Another problem with a federal measure of poverty is that the cost of living varies significantly by region. In 2012, the estimated cost of meeting a family’s basic needs for a family of 4 was approximately \$64 000 per year in Los Angeles, California; \$57 000 in Newark, New Jersey; \$46 000 in Indianapolis, Indiana; and \$42 000 in Jackson, Mississippi.⁴⁶ This variation is not taken into account by the FPL but is taken into account by the SPM. As a result, in high-cost areas (eg, New Jersey, California), the SPM indicates higher poverty rates than does the FPL, and in lower-cost areas (eg, Mississippi) the SPM indicates lower poverty rates than does the FPL.³⁸

PREVALENCE AND CHARACTERISTICS OF CHILD POVERTY IN THE UNITED STATES

By using the FPL, the percentage of children younger than 18 years living in poverty declined significantly

during the 1950s and 1960s,⁴⁷ but from the mid-1970s until 2010 the proportion of children living in poverty increased, rising strongly during economic recessions and declining modestly during periods of economic growth.³⁸ From 2007 to 2010, the percentage of children in poverty increased from 18% to 22%, an increase of 3 million children living in poverty. From 2010 to 2014, the child poverty rate was stable and did not appreciably increase or decline.^{2,48} In 2014, 9.3% of children lived in extreme poverty, with their families earning less than 50% of the FPL.^{2,49,50}

Demographics

Age.

Younger children are more likely to be poor or low income than are older children. In 2013, 25% of children from birth to 5 years of age were poor and 48% were low income, compared with adolescents, 19% of whom were poor and 41% of whom were low income.^{51,52} In other words, poverty and low income have the highest prevalence among the most vulnerable members of our society during the most critical time in their development.

Race, Ethnicity, and Immigrant Status.

Race and ethnicity are particularly strong determinants of both individual- and community-level poverty. In 2014, 12.3% of white children and 13.4% of Asian children lived below poverty level, compared with 37.1% of black children and 31.9% of Hispanic children.² In 2013, 25.8% of children in the United States had at least 1 immigrant parent. The poverty rate among children of immigrant parents in 2013 was 28.4%.⁵³

Parental Education.

Higher levels of parental education decrease the likelihood that a child will live in a low-income or poor family. Among children with at

least 1 parent with some college or additional education, 13% are poor and 31% are low income. By contrast, among children whose parents have less than a high school degree, 57% are poor and 86% are low income.⁴⁶

Parental Employment Status.

Children with a parent who is employed full-time, year-round are less likely to live in poor families than are children with parents who work part-time or part of the year or who are not employed. Of children with 1 parent who works full-time, year-round, 9% are poor and 31% are low income. In contrast, of children in families with no parent who works full-time, 48% are poor and 74% are low income. It is important to note that almost half (49%) of low-income children and 28% of poor children have at least 1 parent employed full-time, year-round.^{44,46}

Family Structure.

Single-parent families are more than 4 times more likely to be poor than are 2-parent families.⁴⁸ Among all single female-headed families, 42% are poor and 69% are low income compared with 12% and 32%, respectively, for 2-parent families.⁴⁶ A major contributor to poverty in the United States is the increase in the proportion of children who live in single-parent families. In 1960, 87.8% of children were living in 2-parent families, compared with 64.4% in 2014.⁵⁴ The absence of fathers in the home is associated with a fourfold risk of poverty. Children of single mothers are also at greater risk of infant mortality, child maltreatment, failure to graduate from high school, and incarceration.^{55,56}

Children being raised by same-sex parents are twice as likely to live in poverty, compared with children living in households with heterosexual parents.^{47,57} The average household income for families headed by same-sex parents

is 20% lower than that of families headed by heterosexual parent couples.^{57,58} Moreover, only 51% of same-sex parent couples with children own their homes, compared with 71% of married heterosexual parent couples with children. A higher proportion of same-sex parent couples raising children live in states with high poverty rates: Mississippi, Wyoming, Alaska, Arkansas, Texas, Louisiana, Oklahoma, Kansas, Alabama, Montana, South Dakota, and South Carolina. In the past, because of limited federal and state recognition of spousal relationships between same-sex couples, families headed by same-sex couples were denied access to many family-income support programs.⁵⁸ However, recent Supreme Court decisions invalidating section 3 of the Defense of Marriage Act (which provided federal definitions of marriage that precluded federal recognition of same-sex marriages)^{59,60} and the June 26, 2015, Supreme Court decision (*Obergefell et al v Hodges*) upholding the legality of marriage between same-sex couples should improve access to federal income-support programs for same-sex married couples.⁶¹

Geography

The overall national child poverty estimates mask important geographic variation in poverty across states, cities, and neighborhoods. In 2014, the percentage of children living in poverty ranged from 13% in Maryland, New Hampshire, Utah, and Wyoming to 30% in New Mexico. As shown in Fig 2, the southern states have higher levels of child poverty than do the northern states.⁶² More substantial variation in community poverty exists among large and small cities and neighborhoods. Among large metropolitan regions, the prevalence of poverty rates varies from a high of 36% (eg, McAllen-Edinburg-Mission, Texas, and Fresno, California) to a low of

8% (eg, Washington, DC-Arlington/Alexandria, Virginia, and Bridgeport-Stamford-Norwalk, Connecticut). At the neighborhood level, poverty can be even more concentrated in particular areas. More than 4% of children live in neighborhoods of very concentrated poverty, defined as neighborhoods in which $\geq 40\%$ of households are poor. Twenty percent of children live in “poverty areas,” defined as neighborhoods in which 20% to 39% of households are poor.⁶³

Black, Hispanic, and American Indian/Alaska Native children are more likely to live in neighborhoods of concentrated poverty than are either Asian or white non-Hispanic children. Almost two-thirds of black, Hispanic, and American Indian/Alaska Native children live in areas of concentrated poverty, compared with one-third of white children.³⁸ As the severity of poverty in areas increases, the disproportionate representation of black, Hispanic, and American Indian/Alaska Native families and children increases to between 33% and 43%, compared with only 14% for white families.³⁸ Consistent with these data, recent studies show that residential segregation by income has increased over the past 30 years. The analysis found that 28% of lower-income households in 2010 were located in a majority lower-income census tract, up from 23% in 1980, and that 18% of upper-income households were located in a majority upper-income census tract, up from 9% in 1980.^{46,64} That is, poverty and wealth are becoming more concentrated in very different neighborhoods.

An additional aspect of the geography of child poverty is that rural poverty rates have been historically higher than urban poverty rates, and rural poverty has increased more substantially in




FIGURE 2

Children in Poverty 2014: analysis of Census Bureau American Community Survey data. (Reprinted with permission from the Kids Count Data Center, a project of the Annie E. Casey Foundation; <http://datacenter.kidscount.org/data/Map/43-children-in-poverty-100-percent-poverty?loc=1&loc=1#2/any/false/869/any/322/Orange/>.)

recent years, to 26.7% compared with 20.9% for metropolitan areas.⁶⁵ Since 2008, city suburbs have experienced the fastest growth in poverty of any population area. Children living in neighborhoods and communities characterized by concentrated poverty are more frequently exposed to environmental toxins, poorly performing schools and child care settings, community violence, and fewer community and social supports. The accumulation of multiple environmental risks found in areas of concentrated poverty undermines the healthy development of children.⁶⁶ Therefore, poor and minority children are in double jeopardy because of the lack of resources within their own families and the exposure to detrimental influences or lack of social supports in areas of concentrated poverty in urban, suburban, and rural areas.

Timing and Duration

Investigators from the Urban Institute studied the duration and severity of poverty among a sample of children over an interval of 18 years using data from the Panel Study of Income Dynamics. They found that 10% of children were persistently poor (more than 9 years) and another 10% were poor for 4 to 8 years. Persistent poverty differed significantly by race. Approximately 37% of black children were poor for more than 9 years of their childhood, whereas 5% of white children were persistently poor.⁶⁷ Children who experience poverty also tend to cycle into and out of poverty, and even the most persistently poor children spend intermittent years living above the FPL. The investigators also found that being poor at birth is a strong predictor of future poverty status: 31% of white children and 69% of black children who are poor at birth

go on to spend at least half their childhood living in poverty.

Another important observation is that the effects of poverty are cumulative, and poverty in 1 period of a child's life hinders development in another stage or even into adulthood.⁶⁸ Shonkoff and colleagues⁵ asserted that a "scientific consensus" has evolved on the origins of adult disease as a direct result of childhood adverse experiences and that childhood adverse experiences affect adult health either through "cumulative damage" or "biological embedding of adversities" that are related to adult disease.

THE PATHOPHYSIOLOGY OF POVERTY

Toxic Stress

An important concept in understanding the well-documented childhood gradient of morbidity and mortality is "toxic stress," a concept related to the change in stress hormones in response to experience over time.⁶⁹ For challenges of limited duration, the body's response is twofold: turning on a response that initiates a complex hormonal pathway and then shutting it off as the challenge resolves. The most common response involves the sympathetic nervous system and the HPA axis. Catecholamines are released from nerves and the adrenal medulla that stimulate a cascade within the HPA axis that results in the secretion of adrenocorticotropin from the pituitary gland. Adrenocorticotropin hormone stimulates cortisol secretion by the adrenal cortex. Although the immune-enhancing effects of acute stress have been observed to last 3 to 5 days, during the state of toxic stress the delayed hypersensitivity response is substantially blunted. When stress is chronic and continuous, such as the stress associated with chronic poverty, response systems, including the HPA axis and the sympathetic

adrenal system, are on "high alert." As a result, stress hormones, such as cortisol, are relatively high.

Appropriately labeled "a biology of misfortune" by Boyce,⁷⁰ the observation about toxic stress described above is supported by 2 recent studies. The Family Life Project was designed to follow young children and their families with high levels of poverty in eastern North Carolina and central Pennsylvania from the index child's birth through 4 years of age.⁷¹ A representative sample of 1292 children were selected and home visited at approximately 7, 15, 24, 36, and 48 months of age. Salivary cortisol samples were collected at each home visit. During the first 4 years of the study, the statistically significant predictors of higher cortisol levels were black race, poor-quality housing, and 2 or more adults leaving the home before the index child's fourth birthday. Older children were studied by Evans and Kim,⁷² who monitored overnight urinary cortisol concentrations to assess "chronic physiologic stress." Children were assessed in wave 1 at approximately 8 years of age and in wave 2 at 13 years of age with 12-hour overnight urinary free cortisol samples. After controlling for urinary cortisol concentrations in wave 1, urinary cortisol concentrations in wave 2 were significantly related to duration of family poverty. In addition, more time living in poverty for children aged 13 years old was related to a more attenuated cardiovascular response to an acute stressor. This pattern of chronic elevated HPA axis activity, muted cardiovascular response, and a gradient of cumulative risk for children living in poverty corroborates the findings of a large longitudinal British study that found the self-reported health of study participants aged 23 years old was related to a number of risk factors that began in childhood.⁷³

Chronic Inflammation

Another biological process that may have a direct effect on the negative health outcomes observed in adults who experienced child poverty is chronic inflammation. Ziol-Guest et al⁷⁴ reported on a nationally representative sample of adults from the Panel Study of Income Dynamics. Adult study subjects (30–41 years of age) who experienced child poverty were more likely to report arthritis or hypertension and limitations in daily activities compared with adults who did not experience child poverty. Although the investigators noted the lack of direct measures of immune function in their study, earlier work has described a link between low social class early in life and chronic inflammation.⁷⁵ Facilitated by other exposures and genetic liabilities, chronic inflammation drives the pathogenic mechanisms that ultimately result in chronic disease.⁷⁶ In addition, animal research in mice has identified upregulation of inflammatory gene expression in the presence of social stress.⁷⁷

THE ENVIRONMENT OF POVERTY

Children growing up in low-income families and low-income neighborhoods face a daunting array of psychosocial and environmental inequities that undermine their healthy development. The exposure to multiple stressors may be a unique, critically important feature of the environment of children growing up in poverty. Compared with their economically advantaged counterparts, children living in poor families and poor neighborhoods are exposed to more family turmoil, violence, and separation from their families.⁶⁵ Children from low-income families hear fewer words between age 1 and 3 years and the context of the language to which they are exposed is more negative and punitive compared with higher-income families.⁷⁸ More

than one-quarter of poor children (28%) live in families with divorced or separated parents compared with less than 5% of children in the highest income group.⁷⁹ Almost half (45%) of children with single mothers live in poverty, compared with 13% of children from 2-parent families.⁸⁰ Low-income children also are much more likely to experience housing instability and multiple moves.^{81,82} The physical environment of low-income children is more hazardous than that of higher-income children, because they are exposed more frequently to pollution, lower-quality homes, and dangerous neighborhoods.⁸³

Unintentional Injuries and Child Maltreatment

Although mortality among US children has decreased over the past 15 years, injury and violence still account for nearly 50% of all childhood deaths after the first birthday.⁸⁴ Children from the lowest socioeconomic stratum have a death rate from unintentional injuries that is 5 times that of children from higher socioeconomic strata. Poor families are more likely to reside in homes without functional smoke detectors and with open fires, unprotected windows, and unsafe roofs or stairs. They may live close to dense, fast-moving traffic and lack safe areas in which to play.⁸⁵ Children in poor neighborhoods are at increased risk of cycling accidents, pedestrian injuries, falls, burns, poisonings, and chemical burns.⁸⁶ If children in the least healthy communities experienced mortality rates from unintentional injuries and homicide similar to those of the most resource-rich communities, overall US child mortality would decrease by one-third.⁸⁷

Injuries from child maltreatment and developmental consequences of neglect also are risks for poor children. Recent survey data confirm that both poverty and income

inequality are positively associated with the rates of protective service referrals for child maltreatment.⁸⁸ Within families, poverty is associated with intimate partner violence, maternal depression, single-parent families, and parental substance abuse, all of which are risk factors for child maltreatment.⁸⁹ In 1998, Felitti et al⁹⁰ published the Adverse Childhood Experiences (ACE) Study, a landmark study that linked adverse childhood experiences, including childhood maltreatment, and mortality in adults. A recent study⁸⁸ corroborated the association between child poverty and child maltreatment at the county level for each of the 3142 counties in the United States. Child maltreatment is a global problem⁹¹ that has a well-documented association with later negative physical and mental health outcomes in adults.⁹² Although toxic stress has a role in the association between child maltreatment and later mental and physical health problems,⁹³ posttraumatic cognition (eg, an individual's appraisal or interpretation of the traumatic event or events) is another putative mediator.⁹⁴ Posttraumatic cognitions may act to either attenuate the adverse effects of child maltreatment or prevent healthy coping. Dysfunctional posttraumatic cognitions may lead to poorer health outcomes for the victims of child maltreatment.⁹⁵

ADVERSE PSYCHOSOCIAL AND ENVIRONMENTAL EFFECTS OF POVERTY AND LOW INCOME ON CHILDREN

Inadequate Housing and Neighborhoods

Place matters. Where a child lives contributes to health disparities and predicts health inequities.⁹⁶ In addition to experiencing food insecurity, poor families may have difficulty maintaining adequate housing, heat, and utilities. In 2011, more than 45% of all households

with children reported housing problems, including multiple moves, overcrowding, and physically inadequate housing as well as inability to pay the rent.⁹⁷ An estimated 1.6 million American children experienced homelessness in 2010.⁹⁸ Household energy security (ie, the costs of home heating, cooling, and utilities) can present a constant struggle for low-income families. Researchers at the pediatric research center Children's Health Watch have identified energy insecurity as a risk to child health that is often found among families who are also food insecure.^{99,100}

Poverty affects where and how families live. Housing options are often limited to urban areas with crowding, violence, and lack of safety; to rural areas that are isolated and lack social support^{66, 101}; or to suburban neighborhoods that are either ethnic enclaves or affected by foreclosures and deteriorating housing stock. A large body of research has documented the relationship between neighborhood conditions and health.¹⁰² For example, poverty is a risk factor for lead exposure in the home, and poor black children are twice as likely as poor Hispanic and white children to have concentrations of lead in their blood of at least 2.5 µg/dL (33% vs 17% and 13%, respectively).^{103,104} There is an interaction between race and poverty, and not all poor children have the same experience. It appears that poor black children are more likely to be exposed to lead than poor children from other races.

Poor neighborhoods expose families to a variety of barriers and harms. Poor families often face elevated levels of crime, violence, and toxic exposure inherited from the days of racial segregation, now referred to as spatial racism, when communities of color were targeted for diminished resources and toxic industry. Areas of concentrated poverty also may lack quality schools, sustainable jobs,

health care facilities, safe recreation spaces, and other resources that support healthy community activities.^{105,106}

Limited Access to Developmentally Appropriate Experiences and High-Quality Educational Opportunities

Poor families may have difficulty obtaining resources that support child development and provide a nurturing and stimulating home environment. Data from the National Longitudinal Survey of Youth indicate that children in poor households have less access to learning materials and experiences, including books, stimulating toys, skill-building lessons, and other enriching experiences.¹⁰⁷

In addition to individual family characteristics, funding and resources for schools make a difference in achievement. Forty-three percent of public school principals reported that the condition of their school facility interfered with classroom instruction.¹⁰⁸ Smaller class size, which requires more money, has been shown to produce lasting gains, particularly for economically disadvantaged students.¹⁰⁹ School funding formulas vary by state but are often dependent on property taxes, which can exacerbate economic disparities between communities. Unless the state has a formula that equalizes resources, poor communities tend to have less to spend per pupil than do wealthier communities. In 1 study, communities with 22% of students in poverty spent one-third as much per pupil as communities with 6% of students in poverty (\$4000 vs \$13 000 annually).¹¹⁰

Suboptimal Nutrition

Food insecurity is defined as limited or uncertain availability of nutritionally adequate and safe foods.¹¹¹ An estimated 20% of households with children in the United States experienced food

insecurity during 2013.¹¹² The rate of food insecurity for children living in poverty is nearly 40%.¹¹³ Although children are often shielded from very low food security, in approximately 10% of households with children (more than 3.9 million households), children did not have access to adequate, nutritious food at some time during the year. Food insecurity has a significant effect on both physical and cognitive development, because the lack of adequate, nutritious food increases the likelihood of iron-deficiency anemia, lower academic achievement, and behavioral problems.¹¹⁴

Paradoxically, US children from the poorest communities have the highest rates of obesity.^{115,116} In fact, children from poor families are 7 times as likely to be obese as they are to be underweight.¹¹⁷ The origins of this obesity paradox are likely multifactorial but may stem from the fact that foods high in calories, fats, and added sugars tend to cost less than do nutrient-dense foods, and many low-income families face challenges in obtaining high-quality, nutritious foods.

EFFECTS OF POVERTY

Infant Mortality, Adolescent Pregnancy, and Low Birth Weight

Higher infant mortality rates among the impoverished have been recognized as a societal problem in the United States for 140 years.¹¹⁸ Children in the poorest 20% of urban populations in the United States are twice as likely to die before their first birthday compared with children in the richest 20% of the population.¹¹⁹ The risk of teen pregnancy increases 10-fold for the lowest income level compared with the highest,¹²⁰ and teen pregnancy increases the risk of remaining in poverty in the future.¹²¹ Low birth weight is often used as a marker for infant and child outcomes

and has been found to be a leading predictor of first-year mortality risk.¹²² The increased risk of low birth weight in poor neighborhoods is associated with a high prevalence of teen pregnancy and inadequate prenatal care.¹²³ Low birth weight also may be related to the development of adult illness through epigenetic adaptation to intrauterine nutritional deficiencies (Barker hypothesis).¹²⁴

Delayed Growth and Development

The effects of poverty on both growth and development manifest in early infancy. For example, low-income children have measurable gaps in language development beginning at the time of their first words, resulting in substantial differences in school readiness.⁷⁸ These differences may be mediated by aspects of the early home environments, including less reading aloud by parents and more exposure to electronic media.¹²⁵ The influence of poverty on physical growth also can be measured in early childhood. According to the 2009 Pediatric Nutrition Surveillance Survey, 6% of children qualifying for federal nutritional assistance from birth to age 4 years were of short stature, compared with 3.7% of all US children of the same age.¹¹⁶

Chronic Conditions

In addition to the high rate of obesity, poor children 6 to 18 years of age are more likely to be sedentary and exposed to tobacco when compared with their wealthiest counterparts, which may increase the risk of cardiovascular and pulmonary disease as adults.¹²⁶ Low family income during the first 2 years of life is associated with a twofold increase in the rate of hypertension in early adulthood.⁷⁴

Chronic poverty also is associated with increased frequency of asthma attacks as well as worse overall health status reported by parents.^{127, 128} The neighborhood in which

the family lives has a particularly strong effect on the prevalence of asthma, with asthma occurring much more frequently in neighborhoods with predominantly poor and nonwhite populations than in those with higher-income and white populations.¹²⁹ Characteristics of poor neighborhoods associated with the increase in asthma morbidity include crowding, air pollution, dampness, and the presence of pests.¹³⁰

Untreated early childhood caries are 2.5 times more common in children in poor families than in families with incomes above the FPL. The application of dental sealants and the rate of visits to a dentist are also lower for poor children.¹³¹

Compromised Mental Health, Behavioral Health, and Relational Development

Children raised in poverty have been shown to have higher levels of depression and antisocial behavioral problems than those raised in families with adequate incomes. Depression in poor children younger than 18 years has been linked to substance abuse, poor academic performance, teen childbearing, and unemployment.¹³² Poor children also are more likely to be diagnosed with conduct disorders¹³³ and attention-deficit/hyperactivity disorder.¹³⁴ Substance abuse, including alcohol and tobacco, is higher for poor adolescents, increasing the risk of emphysema and cirrhosis as well as cancer.¹³⁵ Parental depression and anxiety are common in low-income families and associated with well-documented adverse effects on children's relational and emotional development.¹³⁶⁻¹³⁸

Poor Academic Progress

Many observational studies confirm the link between low socioeconomic status and poor achievement in school, both in primary and secondary education.¹³⁹ This

association is mediated by factors such as school violence,¹⁴⁰ family structure,¹⁴¹ parental involvement at school,¹⁴² and parental involvement in education at home.¹⁴³ Early intervention is critically important in this domain, because the disparities between poor and nonpoor children are already apparent at school entry.¹⁴⁴

Data from 2013 revealed that 89% of fourth-grade students from low-income families read below the proficiency level, compared with 49% of students from higher-income families.¹⁴⁵ The national high school drop-out rate is 7.4% for low-income students and 1.4% for high-income students.¹⁴⁶ For students taking the SAT in 2012, students from families at or below the FPL averaged in the 30th percentile on reading and students from families with incomes greater than \$200 000/year scored in the 70th percentile.¹⁴⁷

Studies that used functional MRI have shown that socioeconomic factors are associated with brain-behavior relationships in the acquisition of reading skills.¹⁴⁸ A longitudinal study that included multiple MRIs on 389 typically developing children found that childhood poverty was associated with structural differences in several areas of the brain important in the development of school readiness skills. The most significant changes were observed in children from the poorest families.¹⁴⁹ Adequate nutrition; a quiet, safe, toxin-free environment; and the effective, timely detection and treatment of chronic childhood health conditions are all factors that enable children to arrive at school each morning ready and able to learn.¹²⁹ Several putative mediators are well established in the relationship between poverty and school underachievement. Almost 17 million children are from families "at risk" of going hungry,¹⁵⁰ and even intermittent food insufficiency in

low-income children is associated with a number of adverse academic outcomes, including poor scores on achievement tests, grade repetition, and absenteeism, compared with children who are never hungry. In addition, chronic high-noise environments and exposure to indoor air pollution, especially passive smoking, have been associated with decreased academic performance. It is estimated that asthma accounts for approximately 10 million days of school missed each year, 3 times the amount of missed school for children without a chronic health condition.¹⁵¹ In a recent analysis of data from the National Center for Health Statistics (2009-2011), asthma prevalence was associated with both urban and nonurban poverty.¹⁵²

TRACKING IN HEALTH CARE SETTINGS

Compared with the *International Classification of Diseases, Ninth Revision, Clinical Modification*, the *International Classification of Diseases, 10th Revision, Clinical Modification (ICD-10-CM)*¹⁵³ provides a more robust classification system that enables clinicians to track socioeconomic factors in patient care that may be related to families' annual income level. By using the ICD-10-CM, child health clinicians can submit supplemental codes for their patient care that include not only diagnosis, such as acute asthma exacerbation, but additional socioeconomic factors related to the asthma exacerbation and treatment, such as childhood poverty or the family's inability to afford the recommended medical regimen. It will be important to capture this additional socioeconomic information with the use of ICD-10-CM codes to enable investigators to examine the putative impact of expanded codes on children's health care.

CONCLUSIONS

Knowledge about the effects of poverty on children and their development has increased dramatically since Brooks-Gunn and Duncan's often cited (over 65 000 citations) landmark study in 1997.¹⁵⁴ In the 21st century, Sir Michael Marmot has emerged as a global leader in studying the social determinants of health. Since 2005, Marmot has led the World Health Organization's Commission on Social Determinants of Health.¹⁵⁵ His 2009 article published in the *Journal of the American Medical Association*¹⁵⁶ noted that a global mortality gradient exists among poor and rich countries. Evidence supports the hypothesis that the slope of a health gradient is not fixed but responds to political, social, and economic changes.¹⁵⁷

Research is rapidly accumulating that refines our understanding of the mediators of poverty's adverse effects on children and adults and informs the implementation of effective interventions to ameliorate poverty's adverse effects.¹⁵⁸ For example, recent research has strongly suggested that stress related to child poverty may be buffered by parent engagement and good relational health. The AAP policy statement that accompanies this technical report describes specific recommendations and population health strategies that could attenuate the adverse effects of child poverty and address many of the mediators of poverty that affect child health and development. Addressing the immediate needs of our youngest and poorest citizens is both the right thing to do for our children and an economically sound strategy for the future.¹⁵⁹

ACKNOWLEDGMENTS

We appreciate the contributions from the following pediatric and internal medicine and pediatrics residents at University of California–Los Angeles who worked on parts of this

statement during a 2-week child health policy elective in June 2013: Natalie Cerda, MD, Jeremy Lehman Fox, MD, Neil A. Gholkar, MD, Lydia Soo-Hyun Kim, MD, MPH, Rachel J. Klein, MD, Ashley E. Lewis Hunter, MD, Sarah J. Maufe, MD, Colin L. Robinson, MD, MPH, Joseph R. Rojas, MD, and Weiyi Tan, MD, MPH.

LEAD AUTHORS

John M. Pascoe, MD, MPH, FAAP
David Wood, MD, MPH, FAAP
James H. Duffee, MD, MPH, FAAP
Alice Kuo, MD, PhD, MEd, FAAP

COMMITTEE ON PSYCHOSOCIAL ASPECTS OF CHILD AND FAMILY HEALTH, 2015–2016

Michael Yogman, MD, FAAP, Chairperson
Nerissa Bauer, MD, MPH, FAAP
Thresia B Gambon, MD, FAAP
Arthur Lavin, MD, FAAP
Keith M. Lemmon, MD, FAAP
Gerri Mattson, MD, FAAP
Jason Richard Rafferty, MD, MPH, EdM
Lawrence Sagin Wissow, MD, MPH, FAAP

LIAISONS

Sharon Berry, PhD, LP – *Society of Pediatric Psychology*
Terry Carmichael, MSW – *National Association of Social Workers*
Edward Christophersen, PhD, FAAP – *Society of Pediatric Psychology*
Norah Johnson, PhD, RN, CPNP-BC – *National Association of Pediatric Nurse Practitioners*
Leonard Read Sulik, MD, FAAP – *American Academy of Child and Adolescent Psychiatry*

CONSULTANTS

George J. Cohen, MD, FAAP
Anne Brown Rodgers, Science Writer

STAFF

Stephanie Domain, MS, CHES

COUNCIL ON COMMUNITY PEDIATRICS EXECUTIVE COMMITTEE, 2015–2016

Benjamin A. Gitterman, MD, FAAP, Chairperson
Patricia J. Flanagan MD, FAAP, Vice-Chairperson
William H. Cotton, MD, FAAP
Kimberley J. Dilley, MD, MPH, FAAP
James H. Duffee, MD, MPH, FAAP
Andrea E. Green, MD, FAAP
Virginia A. Keane, MD, FAAP
Scott D. Krugman, MD, MS, FAAP
Julie M. Linton, MD, FAAP
Carla D. McKelvey, MD, MPH, FAAP
Jacqueline L. Nelson, MD, FAAP

LIAISONS

Jacqueline R. Dougé, MD, MPH, FAAP – *Chairperson, Public Health Special Interest Group*
Janna Gewirtz O'Brien, MD – *Section on Medical Students, Residents, and Fellowship Trainees*

FORMER EXECUTIVE COMMITTEE MEMBERS

Lance A. Chilton, MD, FAAP – *Vice-Chairperson*
Thresia B. Gambon, MD, FAAP
Alice A. Kuo, MD, PhD, FAAP
Gonzalo J. Paz-Soldan, MD, FAAP
Barbara Zind, MD, FAAP

FORMER LIAISONS

Toluwalase Ajayi, MD – *Section on Medical Students, Residents, and Fellowship Trainees*
Ricky Y. Choi, MD, MPH, FAAP – *Chairperson, Immigrant Health Special Interest Group*
Frances J. Dunston, MD, MPH, FAAP – *Commission to End Health Care Disparities*
M. Edward Ivancic, MD, FAAP – *Chairperson, Rural Health Special Interest Group*

ABBREVIATIONS

AAP: American Academy of Pediatrics
FPL: federal poverty level
HPA: hypothalamic-pituitary-adrenocortical
ICD-10-CM: *International Classification of Diseases, 10th Revision, Clinical Modification*
SPM: Supplemental Poverty Measure

REFERENCES

1. Sell K, Zlotnik S, Noonan K, Rubin D. *The Effect of Recession on Child Well-being: A Synthesis of the Evidence by PolicyLab, The Children's Hospital of Philadelphia*. Washington, DC: First Focus; 2010
2. DeNavas-Walt C, Proctor BD. *US Census Bureau. Current Population Reports, P60-252, Income and Poverty in the United States: 2014*. Washington, DC: US Government Printing Office; 2015
3. Seefeldt K, Abner G, Bolinger JA, Xu L, Graham JD. *At Risk: America's Poor During and After the Great Recession*. Bloomington, IN: Indiana University; 2012

4. Dreyer BP. To create a better world for children and families: the case for ending childhood poverty. *Acad Pediatr*. 2013;13(2):83–90
5. Shonkoff JP, Boyce WT, McEwen BS. Neuroscience, molecular biology, and the childhood roots of health disparities: building a new framework for health promotion and disease prevention. *JAMA*. 2009;301(21):2252–2259
6. Schreier HM, Chen E. Socioeconomic status and the health of youth: a multilevel, multidomain approach to conceptualizing pathways. *Psychol Bull*. 2013;139(3):606–654
7. Thompson RA, Haskins R. Early stress gets under the skin: promising initiatives to help children facing chronic adversity. Policy Brief. Princeton, NJ: *The Future of Children*. Spring 2014
8. Shonkoff JP, Garner AS; Committee on Psychosocial Aspects of Child and Family Health; Committee on Early Childhood, Adoption, and Dependent Care; Section on Developmental and Behavioral Pediatrics. The lifelong effects of early childhood adversity and toxic stress. *Pediatrics*. 2012;129(1). Available at: www.pediatrics.org/cgi/content/full/129/1/e232
9. Winning A, Glymour MM, McCormick MC, Gilsanz P, Kubzansky LD. Psychological distress across the life course and cardiometabolic risk: findings from the 1958 British birth cohort study. *J Am Coll Cardiol*. 2015;66(14):1577–1586
10. Pillas D, Marmot M, Naicker K, Goldblatt P, Morrison J, Pikhart H. Social inequalities in early childhood health and development: a European-wide systematic review. *Pediatr Res*. 2014;76(5):418–424
11. Blair C, Raver CC. Child development in the context of adversity: experiential canalization of brain and behavior. *Am Psychol*. 2012;67(4):309–318
12. Garner AS, Shonkoff JP; Committee on Psychosocial Aspects of Child and Family Health; Committee on Early Childhood, Adoption, and Dependent Care; Section on Developmental and Behavioral Pediatrics. Early childhood adversity, toxic stress, and the role of the pediatrician: translating developmental science into lifelong health. *Pediatrics*. 2012;129(1). Available at: www.pediatrics.org/cgi/content/full/129/1/e224
13. Brent DA, Silverstein M. Shedding light on the long shadow of childhood adversity. *JAMA*. 2013;309(17):1777–1778
14. Bornstein D. In the long war on poverty, small victories that matter. *New York Times*. January 8, 2014. Available at: <http://opinionator.blogs.nytimes.com/2014/01/08/in-the-long-war-on-poverty-small-victories-that-matter/>. Accessed August 5, 2015
15. David RJ, Collins JW. Layers of inequality: power, policy, and health. *Am J Public Health*. 2014;104(suppl 1):S8–S10
16. Center on the Developing Child at Harvard University. *The Foundations of Lifelong Health Are Built in Early Childhood*. Cambridge, MA: Center on the Developing Child at Harvard University; 2010. Available at: http://developingchild.harvard.edu/resources/reports_and_working_papers/foundations-of-lifelong-health/. Accessed August 5, 2015
17. Braveman P, Barclay C. Health disparities beginning in childhood: a life-course perspective. *Pediatrics*. 2009;124(suppl 3):S163–S175
18. Insel TR. Mental disorders in childhood: shifting the focus from behavioral symptoms to neurodevelopmental trajectories. *JAMA*. 2014;311(17):1727–1728
19. Middlebrooks JS, Audage NC. *The Effects of Childhood Stress on Health Across the Lifespan*. Atlanta, GA: Centers for Disease Control and Prevention, National Center for Injury Prevention and Control; 2008
20. Crockenberg SB. Infant irritability, mother responsiveness, and social support influences on the security of infant-mother attachment. *Child Dev*. 1981;52(3):857–865
21. Luby J, Belden A, Botteron K, et al. The effects of poverty on childhood brain development: the mediating effect of caregiving and stressful life events. *JAMA Pediatr*. 2013;167(12):1135–1142
22. Yoshikawa H, Aber JL, Beardslee WR. The effects of poverty on the mental, emotional, and behavioral health of children and youth: implications for prevention. *Am Psychol*. 2012;67(4):272–284
23. Danese A, Pariante CM, Caspi A, Taylor A, Poulton R. Childhood maltreatment predicts adult inflammation in a life-course study. *Proc Natl Acad Sci USA*. 2007;104(4):1319–1324
24. Haroon E, Raison CL, Miller AH. Psychoneuroimmunology meets neuropsychopharmacology: translational implications of the impact of inflammation on behavior. *Neuropsychopharmacology*. 2012;37(1):137–162
25. Reynolds RM. Glucocorticoid excess and the developmental origins of disease: two decades of testing the hypothesis—2012 Curt Richter Award Winner. *Psychoneuroendocrinology*. 2013;38(1):1–11
26. Barboza Solis C, Kelly-Irving M, Fantin R, et al. Adverse childhood experiences and physiological wear-and-tear in midlife: findings from the 1958 British birth cohort. *Proc Natl Acad Sci USA*. 2015;112(7):E738–E746
27. Kim P, Evans GW, Angstadt M, et al. Effects of childhood poverty and chronic stress on emotion regulatory brain function in adulthood. *Proc Natl Acad Sci USA*. 2013;110(46):18442–18447
28. Blair C, Granger DA, Willoughby M, et al; FLP Investigators. Salivary cortisol mediates effects of poverty and parenting on executive functions in early childhood. *Child Dev*. 2011;82(6):1970–1984
29. Hanson JL, Hair N, Shen DG, et al. Family poverty affects the rate of human infant brain growth. *PLoS One*. 2013;8(12):e80954
30. Najman JM, Hayatbakhsh MR, Heron MA, Bor W, O’Callaghan MJ, Williams GM. The impact of episodic and chronic poverty on child cognitive development. *J Pediatr*. 2009;154(2):284–289
31. Pulkki-Råback L, Elovainio M, Hakulinen C, et al. Cumulative effect of psychosocial factors in youth on ideal cardiovascular health in adulthood: the Cardiovascular Risk in Young Finns Study [published correction appears

- in *Circulation*. 2015;131(14):e403]. *Circulation*. 2015;131(3):245–253
32. Maccari S, Krugers HJ, Morley-Fletcher S, Szyf M, Brunton PJ. The consequences of early-life adversity: neurobiological, behavioural and epigenetic adaptations. *J Neuroendocrinol*. 2014;26(10):707–723
 33. Zeanah CH, Berlin LJ, Boris NW. Practitioner review: clinical applications of attachment theory and research for infants and young children. *J Child Psychol Psychiatry*. 2011;52(8):819–833
 34. Blair C, Raver CC. Closing the achievement gap through modification of neurocognitive and neuroendocrine function: results from a cluster randomized controlled trial of an innovative approach to the education of children in kindergarten. *PLoS One*. 2014;9(11):e112393
 35. American Academy of Pediatrics, Council on Community Pediatrics; Committee on Psychosocial Aspects of Child and Family Health. Poverty and Child Health in the United States. *Pediatrics*. 2016;137(4):e20160339
 36. Larson K, Russ SA, Nelson BB, Olson LM, Halfon N. Cognitive ability at kindergarten entry and socioeconomic status. *Pediatrics*. 2015;135(2). Available at: www.pediatrics.org/cgi/content/full/135/2/e440
 37. *Merriam-Webster Dictionary*. Accessed July 5, 2014
 38. Gabe T. *Poverty in the United States: 2012. Congressional Research Service Report to Congress*. Washington, DC: Congressional Research Service; 2013
 39. National Research Council, Panel on Poverty and Family Assistance. In: Citro CF, Michael RT, eds. *Measuring Poverty: A New Approach*. Washington, DC: National Academies Press; 1995
 40. Economics and Statistics Administration. *Census Bureau to Develop Supplemental Poverty Level* [news release]. Washington, DC: Economics and Statistics Administration, US Department of Commerce; March 2, 2010
 41. Gauthen NK, Fass S. *Measuring Income and Poverty in the United States*. New York, NY: National Center for Children in Poverty, Columbia University, Mailman School of Public Health; 2008
 42. Kochhar R, Fry R, Taylor P. Wealth gaps rise to record highs between whites, blacks, Hispanics twenty-to-one. Social and Demographic Trends. Washington, DC: Pew Research Center; 2011. Available at: www.pewsocialtrends.org/2011/07/26/wealth-gaps-rise-to-record-highs-between-whites-blacks-hispanics/. Accessed August 5, 2015
 43. Kirwan Institute for the Study of Race and Ethnicity. *Using GIS to Support Advocacy and Social Justice*. Columbus, OH: Kirwan Institute for the Study of Race and Ethnicity; 2009. Available at: www.kirwaninstitute.osu.edu/reports/2009/06_2009_GISupportSocialAdvocacyandJustice_Kirwan_JointCenter.pdf. Accessed August 5, 2015
 44. Grieger LD, Schoeni RF, Danziger S. *Accurately Measuring the Trend in Poverty in the United States Using the Panel Study of Income Dynamics*. Ann Arbor, MI: Institute for Social Research, University of Michigan; 2008. Panel Study of Income Dynamics Technical Paper 08-04
 45. Ratcliffe C, McKernan SM. *Childhood Poverty Persistence: Facts and Consequences*. Washington, DC: Urban Institute; June 2010. Brief 14
 46. Jiang Y, Ekono M, Skinner C. *Basic Facts About Low-Income Children: Children Under 18 Years, 2013*. New York, NY: National Center for Children in Poverty, Mailman School of Public Health, Columbia University; 2015
 47. Corcoran ME, Chaudry A. The dynamics of childhood poverty. *Future Child*. 1997;7(2):40–54
 48. DeNavas-Walt C, Proctor BD. *Income and Poverty in the United States: 2013 Current Population Reports*. Washington, DC: US Department of Commerce, US Census Bureau; 2014
 49. Addy S, Wright V. *Basic Facts About Low-Income Children, 2010: Children Under Age 18*. New York, NY: National Center for Children in Poverty; 2012. Available at: www.nccp.org/publications/pub_1049.html. Accessed August 5, 2015
 50. DeNavas-Walt C, Proctor BD, Smith JC. *US Census Bureau, Current Population Reports: Income, Poverty and Health Insurance in the United States: 2009*. Washington, DC: US Government Printing Office; 2010:60–238
 51. Jiang Y, Ekono M, Skinner C. *Basic Facts About Low-Income Children: Children Under 6 Years, 2013*. New York, NY: National Center for Children in Poverty, Mailman School of Public Health, Columbia University; 2015
 52. Jiang Y, Ekono M, Skinner C. *Basic Facts About Low-Income Children: Children 12 Through 17 Years, 2013*. New York, NY: National Center for Children in Poverty, Mailman School of Public Health, Columbia University; 2015
 53. Child Health USA. 2014. Data source: US Census, Bureau of Labor Statistics, Current Population Survey, Annual Social and Economic Supplement. Available at: <http://mchb.hrsa.gov/chusa14/population-characteristics/children-immigrant-parents.html>, Accessed January 31, 2016
 54. Child Trends. Databank: Family Structure, March, 2015. Available at: www.childtrends.org/?indicators=family-structure. Accessed August 5, 2015
 55. Child Welfare Information Gateway. *The Importance of Fathers in the Healthy Development of Children*. Washington, DC: US Department of Health and Human Services, Children's Bureau; 2006
 56. National Fatherhood Initiative. *Father facts*. Germantown, MD: National Fatherhood Initiative; 2014. Available at: www.fatherhood.org/father-absence-statistics. Accessed August 5, 2015
 57. Albelda R, Badgett MVL, Schneebaum A, Gates G. *Poverty in the Lesbian, Gay, and Bisexual Community*. Los Angeles, CA: The Williams Institute, University of California-Los Angeles; 2009. Available at <http://escholarship.org/uc/item/2509p8r5>. Accessed August 5, 2015
 58. Movement Advancement Project. *All children matter: how legal and social inequalities hurt LGBT families*. Denver, CO: Movement Advancement Project; 2011. Available at: www.lgbtmap.org/policy-and-issue-analysis/all-children-matter-full-report. Accessed August 5, 2015

59. Chamberlain A, Prante G. Who pays and who receives government spending? An analysis of federal, state and local tax and spending distributions, 1991-2004. Washington, DC: Tax Foundation; 2007, Available at <http://taxfoundation.org/article/who-pays-taxes-and-who-receives-government-spending-analysis-federal-state-and-local-tax-and>. Accessed August 5, 2015
60. United States v Windsor, 570 US 12, 133 S Ct (2013) (Docket No. 12-307)
61. Obergefell et al v Hodges, Director, Ohio Department of Health, et al, 576 US No. 14-556 (2015). Available at: www.supremecourt.gov/opinions/14pdf/14-556_3204.pdf. Accessed June 27, 2015
62. Wight VR, Chau M, Thampi K, Aratani Y. Examining the landscape of child poverty in the US today. *Curr Probl Pediatr Adolesc Health Care*. 2010;40(10):263–266
63. Bishaw A. Areas with concentrated poverty: 2006–2010. American Community Survey Briefs. December 2011. Available at: www.census.gov/prod/2011pubs/acsbr10-17.pdf. Accessed August 5, 2015
64. Fry R. *The Rise in Residential Segregation by Income*. Washington, DC: Pew Research Center; 2012
65. US Department of Agriculture, Economic Research Service. Poverty overview. Available at: www.ers.usda.gov/topics/rural-economy-population/rural-poverty-well-being/poverty-overview.aspx. Accessed August 5, 2015
66. Evans GW. The environment of childhood poverty. *Am Psychol*. 2004;59(2):77–92
67. Ratcliffe C, McKernan SM. *Childhood Poverty Persistence: Facts and Consequences*. Washington, DC: Urban Institute; June 2010. Brief 14
68. Conroy K, Sandel M, Zuckerman B. Poverty grown up: how childhood socioeconomic status impacts adult health. *J Dev Behav Pediatr*. 2010;31(2):154–160
69. McEwen BS. The neurobiology of stress: from serendipity to clinical relevance. *Brain Res*. 2000;886(1–2):172–189
70. Boyce WT. A biology of misfortune. *Focus*. 2012;29(1):1. Available at: www.erp.wisc.edu/publications/focus/pdfs/foc291a.pdf. Accessed August 5, 2015
71. Blair C, Raver CC, Granger D, Mills-Koonce R, Hibel L; Family Life Project Key Investigators. Allostasis and allostatic load in the context of poverty in early childhood. *Dev Psychopathol*. 2011;23(3):845–857
72. Evans GW, Kim P. Childhood poverty and health: cumulative risk exposure and stress dysregulation. *Psychol Sci*. 2007;18(11):953–957
73. Power C, Matthews S. Origins of health inequalities in a national population sample. *Lancet*. 1997;350(9091):1584–1589
74. Ziol-Guest KM, Duncan GJ, Kalil A, Boyce WT. Early childhood poverty, immune-mediated disease processes, and adult productivity. *Proc Natl Acad Sci USA*. 2012;109(suppl 2):17289–17293
75. Miller GE, Chen E, Fok AK, et al. Low early-life social class leaves a biological residue manifested by decreased glucocorticoid and increased proinflammatory signaling. *Proc Natl Acad Sci USA*. 2009;106(34):14716–14721
76. Miller GE, Chen E, Parker KJ. Psychological stress in childhood and susceptibility to the chronic diseases of aging: moving toward a model of behavioral and biological mechanisms. *Psychol Bull*. 2011;137(6):959–997
77. Powell ND, Sloan EK, Bailey MT, et al. Social stress up-regulates inflammatory gene expression in the leukocyte transcriptome via β -adrenergic induction of myelopoiesis. *Proc Natl Acad Sci USA*. 2013;110(41):16574–16579
78. Hart B, Riskey T. *Meaningful Differences in the Everyday Experience of Young American Children*. Baltimore, MD: Brookes Publishing; 1995
79. US Census Bureau. *Population Survey. March 2000, Supplement 162*. Washington, DC: US Government Printing Office; 2000
80. Mitchell J. About half of kids with single moms live in poverty. *Wall Street Journal*. November 25, 2013. Available at: <http://blogs.wsj.com/economics/2013/11/25/about-half-of-kids-with-single-moms-live-in-poverty/>. Accessed August 5, 2015
81. Weitzman M, Baten A, Rosenthal DG, Hoshino R, Tohn E, Jacobs DE. Housing and child health. *Curr Probl Pediatr Adolesc Health Care*. 2013;43(8):187–224
82. Cutts DB, Meyers AF, Black MM, et al. US housing insecurity and the health of very young children. *Am J Public Health*. 2011;101(8):1508–1514
83. Aratani Y. *Homeless Children and Youth*. New York, NY: National Center for Children in Poverty, Columbia University, Mailman School of Public Health; 2009
84. Centers for Disease Control and Prevention. Protect the ones you love: child injuries are preventable. Available at: www.cdc.gov/safekid/NAP/background.html. Accessed August 5, 2015
85. World Health Organization. 10 Facts on climate change and health. October 2012. Available at: www.who.int/features/factfiles/climate_change/en/. Accessed August 25, 2015
86. Hippisley-Cox J, Groom L, Kendrick D, Coupland C, Webber E, Savelyich B. Cross sectional survey of socioeconomic variations in severity and mechanism of childhood injuries in Trent 1992-7. *BMJ*. 2002;324(7346):1132–1134
87. Singh GK, Kogan MD. Widening socioeconomic disparities in US childhood mortality, 1969-2000. *Am J Public Health*. 2007;97(9):1658–1665
88. Eckenrode J, Smith EG, McCarthy ME, Dineen M. Income inequality and child maltreatment in the United States. *Pediatrics*. 2014;133(3):454–461
89. Wood D. Effect of child and family poverty on child health in the United States. *Pediatrics*. 2003;112(3 part 2):707–711
90. Felitti VJ, Anda RF, Nordenberg D, et al. Relationship of childhood abuse and household dysfunction to many of the leading causes of death in adults: the Adverse Childhood Experiences (ACE) Study. *Am J Prev Med*. 1998;14(4):245–258
91. Kadir A, Marais F, Desmond N. Community perceptions of the social determinants of child health in Western Cape, South Africa: neglect as a major indicator of child health and

- wellness. *Paediatr Int Child Health*. 2013;33(4):310–321
92. Jonson-Reid M, Kohl PL, Drake B. Child and adult outcomes of chronic child maltreatment. *Pediatrics*. 2012;129(5):839–845
 93. Lanier P, Jonson-Reid M, Stahlschmidt MJ, Drake B, Constantino J. Child maltreatment and pediatric health outcomes: a longitudinal study of low-income children. *J Pediatr Psychol*. 2010;35(5):511–522
 94. Reichert E. Childhood maltreatment, posttraumatic cognitions, and health outcomes among young adults [dissertation]. University of Rhode Island. *Open Access Dissertations*. Paper 14. 2013. Available at: http://digitalcommons.uri.edu/oa_diss/14. Accessed August 5, 2015
 95. Kendall-Tackett K, Klest B. Causal mechanisms and multidirectional pathways between trauma, dissociation, and health. *J Trauma Dissociation*. 2009;10(2):129–134
 96. Unnatural Causes. Is inequality making us sick? Adelman L, creator and executive producer. Produced by California Newsreel with Vital Pictures, Inc; 2008. Available at: www.unnaturalcauses.org/episode_descriptions.php?page=5. Accessed August 5, 2015
 97. America's children: key national indicators of well-being, 2013. Housing problems. Washington, DC: US Department of Housing and Urban Development; 2013. Available at: www.childstats.gov/pdf/ac2013/ac_13.pdf. Accessed February 7, 2014
 98. Council on Community Pediatrics. Providing care for children and adolescents facing homelessness and housing insecurity. *Pediatrics*. 2013;131(6):1206–1210
 99. Cook JT, Frank DA, Casey PH, et al. A brief indicator of household energy security: associations with food security, child health, and child development in US infants and toddlers. *Pediatrics*. 2008;122(4). Available at: www.pediatrics.org/cgi/content/full/122/4/e867
 100. Children's Health Watch. Energy insecurity is a major threat to child health. Policy Action Brief. February 2010. Available at: www.childrenshealthwatch.org/upload/resource/energy_brief_feb10.pdf. Accessed August 5, 2015
 101. Kohen DE, Leventhal T, Dahinten VS, McIntosh CN. Neighborhood disadvantage: pathways of effects for young children. *Child Dev*. 2008;79(1):156–169
 102. Macintyre S, Ellaway A. Neighborhoods and health: an overview. In: Kawachi I, Berkman LF, eds. *Neighborhoods and Health*. New York, NY: Oxford University Press; 2003:20–42
 103. Mayer SE. Trends in the economic well-being and life chances of America's children. In: Duncan GJ, Brooks-Gunn J, eds. *Consequences of Growing Up Poor*. New York, NY: Russell Sage Foundation; 1997:49–69
 104. Powell J. Dreaming of a self beyond whiteness and isolation. *Wash Univ J Law Policy*. 2005;18(13):13–45
 105. Robert Wood Johnson Foundation. Beyond health care: new directions to a healthier America. Princeton, NJ: Robert Wood Johnson Foundation; 2009. Available at: www.rwjf.org/content/dam/farm/reports/reports/2009/rwjf40483. Accessed August 5, 2015
 106. Kirwan Institute for the Study of Race and Ethnicity. The residual impact of history: connecting residential segregation, mortgage redlining, and the housing crisis. Columbus, OH: Kirwan Institute for the Study of Race and Ethnicity; 2010. Available at: http://kirwaninstitute.osu.edu/reports/2010/02_2010_RedliningHistorySubprime_Hernandez.pdf. Accessed August 5, 2015
 107. Bradley RH, Corwyn RF, McAdoo HP, Coll CG. The home environments of children in the United States part I: variations by age, ethnicity, and poverty status. *Child Dev*. 2001;72(6):1844–1867
 108. US Department of Education, National Center for Education Statistics. Public school principals report on their school facilities: fall 2005. NCEES 2007-007. US Department of Education, National Center for Education Statistics; 2007. Available at: <http://nces.ed.gov/pubs2007/2007007.pdf>. Accessed August 5, 2015
 109. Word E, Johnston J, Bain HP, et al. *Student/Teacher Achievement Ratio (STAR): Tennessee's K–3 Class Size Study. Final Summary Report 1985–1990*. Nashville, TN: Tennessee Department of Education; 1990
 110. National Center for Education Statistics. *Common Core of Data for School Years 1993/94 Through 1997/98*. Washington, DC: Office of Educational Research and Improvement, US Department of Education; 2000
 111. Anderson SA. Core indicators of nutritional state for difficult-to-sample populations. *J Nutr*. 1990;120(suppl 11):1557S–1600S
 112. US Department of Agriculture. Food security status of US households with children in 2011. Available at: www.ers.usda.gov/topics/food-nutrition-assistance/food-security-in-the-us/key-statistics-graphics.aspx#UagrrGTF1yo. Accessed August 5, 2015
 113. Gundersen C, Ziliak J. *Feeding America's Children: Food Insecurity and Poverty*. Washington, DC: The Brookings Institution; 2014. Available at: www.brookings.edu/blogs/social-mobility-memos/posts/2014/09/15-feeding-americas-children-poverty. Accessed August 5, 2015
 114. Alaimo K, Olson CM, Frongillo EA Jr. Food insufficiency and American school-aged children's cognitive, academic, and psychosocial development. *Pediatrics*. 2001;108(1):44–53
 115. Metallinos-Katsaras E, Must A, Gorman K. A longitudinal study of food insecurity on obesity in preschool children. *J Acad Nutr Diet*. 2012;112(12):1949–1958
 116. Polhamus BDK, Borland E, Mackintosh H, Smith B, Grummer-Strawn L. *Pediatric Nutrition Surveillance 2009 Report*. Atlanta, GA: US Department of Health and Human Services, Centers for Disease Control and Prevention; 2011
 117. Ludwig DS, Blumenthal SJ, Willett WC. Opportunities to reduce childhood hunger and obesity: restructuring the Supplemental Nutrition Assistance Program (the Food Stamp Program). *JAMA*. 2012;308(24):2567–2568

118. Hogue CJ, Hargraves MA. Class, race, and infant mortality in the United States. *Am J Public Health*. 1993;83(1):9–12
119. World Health Organization. Global Health Observatory data on infant mortality. Available at: www.who.int/gho/urban_health/outcomes/infant_mortality/en/. Accessed August 5, 2015
120. Smith T. Influence of socioeconomic factors on attaining targets for reducing teenage pregnancies. *BMJ*. 1993;306(6887):1232–1235
121. Nord CW, Moore KA, Morrison DR, Brown B, Myers DE. Consequences of teen-age parenting. *J Sch Health*. 1992;62(7):310–318
122. Collins JW Jr, Wambach J, David RJ, Rankin KM. Women's lifelong exposure to neighborhood poverty and low birth weight: a population-based study. *Matern Child Health J*. 2009;13(3):326–333
123. Gould JB, LeRoy S. Socioeconomic status and low birth weight: a racial comparison. *Pediatrics*. 1988;82(6):896–904
124. Langley-Evans SC, McMullen S. Developmental origins of adult disease. *Med Princ Pract*. 2010;19(2):87–98
125. Brooks-Gunn J, Markman LB. The contribution of parenting to ethnic and racial gaps in school readiness. *Future Child*. 2005;15(1):139–168
126. Ali MK, Bullard KM, Beckles GL, et al. Household income and cardiovascular disease risks in U.S. children and young adults: analyses from NHANES 1999–2008. *Diabetes Care*. 2011;34(9):1998–2004
127. Béatrice N, Lise G, Victoria ZM, Louise S. Longitudinal patterns of poverty and health in early childhood: exploring the influence of concurrent, previous, and cumulative poverty on child health outcomes. *BMC Pediatr*. 2012;12. Available at: <http://bmcpediatr.biomedcentral.com/articles/10.1186/1471-2431-12-141>.
128. Nikiéma B, Spencer N, Séguin L. Poverty and chronic illness in early childhood: a comparison between the United Kingdom and Quebec. *Pediatrics*. 2010;125(3). Available at: www.pediatrics.org/cgi/content/full/125/3/e499
129. Ben-Shlomo Y, Kuh D. A life course approach to chronic disease epidemiology: conceptual models, empirical challenges and interdisciplinary perspectives. *Int J Epidemiol*. 2002;31(2):285–293
130. Williams DR, Sternthal M, Wright RJ. Social determinants: taking the social context of asthma seriously. *Pediatrics*. 2009;123(suppl 3):S174–S184
131. Dye BA, Li X, Thorton-Evans G. Oral health disparities as determined by selected healthy people 2020 oral health objectives for the United States, 2009–2010. *NCHS Data Brief*. 2012; Aug(104):1–8
132. Tracy M, Zimmerman FJ, Galea S, McCauley E, Stoep AV. What explains the relation between family poverty and childhood depressive symptoms? *J Psychiatr Res*. 2008;42(14):1163–1175
133. Murali V, Oyebode F. Poverty, social inequality and mental health. *Adv Psychiatr Treat*. 2004;10(3):216–224
134. Davis E, Sawyer MG, Lo SK, Priest N, Wake M. Socioeconomic risk factors for mental health problems in 4–5-year-old children: Australian population study. *Acad Pediatr*. 2010;10(1):41–47
135. Lowry R, Kann L, Collins JL, Kolbe LJ. The effect of socioeconomic status on chronic disease risk behaviors among US adolescents. *JAMA*. 1996;276(10):792–797
136. Ackerman BP, Brown ED. Physical and psychosocial turmoil in the home and cognitive development. In: Evans G, Wachs TD, eds. *Chaos and Its Influence on Children's Development: An Ecological Perspective*. Washington, DC: American Psychological Association; 2010:35–47
137. Foster H, Brooks-Gunn J. Toward a stress process model of children's exposure to physical family and community violence. *Clin Child Fam Psychol Rev*. 2009;12(2):71–94
138. Molnar BE, Buka SL, Brennan RT, Holton JK, Earls F. A multilevel study of neighborhoods and parent-to-child physical aggression: results from the project on human development in Chicago neighborhoods. *Child Maltreat*. 2003;8(2):84–97
139. Stewart EB. School structural characteristics, student effort, peer associations, and parental involvement: the influence of school- and individual-level factors on academic achievement. *Educ Urban Soc*. 2008;40(2):179–204
140. Heaviside S, Rowand C, Williams C, Farris E. *Violence and Discipline Problems in U.S. Public Schools: 1996–1997*. Washington, DC: US Department of Education, National Center for Education Statistics; 1998. NCES Publication 98-030
141. Astone NM, McLanahan SS. Family structure, parental practices and high school completion. *Am Sociol Rev*. 1991;56(3):309–320
142. Desimone L. Linking parent involvement with student achievement: do race and income matter? *J Educ Res*. 1999;93(1):11–30
143. Christenson SL, Rounds T, Gorney D. Family factors and student achievement: an avenue to increase students' success. *Sch Psychol Q*. 1992;7(3):178–206
144. Ramey CT, Ramey SL. Early learning and school readiness. *Merrill-Palmer Q*. 2014;50(4):471–491
145. The Annie E. Casey Foundation. *Early Warning Confirmed: A Research Update on Third-Grade Reading*. Baltimore, MD: The Annie E. Casey Foundation; 2013
146. Aud S, Hussar W, Planty M, Snyder T. The condition of education 2010. NCES 2010-028. Washington, DC: National Center for Education Statistics, Institute of Education Sciences, US Department of Education; 2010. Available at: <http://nces.ed.gov/pubs2010/2010028.pdf>. Accessed August 5, 2015
147. The College Board. College-bound seniors 2012 total group profile report. Available at: <http://research.collegeboard.org/programs/sat/data/cb-seniors-2012>. Accessed August 5, 2015
148. Noble KG, Wolmetz ME, Ochs LG, Farah MJ, McCandliss BD. Brain-behavior relationships in reading acquisition are modulated by socioeconomic factors. *Dev Sci*. 2006;9(6):642–654
149. Hair NL, Hanson JL, Wolfe BL, Pollak SD. Association of child poverty, brain development, and academic

- achievement. *JAMA Pediatr.* 2015;169(9):822–829
150. Seligman HK, Schillinger D. Hunger and socioeconomic disparities in chronic disease. *N Engl J Med.* 2010;363(1):6–9
151. Pascoe J, Shaikh U, Forbis S, Etzel RA. Health and nutrition as a foundation for success in school. In: Pianta RC, Cox RC, Snow KL, eds. *School Readiness and the Transition to Kindergarten in the Era of Accountability.* Baltimore, MD: Paul H. Brookes Publishing; 2007:99–101
152. Keet CA, McCormack MC, Pollack CE, Peng RD, McGowan E, Matsui EC. Neighborhood poverty, urban residence, race/ethnicity, and asthma: Rethinking the inner-city asthma epidemic. *J Allergy Clin Immunol.* 2015;135(3):655–662
153. World Health Organization. International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM). Geneva, Switzerland: World Health Organization; 2016. Available at: www.cdc.gov/nchs/icd/icd10cm.htm. Accessed January 11, 2016
154. Brooks-Gunn J, Duncan GJ. The effects of poverty on children. *Future Child.* 1997;7(2):55–71
155. Commission on Social Determinants of Health. *CSDH Final Report: Closing the Gap in a Generation: Health Equity Through Action on the Social Determinants of Health.* Geneva, Switzerland: World Health Organization; 2008
156. Marmot MG, Bell R. Action on health disparities in the United States: commission on social determinants of health. *JAMA.* 2009;301(11):1169–1171
157. Singh GK, Siahpush M. Widening socioeconomic inequalities in US life expectancy, 1980-2000. *Int J Epidemiol.* 2006;35(4):969–979
158. Mistry KB, Minkovitz CS, Riley AW, et al. A new framework for childhood health promotion: the role of policies and programs in building capacity and foundations of early childhood health. *Am J Public Health.* 2012;102(9):1688–1696
159. Heckman JJ. Skill formation and the economics of investing in disadvantaged children. *Science.* 2006;312(5782):1900–1902

Mediators and Adverse Effects of Child Poverty in the United States
John M. Pascoe, David L. Wood, James H. Duffee, Alice Kuo, COMMITTEE ON
PSYCHOSOCIAL ASPECTS OF CHILD AND FAMILY HEALTH and COUNCIL
ON COMMUNITY PEDIATRICS
Pediatrics originally published online March 9, 2016;

Updated Information & Services	including high resolution figures, can be found at: http://pediatrics.aappublications.org/content/early/2016/03/07/peds.2016-0340
References	This article cites 93 articles, 24 of which you can access for free at: http://pediatrics.aappublications.org/content/early/2016/03/07/peds.2016-0340.full#ref-list-1
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): Advocacy http://classic.pediatrics.aappublications.org/cgi/collection/advocacy_sub
Permissions & Licensing	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: https://shop.aap.org/licensing-permissions/
Reprints	Information about ordering reprints can be found online: http://classic.pediatrics.aappublications.org/content/reprints

Pediatrics is the official journal of the American Academy of Pediatrics. A monthly publication, it has been published continuously since . Pediatrics is owned, published, and trademarked by the American Academy of Pediatrics, 141 Northwest Point Boulevard, Elk Grove Village, Illinois, 60007. Copyright © 2016 by the American Academy of Pediatrics. All rights reserved. Print ISSN:

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN™



PEDIATRICS®

OFFICIAL JOURNAL OF THE AMERICAN ACADEMY OF PEDIATRICS

Mediators and Adverse Effects of Child Poverty in the United States
John M. Pascoe, David L. Wood, James H. Duffee, Alice Kuo, COMMITTEE ON
PSYCHOSOCIAL ASPECTS OF CHILD AND FAMILY HEALTH and COUNCIL
ON COMMUNITY PEDIATRICS

Pediatrics originally published online March 9, 2016;

The online version of this article, along with updated information and services, is
located on the World Wide Web at:

<http://pediatrics.aappublications.org/content/early/2016/03/07/peds.2016-0340>

Pediatrics is the official journal of the American Academy of Pediatrics. A monthly publication, it has been published continuously since . Pediatrics is owned, published, and trademarked by the American Academy of Pediatrics, 141 Northwest Point Boulevard, Elk Grove Village, Illinois, 60007. Copyright © 2016 by the American Academy of Pediatrics. All rights reserved. Print ISSN:

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN™

