

BEHAVIORAL AND EMOTIONAL PROBLEMS IN CHILDREN WITH IDIOPATHIC EPILEPSY AND WELL-CONTROLLED SEIZURES

Submitted by Alexia Prassouli

Alexia Prassouli^a, Eustathia Katsarou^b, Achilleas Attilakos^a, J. Sarafidou^a, Sotiria Mastroianni^b, Konstantinos Voudris^b, Angeliki Scardoutsou^b, Andreas Konstantopoulos^b, Ioanna Antoniadou^a

^aDepartment of Social and Developmental Pediatrics, Institute of Child Health, and ^bSecond Department of Pediatrics, University of Athens, Panagiotis and Aglaia Kyriakou Children's Hospital, Athens, Greece

INTRODUCTION: Children with epilepsy are at increased risk for developing behavioral and emotional problems.

OBJECTIVE: The aim of this study was to evaluate behavioral and emotional problems in children with idiopathic epilepsy and well-controlled seizures (without seizures for at least 6 months) and to investigate whether specific problems are associated with specific medical epilepsy-related factors.

METHODS: We studied 68 children who had epilepsy and were aged 6.5 to 9.5 years, divided in 2 subgroups: group A, 37 children (18 boys, 19 girls; mean age: 8.29 ± 1.00 years) with idiopathic generalized epilepsy, and group B, 31 children (18 boys, 13 girls; mean age: 8.35 ± 1.12 years) with idiopathic partial epilepsy. The Child Behavior Checklist by Achenbach was used to assess parent-reported behavioral and emotional problems.

RESULTS: A total of 45.9% of children in group A had behavioral and emotional problems, whereas 19.4% of children in group B had behavioral and emotional problems. Male gender was correlated with increased incidence of behavioral problems and the abnormal first electroencephalogram with increased incidence of attention problems in group A, whereas low socioeconomic status was correlated with increased incidence of behavioral problems and male gender with increased incidence of attention problems in group B.

CONCLUSIONS: The results of this study demonstrated a high prevalence of behavioral and emotional problems in children with idiopathic epilepsy. The findings emphasize the necessity to evaluate and address psychosocial problems in children with idiopathic epilepsy, even when their seizures are well controlled.

VISUAL SEARCH ATTENTION AND EXECUTIVE FUNCTION IN CHINESE CHILDREN WITH WILLIAMS SYNDROME

Submitted by Zheng-Yan Zhao

Zheng-Yan Zhao^a, Jie Shao^a, Chun-hong Xie^a, Yan-xia Wang^a, Yu-feng Qin^a, Kim Cornish^b, Annette Karmiloff-Smith^c

^aChildren's Hospital, Zhejiang University School of Medicine, Hangzhou, China; ^bNeuroscience Laboratory for Research and Education in Developmental Disorders, McGill University, Montreal, Quebec, Canada; ^cNeurocognitive Development Unit, Institute of Child Health, University College London, London, United Kingdom

INTRODUCTION: Williams syndrome (WS) is a rare neurodevelopmental disorder that is caused by a hemizygous deletion on chromosome 7q11.23. The interest of WS to neurocognitive scientists stems from the uneven profiles of cognitive abilities, with spatial cognition seriously impaired and language and face processing relatively proficient. We know relatively little about the visual search attention and executive function in children with WS.

OBJECTIVE: The objective of this study was to examine the nature of visual search attention and executive function in children with WS, compared with children with Down syndrome (DS), healthy chronological age-matched control subjects (CA), and healthy mental age-matched control subjects (MA).

METHODS: A total of 142 children were tested: 21 with WS, 25 with DS, 45 CA, and 41 MA. MA were matched to the children with WS and DS using the Peabody Picture Vocabulary Test. All participants were assessed on a set of computerized visual search tasks and Wilding Monster Sorting Test using a touch-screen.

RESULTS: The results showed that selective attention, switch, and sustained attention of children with WS all are less developed. Children with WS produced a large number of shape errors, and they also confused shape distractors with targets more than the other groups. Children with WS exhibited poorer executive performance as compared with both groups of typical children. They produced more repetitive errors than did children with DS.

CONCLUSIONS: These findings reveal distinct visual search deficits and atypically developing executive function in children with WS.

Obesity/Metabolism

IDENTIFICATION OF THE OBESE CHILD: ADEQUACY OF BODY MASS INDEX AND FAT MASS INDEX FOR CLINICAL PRACTICE AND EPIDEMIOLOGY

Submitted by Nayera Hassan

Nayera Hassan, Sahar El-Masry
National Research Center, Cairo, Egypt

INTRODUCTION: There is no agreement among researchers on adiposity indexes and on the best cutoff to define obesity.

OBJECTIVE: The objective of this study was to evaluate the validity of BMI and fat mass index (FMI) as indica-

EVALUATION OF TUBERCULIN SKIN TEST IN UNVACCINATED 0- TO 7-YEAR-OLD CHILDREN OF NORTHERN GREECE

Victor Aivazis, Angelos Vasiliadis, Dimitra Aivazi, Georgia Zardava, Afroditi Sakellaropoulou, Eleni Papadimitriou, Vasilios Thanos and Emannouil Roilidis

Pediatrics 2008;121;S160

DOI: 10.1542/peds.2007-2022HHHHHHH

Updated Information & Services

including high resolution figures, can be found at:
http://pediatrics.aappublications.org/content/121/Supplement_2/S160.2

Permissions & Licensing

Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at:
<http://www.aappublications.org/site/misc/Permissions.xhtml>

Reprints

Information about ordering reprints can be found online:
<http://www.aappublications.org/site/misc/reprints.xhtml>

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN™



PEDIATRICS®

OFFICIAL JOURNAL OF THE AMERICAN ACADEMY OF PEDIATRICS

EVALUATION OF TUBERCULIN SKIN TEST IN UNVACCINATED 0- TO 7-YEAR-OLD CHILDREN OF NORTHERN GREECE

Victor Aivazis, Angelos Vasiliadis, Dimitra Aivazi, Georgia Zardava, Afroditi Sakellaropoulou, Eleni Papadimitriou, Vasilios Thanos and Emannouil Roilidis

Pediatrics 2008;121;S160

DOI: 10.1542/peds.2007-2022HHHHHHH

The online version of this article, along with updated information and services, is located on the World Wide Web at:

http://pediatrics.aappublications.org/content/121/Supplement_2/S160.2

Pediatrics is the official journal of the American Academy of Pediatrics. A monthly publication, it has been published continuously since 1948. Pediatrics is owned, published, and trademarked by the American Academy of Pediatrics, 141 Northwest Point Boulevard, Elk Grove Village, Illinois, 60007. Copyright © 2008 by the American Academy of Pediatrics. All rights reserved. Print ISSN: 1073-0397.

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN™

