

Infant Swimming in Chlorinated Pools and the Risks of Bronchiolitis, Asthma and Allergy

Voisin C, Sardella A, Marcucci, Bernard A.

Eur Respir J. 2010;36(1):41–47

PURPOSE OF THE STUDY. Recent studies postulated that chlorine used to disinfect swimming pools can cause airway changes and make the lungs more sensitive to infection and asthma. This study evaluated the associations between infant swimming and bronchiolitis and its sequelae among young school-aged children.

STUDY POPULATION. A total of 430 children aged 5 to 6 years in 30 kindergartens located mainly in the area of Brussels and Liege (Belgium) who were participating in a prospective study on the respiratory impact of air pollution were included.

METHODS. Parents completed a questionnaire regarding the child's health history, respiratory symptoms (asthma, bronchitis, bronchiolitis, and pneumonia), and swimming practices (type of pools, type of disinfection method used, frequency of attendance, age started).

RESULTS. Attendance at indoor or outdoor chlorinated pools ever before the age of 2 years was associated with an increase risk of bronchiolitis (odds ratio: 1.68 [95% confidence interval (CI): 1.08–2.68]; $P = .03$). Associations persisted, and were even strengthened, by the exclusion of other risk factors. Among children with no parental antecedents of atopic diseases or no day-care attendance, odds ratios for bronchiolitis were 4.45 (95% CI: 1.82–10.9; $P = .001$) and 4.44 (95% CI: 1.88–10.5; $P = .007$), respectively, after >20 hours spent in pools during infancy. Infant swimmers who developed bronchiolitis also showed higher risks of asthma and respiratory allergies later in childhood.

CONCLUSIONS. Swimming-pool attendance during infancy is associated with a dose-dependent increase in risk of bronchiolitis and interacts with bronchiolitis to increase the risk of respiratory allergies later in childhood.

REVIEWER COMMENTS. Recent findings raised the question of safety of infant swimming. One theory regards the possibility that compounds from the pool reduce lung Clara cell protein (CC16), which protects from inflammation in acute respiratory syncytial virus infection. To date, cross-sectional studies have found inconsistent results in association with swimming-pool attendance and respiratory diseases. However, epidemiologic studies that use data from self-limited questionnaires can be prone to recall bias. Swimming pools have a variety of chlorine compounds in the water and microaerosols, as well as other pollutants such as nitrogenous substances from bathers. These are points to clarify in these studies. Prospective longitudinal studies are needed to characterize

and confirm an association between chlorinated pools and outcome in allergic and respiratory diseases.

URL: www.pediatrics.org/cgi/doi/10.1542/peds.2011-2107UU

Patchanee Benjasupattananun, MD

Wanda Phipatanakul, MD, MS

Boston, MA

Association of Bacteria and Viruses With Wheezy Episodes in Young Children: Prospective Birth Cohort Study

Bisgaard H, Hermansen MN, Bønnelykke K, et al. *BMJ.* 2010;341:c4978

PURPOSE OF THE STUDY. Viral infections have been consistently associated with wheezing episodes, but no studies have suggested a role for bacterial infection. This study evaluated the association between wheeze in young children and the presence of bacteria in the airways.

STUDY POPULATION. Infants ($N = 411$) from the Copenhagen Prospective Study on Asthma in Childhood with a maternal history of asthma were recruited at 4 weeks of age. Exclusion criteria were premature birth (<36 weeks' gestation), history of mechanical ventilation, congenital disease, or respiratory tract symptoms.

METHODS. Participants were prospectively examined for common airway pathogenic bacteria and viruses from the ages of 4 weeks to 3 years. The children visited the research clinic every 6 months and as needed for acute respiratory tract symptoms. Asthma-like symptoms and treatment were recorded in diary cards. Hypopharyngeal aspirates were obtained for routine bacterial cultures, and nasopharyngeal aspirates were obtained for virus identification.

RESULTS. A total of 984 samples (361 children) were analyzed for bacteria, 844 (299 children) were analyzed for viruses, and 696 (277 children) were analyzed for both viruses and bacteria. Colonization shifted from a majority having *Staphylococcus aureus* in the first months of life to later having *Streptococcus pneumoniae*, *Haemophilus influenzae*, and *Moraxella catarrhalis*. Wheezy episodes were significantly associated with these 3 pathogens (odds ratio [OR]: 2.9 [95% confidence interval (CI): 1.9–4.3]; $P < .001$). Wheezy episodes were significantly associated with viral infection (OR: 2.8 [95% CI: 1.7–4.4]; $P < .001$). The association was unaffected by bacteria as a covariate and with no significant interactions.

CONCLUSIONS. Acute wheezy episodes in children up to the age of 3 years were significantly associated with bacterial infection. This association was independent of viral infection, which suggests that bacteria might contribute independently.

REVIEWER COMMENTS. This is the first prospective clinical cohort study that used standard bacterial cultures and

Infant Swimming in Chlorinated Pools and the Risks of Bronchiolitis, Asthma and Allergy

Patchanee Benjasupattananun and Wanda Phipatanakul

Pediatrics 2011;128;S120

DOI: 10.1542/peds.2011-2107UU

Updated Information & Services

including high resolution figures, can be found at:
http://pediatrics.aappublications.org/content/128/Supplement_3/S120.1

Subspecialty Collections

This article, along with others on similar topics, appears in the following collection(s):
Allergy/Immunology
http://www.aappublications.org/cgi/collection/allergy:immunology_sub
Asthma
http://www.aappublications.org/cgi/collection/asthma_sub

Permissions & Licensing

Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at:
<http://www.aappublications.org/site/misc/Permissions.xhtml>

Reprints

Information about ordering reprints can be found online:
<http://www.aappublications.org/site/misc/reprints.xhtml>

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN™



PEDIATRICS®

OFFICIAL JOURNAL OF THE AMERICAN ACADEMY OF PEDIATRICS

Infant Swimming in Chlorinated Pools and the Risks of Bronchiolitis, Asthma and Allergy

Patchanee Benjasupattananun and Wanda Phipatanakul

Pediatrics 2011;128;S120

DOI: 10.1542/peds.2011-2107UU

The online version of this article, along with updated information and services, is
located on the World Wide Web at:

http://pediatrics.aappublications.org/content/128/Supplement_3/S120.1

Pediatrics is the official journal of the American Academy of Pediatrics. A monthly publication, it has been published continuously since 1948. Pediatrics is owned, published, and trademarked by the American Academy of Pediatrics, 141 Northwest Point Boulevard, Elk Grove Village, Illinois, 60007. Copyright © 2011 by the American Academy of Pediatrics. All rights reserved. Print ISSN: 1073-0397.

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN™

