

An error occurred in the article by Olson et al, titled “Outbreak of *Mycoplasma pneumoniae*-Associated Stevens Johnson Syndrome,” published in the August 2015 issue of *Pediatrics* (2015;136[2]:e386–394; doi:10.1542/peds.2015-0278).

On page e386, under Abstract, lines 12 and 13 read: “(odds ratio [OR] 10, confidence interval [CI] 1.3–5.1), preceding respiratory symptoms (OR 30.0, CI 1.6–72.6).” This should have read: “(odds ratio [OR] 7.5, confidence interval [CI] 1.6–35.1), preceding respiratory symptoms (OR 30.0, CI 3.3–269.4).”

On page e389, under Results, lines 18 through 21 read: “pneumonia (odds ratio [OR] 10, confidence interval [CI] 1.3–5.1) and to have preceding respiratory symptoms (OR 30.0, CI 1.6–72.6).” This should have read: “pneumonia (odds ratio [OR] 7.5, confidence interval [CI] 1.6–35.1) and to have preceding respiratory symptoms (OR 30.0, CI 3.3–269.4).”

On page e390, Table 3, the OR (CI) for Pneumonia appeared as follows: “10.0 (1.3–5.1),  $P = .002$ .” It should have read “7.5 (1.6–35.1),  $P = .013$ .” The confidence intervals for the following variables in Table 3 should have read as follows, with no change in the odds ratio or statistical significance (except as noted): male, 0.4–5.9; race, nonwhite, 0.0–1.4; ethnicity, Hispanic, 0.2–3.7; fever, 0.2–25.3; conjunctival involvement, 0.2–25.3; genital involvement, 0.3–7.8; skin involvement, 0.1–1.9; recurrent SJS, 0.4–10.7; preceding URI symptoms, 3.3–269.4; household contacts with URI, OR of 2.3 instead of 2.0 and CI 0.4–12.4; ICU admission, 0.4–6.3; and amniotic graft, 0.3–4.7. A corrected version of the table is supplied here.

doi:10.1542/peds.2015-3276

**TABLE 3** Comparison of Mp-associated SJS and non-Mp-associated SJS, October 2008–November 2013

Variable	Mp-SJS (n=17)	Non-Mp-SJS (n=23)	OR (CI)	P value	All inpatients (n=35,964)
<i>Demographics</i>					
Age, years, median (IQR)	12.7 (10.0-14.5)	11.7 (6.8-15.1)	-	NS	6.8 ± 6.9
Male, n (%)	12 (71)	14 (61)	1.5 (0.4-5.9)	NS	19,843 (55)
Race, non-white, n (%)	2 (12)	8 (35)	0.3 (0.0-1.4)	NS	3,356 (9)
Ethnicity, hispanic, n (%)	4 (24)	6 (26)	0.9 (0.2-3.7)	NS	10,077 (28)
<i>Clinical</i>					
Fever (≥ 39.5 C), n (%)	16 (94)	20 (87)	2.4 (0.2-25.3)	NS	-
Oral involvement, n (%)	17 (100)	23 (100)	N/A	N/A	-
Conjunctival involvement, n (%)	16 (94)	20 (87)	2.4 (0.2-25.3)	NS	-
Genital involvement, n (%)	14 (82)	17 (74)	1.6 (0.3-7.8)	NS	-
# mucus membranes involved, median (IQR)	3 (3-3)	3 (2.5-3)	-	NS	-
≥ 3 mucus membranes involved, n (%)	13 (76)	17 (74)	1.1 (0.3-4.9)	NS	-
Skin involvement, n (%)	13 (76)	21 (91)	0.3 (0.1-1.9)	NS	-
# of skin sites involved, median (IQR)	1 (1-4)	4 (2.5-4)	-	0.047	-
≤ 3 skin sites involved, n (%)	12 (71)	8 (35)	4.5 (1.2-17.4)	0.025	-
Recurrent SJS, n (%)	4 (24)	3 (13)	2.1 (0.4-10.7)	NS	-
Pneumonia, n (%)	9 (53)	3 (13)	7.5 (1.6-35.1)	0.013	-
Preceding antibiotics or AEDs <sup>a</sup> , n (%)	0 (0)	9 (39)	1/infinity	<0.001	-
Preceding URI symptoms, n (%)	16 (94)	8 (35)	30 (3.3-269.4)	<0.001	-
Household contacts with URI <sup>b</sup> , n (%)	5 (50)	4 (31)	2.3 (0.4-12.4)	NS	-
ESR > 35 mg/dL, n (%) <sup>c</sup>	7 (64)	1 (7)	22.8 (2.1-244.9)	0.007	-
Max CRP mg/dL, median (IQR) <sup>d</sup>	7.5 (2.9-10.5)	6.3 (2.8-11.8)	-	NS	-
<i>Treatment</i>					
Days hospitalized, median (IQR)	9 (5-12)	11 (5-12.5)	-	NS	-
NG feeding or TPN days, median (IQR)	7 (0-9)	5 (0-10)	-	NS	-
PCA/continuous opioid days, median (IQR)	0 (0-9)	0 (0-9)	-	NS	-
ICU admission, n (%)	5 (29)	5 (22)	1.5 (0.4-6.3)	NS	-
Amniotic graft, n (%)	6 (35)	7 (32)	1.2 (0.3-4.7)	NS	-

**Olson et al. Outbreak of *Mycoplasma pneumoniae*–Associated Stevens Johnson Syndrome. *Pediatrics*. 2015;136(2):e386–394**

*Pediatrics* 2015;136;1198

DOI: 10.1542/peds.2015-3276

<b>Updated Information &amp; Services</b>	including high resolution figures, can be found at: <a href="http://pediatrics.aappublications.org/content/136/6/1198">http://pediatrics.aappublications.org/content/136/6/1198</a>
<b>Subspecialty Collections</b>	This article, along with others on similar topics, appears in the following collection(s): <b>Administration/Practice Management</b> <a href="http://www.aappublications.org/cgi/collection/administration:practice_management_sub">http://www.aappublications.org/cgi/collection/administration:practice_management_sub</a>
<b>Permissions &amp; Licensing</b>	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: <a href="http://www.aappublications.org/site/misc/Permissions.xhtml">http://www.aappublications.org/site/misc/Permissions.xhtml</a>
<b>Reprints</b>	Information about ordering reprints can be found online: <a href="http://www.aappublications.org/site/misc/reprints.xhtml">http://www.aappublications.org/site/misc/reprints.xhtml</a>

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN™



# PEDIATRICS®

OFFICIAL JOURNAL OF THE AMERICAN ACADEMY OF PEDIATRICS

**Olson et al. Outbreak of *Mycoplasma pneumoniae*–Associated Stevens Johnson Syndrome. *Pediatrics*. 2015;136(2):e386–394**

*Pediatrics* 2015;136;1198

DOI: 10.1542/peds.2015-3276

The online version of this article, along with updated information and services, is located on the World Wide Web at:

<http://pediatrics.aappublications.org/content/136/6/1198>

Pediatrics is the official journal of the American Academy of Pediatrics. A monthly publication, it has been published continuously since 1948. Pediatrics is owned, published, and trademarked by the American Academy of Pediatrics, 141 Northwest Point Boulevard, Elk Grove Village, Illinois, 60007. Copyright © 2015 by the American Academy of Pediatrics. All rights reserved. Print ISSN: 1073-0397.

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN™

