

Do Bacteria in the Gut Set the Stage for Who Gets Viral Bronchiolitis and Its Severity?

Patrick C. Seed, MD, PhD

Until recently, much of the respiratory tract was assumed to be sterile in the absence of an overt infection such as pneumonia or bronchiolitis. However, contemporary molecular genetic tools have revealed rich communities of microbes, the microbiota, throughout the respiratory tract, even during states of health.^{1,2} This paradigm shift has led to new ideas about how endogenous lung microbes may prime the local lung immune system and subsequently alter the responses to infectious and noninfectious respiratory diseases such as pneumonia and asthma.³ However, the story about microbes and lung physiology is even more complex and interesting. Emerging data have also demonstrated potent physiologic and immune crosstalk between distant organs in contact with the microbiota. One new area of interest is the gut–lung axis, in which the microbiota of the enteric tract conditions immunologic responses in the lungs to environmental challenges such as allergens and infectious agents or even endogenous exposures such as cancer and autoantigens.⁴

In this issue of *Pediatrics*, Hasegawa et al⁵ report an association between different bacterial compositions of the gut microbiota in infants hospitalized for viral bronchiolitis compared with healthy controls. In a cohort of 40 infants with viral bronchiolitis and 115 healthy, age-matched controls, the authors identified 4 primary profiles of bacteria in the fecal microbiota. Infants hospitalized with

viral bronchiolitis were more likely to have a fecal microbiota dominated by the bacterial genus *Bacteroides* compared with healthy infants, with an odds ratio of 4.59. A profile dominated by the genera *Enterobacter* and *Veilonella* was proportionately lowest among infants hospitalized for bronchiolitis. Furthermore, the *Bacteroides*-dominant microbiota was paradoxically more rich and diverse than the other microbiota profiles found more often in the healthy control infants.

This cross-sectional, case–control study raises multiple hypotheses about the relationship between different gut microbiota compositions and the presence of bronchiolitis while also exposing limitations in the study. For instance, polysaccharide A of *Bacteroides* suppresses T-cell responses to inflammatory stimuli.^{6,7} Inappropriate suppression of “cellular learning” in infancy may alter subsequent mucosal immunity upon infection, resulting in exacerbated inflammatory responses to environmental challenges. Thus an increased abundance of enteric *Bacteroides* before a viral challenge may be hypothesized to increase the likelihood of reduced viral immunity and an inappropriate response to an infection. However, in the study by Hasegawa et al, the gut microbiota was sampled only at the time of hospitalization for infection and once in age-matched controls. Any of the observed microbiota profiles may not reflect earlier states of the microbiota



Department of Pediatrics, Molecular Genetics & Microbiology, and Surgery, Duke University School of Medicine, Durham, North Carolina

Opinions expressed in these commentaries are those of the author and not necessarily those of the American Academy of Pediatrics or its Committees.

DOI: 10.1542/peds.2016-1377

Accepted for publication Apr 27, 2016

Address correspondence to Patrick C. Seed, MD, PhD, Duke University, Pediatrics, Box 3499, Duke University Medical Center, Durham, NC 27710. E-mail: patrick.seed@duke.edu

PEDIATRICS (ISSN Numbers: Print, 0031-4005; Online, 1098-4275).

Copyright © 2016 by the American Academy of Pediatrics

FINANCIAL DISCLOSURE: The author has indicated he has no financial relationships relevant to this article to disclose.

FUNDING: Supported by NIH grants GM108494 and AI121742. Funded by the National Institutes of Health (NIH).

POTENTIAL CONFLICT OF INTEREST: The author has indicated he has no potential conflicts of interest to disclose.

COMPANION PAPER: A companion to this article can be found online at www.pediatrics.org/cgi/doi/10.1542/peds.2016-0218.

To cite: Seed PC. Do Bacteria in the Gut Set the Stage for Who Gets Viral Bronchiolitis and Its Severity?. *Pediatrics*. 2016;138(1):e20161377

and critical windows of early immune priming. Therefore, prospective longitudinal studies will be essential to determine whether the observed microbiota profiles at the time of bronchiolitis preceded symptoms, were concurrent with the disease onset, or occurred after the disease was well under way. Only through these types of studies, coupled with preclinical mechanistic models of bronchiolitis, can causality be established.

Both randomized and retrospective studies of antibiotic treatment in bronchiolitis have failed to show that it improves key outcomes such as supplemental oxygen requirements and hospital length of stay.⁸ Notably, the antibiotics commonly used in the past for bronchiolitis, chosen to target potential respiratory tract bacterial superinfections, would not be expected to target *Bacteroides*. Conversely, *Veilonella*, found by Hasegawa et al to be proportionately lowest among infants with bronchiolitis, may be suppressed by the administration of some antiinfectives such as ampicillin that were been previously trialed for the treatment of bronchiolitis. The associations identified by

Hasegawa et al, if upheld by the necessary prospective and causal studies, may yield new insights into the failures of antibiotic therapy and suggest alternative approaches to therapeutically modify the microbiota and thus reduce the risk and severity of viral bronchiolitis in infants.

Respiratory tract research has entered a new era. Through a combination of clinical and preclinical models, genomics, immunology, and metabolomics, investigations into the gut–lung axis are expected to drive a paradigm shift in which pulmonary health is viewed through a wider lens of multisystem interactions that includes the microbiota, and through which new preventive strategies, diagnostics, and therapeutics may be envisioned for common respiratory diseases. Observational studies such as that by Hasegawa et al are essential first steps to move this new area of research forward.

REFERENCES

1. Hilty M, Burke C, Pedro H, et al. Disordered microbial communities in asthmatic airways. *PLoS One*. 2010;5(1):e8578
2. Charlson ES, Bittinger K, Haas AR, et al. Topographical continuity of bacterial populations in the healthy human respiratory tract. *Am J Respir Crit Care Med*. 2011;184(8):957–963
3. Marsland BJ, Gollwitzer ES. Host–microorganism interactions in lung diseases. *Nat Rev Immunol*. 2014;14(12):827–835
4. Marsland BJ, Trompette A, Gollwitzer ES. The gut–lung axis in respiratory disease. *Ann Am Thorac Soc*. 2015. Available at: www.atsjournals.org/doi/abs/10.1513/AnnalsATS.201503-133AW?journalCode=annalsats#.VxuSZDArL4Y. Accessed April 23, 2016
5. Hasegawa K, Linnemann RW, Mansbach JM, et al. The fecal microbiota profile and bronchiolitis in infants. *Pediatrics*. 2016;138(1):e20160218
6. Chow J, Mazmanian SK. A pathobiont of the microbiota balances host colonization and intestinal inflammation. *Cell Host Microbe*. 2010;7(4):265–276
7. Round JL, Mazmanian SK. Inducible Foxp3+ regulatory T-cell development by a commensal bacterium of the intestinal microbiota. *Proc Natl Acad Sci USA*. 2010;107(27):12204–12209
8. Farley R, Spurling GKP, Eriksson L, Del Mar CB. Antibiotics for bronchiolitis in children under two years of age. *Cochrane Database Syst Rev*. 2014;10:CD005189

Do Bacteria in the Gut Set the Stage for Who Gets Viral Bronchiolitis and Its Severity?

Patrick C. Seed

Pediatrics 2016;138;

DOI: 10.1542/peds.2016-1377 originally published online June 27, 2016;

Updated Information & Services

including high resolution figures, can be found at:
<http://pediatrics.aappublications.org/content/138/1/e20161377>

References

This article cites 6 articles, 1 of which you can access for free at:
<http://pediatrics.aappublications.org/content/138/1/e20161377#BIBL>

Subspecialty Collections

This article, along with others on similar topics, appears in the following collection(s):
Pulmonology
http://www.aappublications.org/cgi/collection/pulmonology_sub
Bronchiolitis
http://www.aappublications.org/cgi/collection/bronchiolitis_sub
RSV
http://www.aappublications.org/cgi/collection/rsv_sub

Permissions & Licensing

Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at:
<http://www.aappublications.org/site/misc/Permissions.xhtml>

Reprints

Information about ordering reprints can be found online:
<http://www.aappublications.org/site/misc/reprints.xhtml>

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN®



PEDIATRICS®

OFFICIAL JOURNAL OF THE AMERICAN ACADEMY OF PEDIATRICS

Do Bacteria in the Gut Set the Stage for Who Gets Viral Bronchiolitis and Its Severity?

Patrick C. Seed

Pediatrics 2016;138;

DOI: 10.1542/peds.2016-1377 originally published online June 27, 2016;

The online version of this article, along with updated information and services, is located on the World Wide Web at:

<http://pediatrics.aappublications.org/content/138/1/e20161377>

Pediatrics is the official journal of the American Academy of Pediatrics. A monthly publication, it has been published continuously since 1948. Pediatrics is owned, published, and trademarked by the American Academy of Pediatrics, 345 Park Avenue, Itasca, Illinois, 60143. Copyright © 2016 by the American Academy of Pediatrics. All rights reserved. Print ISSN: 1073-0397.

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN®

