

# Developmental Outcomes of Late Preterm Infants From Infancy to Kindergarten

Prachi Shah, MD, MS,<sup>a,b</sup> Niko Kaciroti, PhD,<sup>b</sup> Blair Richards, MS,<sup>b</sup> Wonjung Oh, PhD,<sup>c</sup> Julie C. Lumeng, MD<sup>a,b,d</sup>

abstract

**OBJECTIVE:** To compare developmental outcomes of late preterm infants (34–36 weeks' gestation) with infants born at early term (37–38 weeks' gestation) and term (39–41 weeks' gestation), from infancy through kindergarten.

**METHODS:** Sample included 1000 late preterm, 1800 early term, and 3200 term infants ascertained from the Early Childhood Longitudinal Study, Birth Cohort. Direct assessments of development were performed at 9 and 24 months by using the Bayley Short Form–Research Edition T-scores and at preschool and kindergarten using the Early Childhood Longitudinal Study, Birth Cohort reading and mathematics  $\theta$  scores. Maternal and infant characteristics were obtained from birth certificate data and parent questionnaires. After controlling for covariates, we compared mean developmental outcomes between late preterm and full-term groups in serial cross-sectional analyses at each timepoint using multilinear regression, with pairwise comparisons testing for group differences by gestational age categories.

**RESULTS:** With covariates controlled at all timepoints, at 9 months late preterm infants demonstrated less optimal developmental outcomes ( $T = 47.31$ ) compared with infants born early term ( $T = 49.12$ ) and term ( $T = 50.09$ ) ( $P < .0001$ ). This association was not seen at 24 months, ( $P = .66$ ) but reemerged at preschool. Late preterm infants demonstrated less optimal scores in preschool reading ( $P = .0006$ ), preschool mathematics ( $P = .0014$ ), and kindergarten reading ( $P = .0007$ ) compared with infants born at term gestation.

**CONCLUSIONS:** Although late preterm infants demonstrate comparable developmental outcomes to full-term infants (early term and full-term gestation) at 24 months, they demonstrate less optimal reading outcomes at preschool and kindergarten timepoints. Ongoing developmental surveillance for late preterm infants is warranted into preschool and kindergarten.



<sup>a</sup>Division of Developmental Behavioral Pediatrics, Department of Pediatrics, School of Medicine, <sup>b</sup>Center for Human Growth and Development, and <sup>d</sup>Department of Nutritional Sciences, School of Public Health, University of Michigan, Ann Arbor, Michigan, and <sup>c</sup>Department of Human Development and Family Studies, College of Human Sciences, Texas Tech University, Lubbock, Texas

Dr Shah conceptualized and designed the study and drafted the manuscript and revision; Dr Kaciroti provided substantial guidance regarding the statistical approach and analyses for the revised manuscript; Mr Richards conducted the statistical analyses; Dr Oh helped design and conduct the initial analyses; Dr Lumeng reviewed and revised the manuscript; and all authors approved the final manuscript as submitted.

**DOI:** 10.1542/peds.2015-3496

Accepted for publication May 23, 2016

**WHAT'S KNOWN ON THIS SUBJECT:** Late preterm infants demonstrate less optimal developmental outcomes compared with early term and full-term children at kindergarten and early school age timepoints. Infant and preschool outcomes in late preterm infants remain underresearched.

**WHAT THIS STUDY ADDS:** Compared with full-term gestational groups, late preterm infants demonstrate similar developmental outcomes at 24 months but less optimal outcomes at preschool and kindergarten. Despite no developmental differences at 24 months, developmental surveillance for late preterms is warranted into preschool and kindergarten.

**To cite:** Shah P, Kaciroti N, Richards B, et al. Developmental Outcomes of Late Preterm Infants From Infancy to Kindergarten. *Pediatrics*. 2016;138(2):e20153496

Late preterm infants (gestational age 34 weeks, 0 days to 36 weeks, 6 days) account for 75% of preterm births,<sup>1</sup> translating to >400 000 late preterm births per year.<sup>2,3</sup> It has been thought that late preterm infants were similar to full-term infants, with little risk for long-term morbidities,<sup>2</sup> but increasing evidence suggests that late preterm infants have higher rates of learning problems than their full-term counterparts,<sup>4-6</sup> often needing special education supports at school-age.<sup>7-9</sup>

Recent studies have examined the possibility of a dose-response association between gestational age and early school performance by comparing early school outcomes of late preterm infants with outcomes of children born at early term (37-38 weeks) and term gestation (39-41 weeks).<sup>10-12</sup> Compared with children born at early term and term gestation, children born in the late preterm period demonstrate poorer performance on tests of early school readiness, spatial abilities, and verbal reasoning in early childhood,<sup>10</sup> poorer educational achievement at age 5,<sup>11</sup> and poorer school performance at age 7.<sup>12</sup> Despite these findings, little is known about the pattern of development in late preterm infants in the period before school entry. We have identified only 2 studies comparing developmental outcomes of late preterm infants with early term and term infants in infancy,<sup>13,14</sup> with disparate results, wherein 1 study<sup>13</sup> found that late preterm infants demonstrated suboptimal development compared with early term and term infants at 8 and 18 months, and the other study<sup>14</sup> found no differences at 2 years.

These contradictory findings suggest that more research is needed to examine the developmental outcomes of late preterm infants in infancy and to determine when developmental risks emerge between infancy and kindergarten to better

inform early intervention and developmental monitoring strategies.

We used a nationally representative, population-based sample to examine developmental and early reading and math outcomes of late preterm infants, compared with infants born early term (37-38 weeks) and term (39-41 weeks) gestation from infancy through kindergarten. We hypothesized that compared with infants born at early term and term gestation, late preterm infants would manifest lower developmental scores in early infancy and that the developmental vulnerabilities would persist until kindergarten.

## METHODS

### Study Design and Sample

Data were drawn from the Early Childhood Longitudinal Study, Birth Cohort (ECLS-B), a nationally representative, population-based longitudinal study sponsored by the US Department of Education's National Center for Education Statistics (NCES) in the Institute for Education Science. The ECLS-B is based on a nationally representative probability sample of children born in the United States in 2001 (inclusive). Data were collected from >10 000 children and their parents at 9 months, with subsequent assessments at 24-month, preschool, and kindergarten timepoints. Because the NCES had an analytic interest in low birth weight infants, this population was oversampled. Use of data-weighting procedures adjusted for disproportionate sampling and survey nonresponse, thereby allowing weighted results to generate nationally representative estimates.<sup>15</sup> Data collection consisted of home visits with parent interview and direct child assessments and included information on children's cognitive, emotional, and physical development across multiple settings.<sup>16</sup> The sample for our study excluded children with congenital

and chromosomal abnormalities, included children born at 34 to 41 weeks inclusive, and used data from birth, 9-month, 24-month, preschool, and kindergarten timepoints. Our study was considered exempt by the Institutional Review Board because the research involved the use of a publicly available dataset in which the participants were deidentified, and data could not be linked to the participants.

## Measures

### Outcomes

**Infant Development.** Developmental outcomes at 9 and 24 months were ascertained with the Bayley Short Form-Research Edition (BSF-R) Mental T scores. The BSF-R, which was formulated from the Bayley Scales of Infant Development, Second Edition (BSID-II),<sup>17</sup> assessed children's performance on tasks requiring memory, problem solving, and language skills and was administered at home by trained NCES staff. The BSF-R estimates the number of items a child would have gotten correct on the full BSID-II through the use of item response theory (IRT) modeling and demonstrates a reliability coefficient of 0.80 compared with the full BSID-II.<sup>18</sup> The BSF-R Mental T scores were norm-referenced by age to the ECLS-B population, adjusted for prematurity, and scaled to have a mean = 50, SD = 10.<sup>18</sup>

**Preschool and Kindergarten Assessments.** Children were assessed at preschool and kindergarten via specialized reading and math assessments developed for the ECLS-B. The reading assessment was formulated from existing instruments including the Peabody Picture Vocabulary Test, Third Edition and Preschool Comprehensive Test of Phonological and Print Processing and measured basic reading skills (letter and word recognition, understanding letter-sound relationships, phonological

awareness, sight word recognition, and understanding words in the context of simple sentences). The reliability of the early reading assessment is described by the IRT reliability coefficient, reported as 0.84 at preschool and 0.92 at kindergarten. Scores provide ability estimates in a particular domain and were reported as normally distributed  $\theta$  scores, which demonstrated a range of  $-2.47$  to  $2.60$  (mean =  $-0.49$ , SD =  $0.74$ ) at preschool and  $-2.11$  to  $3.09$  (mean =  $0.33$ , SD =  $0.86$ ) at kindergarten.<sup>19</sup> The ECLS-B mathematics assessment incorporated questions to test the following content areas: number sense, geometry, counting numerical operations, and pattern recognition. The IRT reliability coefficient for the early mathematics assessment was 0.89 at preschool and 0.92 at kindergarten. The mathematics  $\theta$  scores demonstrated a range of  $-2.84$  to  $2.38$  (mean =  $-0.47$ , SD =  $0.78$ ) at preschool and  $-2.42$  to  $3.12$  (mean =  $0.38$ , SD =  $0.80$ ) at kindergarten.<sup>19</sup>

### Predictor

Gestational age was ascertained from birth certificate data from the ECLS-B restricted use data set,<sup>20</sup> and infants were categorized as being late preterm (gestational age 34–36 weeks),<sup>1</sup> early term (37–38 weeks), or full term (39–41 weeks) per conventional gestational age categories.<sup>21</sup>

### Covariates

Maternal and infant characteristics were included as covariates. The following maternal characteristics were ascertained from the restricted ECLS-B birth certificate data: maternal age, race or ethnicity, marital status (married or unmarried), history of prenatal smoking, duration of breastfeeding, and plurality (singleton, twin, multiple gestation). Also included were measures of maternal education (less than high school, high school

graduate, some college, college graduate, more than college) and poverty (<185% federal poverty limit,  $\geq 185\%$  federal poverty line), which were incorporated into a single composite measure of household socioeconomic status created by ECLS-B at 9 months.<sup>15</sup> Parenting characteristics from 9 months to preschool were included from coded observations of parent–child interactions. Nine-month parenting was assessed via the 50-item parent scale of the Nursing Child Assessment Teaching Scale.<sup>22</sup> The Parental Responsiveness subscale ( $\alpha = 0.68$ ) reflects parental sensitivity to child cues (range 0–50).<sup>15</sup> Parenting at 24 months and preschool was ascertained from coded interactions from the Two-Bags Task, a 10-minute semistructured parent–child activity, which assessed parental sensitivity, parental cognitive stimulation, and parental emotional support on a Likert scale (range 1–7). Higher scores indicated more positive parenting behaviors.<sup>18,23</sup>

Infant characteristics and neonatal risks, also ascertained from birth certificate data, included infant gender; birth weight; fetal growth, characterized as small for gestational age (<10%), appropriate for gestational age (10%–90%), and large for gestational age (>90%), defined per national standards<sup>24</sup>; 5-minute Apgar scores (dichotomized as  $>7$  vs  $\leq 7$ ); and days of hospitalization (0–1 days, 2–7 days, 8–14 days, 15–30 days, >30 days). Enrollment in early intervention, ascertained from 9-month and 24-month parent questionnaires, and age and month of preschool and kindergarten assessment were also included as covariates.

### Statistical Analyses

Maternal and child characteristics were examined via descriptive statistics to identify outliers. Because of the presence of outliers regarding age of developmental assessment at

the different timepoints, the sample was restricted to infants assessed between 8 and 11 months (9-month timepoint), 23 to 25 months (24-month timepoint), 42 to 59 months (preschool timepoint), and 60 to 72 months (kindergarten timepoint). Child characteristics were compared by gestational age group via 1-way analysis of variance for continuous variables and logistic regression for binomial and categorical variables.

In a series of cross-sectional analyses at each timepoint, multilinear regression (performed with the SURVEYREG procedure in SAS [SAS Institute, Inc, Cary, NC]) was used to examine the association between mean developmental outcomes at 9 and 24 months and mean reading and math outcomes at preschool and kindergarten timepoints with gestational age categories (late preterm, early term, or term). Initial models examined the contribution of gestational age groups and covariates on outcomes at 9 months, 24 months, preschool, and kindergarten timepoints. The covariates with a  $P$  value  $< .05$  (maternal age, maternal race or ethnicity, socioeconomic status at 9 months, parenting, infant gender, birth weight, and receipt of early intervention services) were included in the final model for adjusted analyses. Analyses at preschool and kindergarten also included age at assessment and month of school. Post hoc tests examined pairwise differences between gestational age categories at a significance level of  $P < .05$ .

All analyses were conducted in SAS 9.4.<sup>25</sup> Because of the complex sample design, sample weights and the Jackknife method were used to account for stratification, clustering, and unit nonresponse. Results are reported for the weighted analyses, and in accord with the NCES requirements for ECLS-B data usage, reported numbers were rounded to the nearest 50.

## RESULTS

### Characteristics of the Sample

The unweighted sample included a total of 6000 infants: 1000 late preterm (gestational age 34–36 weeks), 1800 early term (37–38 weeks), and 3200 term (39–41 weeks) infants. The mean age for mothers was 27.5 years (SD = 5.0), most (68.9%) were married, most (79.2%) had a high school education or greater, and approximately half of families (53%) were at or above the poverty threshold, defined as income >185% of the federal poverty line. Maternal characteristics are shown in Table 1. Infant characteristics did not vary by gestational age group, with the exception of lower birth weight, lower 5-minute Apgar scores, more days of hospitalization, and higher percentage of early intervention services at 9 months for infants born late preterm. Child characteristics are shown in Table 2.

### Group Differences: Developmental Outcomes by Gestational Age Categories

#### 9-Month Cognitive Outcomes

Adjusted analysis showed that infants born late preterm demonstrated lower cognitive scores compared with other gestational age groups as measured by the BSF-R Mental T scores at 9 months ( $F = 13.97$ ;  $P < .0001$ ) (Table 3). Post hoc pairwise comparisons revealed that late preterm infants demonstrated lower cognitive scores compared with early term ( $P = .0006$ ) and term infants ( $P < .0001$ ). This association was also seen in infants with higher gestational age: Early term infants demonstrated lower cognitive outcomes compared with term infants ( $P = .02$ ) (Fig 1A).

#### 24-Month Cognitive Outcomes

Contrary to 9-month developmental outcomes, after we controlled for covariates, there were no differences in 24-month cognitive outcomes between late preterm infants and

**TABLE 1** Sample Characteristics

Maternal Characteristics	Mean, SD or Weighted %
Age (y)	27.5, 5.0
Race or ethnicity, %	
White, non-Hispanic	58.5
Black, non-Hispanic	13.1
Hispanic	22.5
Asian	3.5
Other	2.3
Marital status, %	
Married	68.9
Unmarried	31.1
History of prenatal smoking, %	
No	89.2
Yes	10.8
Duration of breastfeeding, %	
<1 mo	31.2
2–3 mo	30.7
4–6 mo	25.2
>6 mo	12.9
Plurality, %	
Singleton	97.1
Twin	2.8
Multiple ( $\geq 3$ )	0.1
Socioeconomic indicators calculated from measures of education and income at 9 mo	
Maternal education, %	
Less than high school	20.8
High school degree	30.4
Some college	22.1
Bachelor's degree	15.9
Graduate school	10.8
Below poverty threshold (<185% federal poverty line), %	47.0
At or above poverty threshold ( $\geq 185\%$ federal poverty line), %	53.0
Parenting behavior, 9 mo	
Parental responsiveness	34.5, 7.1
Parenting behavior, 24 mo	
Parental sensitivity	4.79, 1.2
Parental cognitive stimulation	4.13, 1.5
Parenting behavior, preschool	
Parental emotional support	4.5, 1.2
Parental cognitive stimulation	4.2, 1.0

full-term infants ( $F = 0.41$ ;  $P = .66$ ) (Table 3, Fig 1B).

#### Preschool Outcomes

After we controlled for covariates, infants born late preterm demonstrated lower reading scores at preschool compared with other gestational age groups as measured by the ECLS-B Preschool Reading Assessment  $\theta$  scores ( $F = 9.44$ ;  $P = .0002$ ) (Table 3). Post hoc pairwise comparisons revealed that late preterm infants demonstrated lower reading scores compared with full-term infants ( $P = .0006$ ) but not early term infants ( $P = .14$ ) (Fig 1C). There were also differences in preschool

math outcomes among gestational age groups ( $F = 7.07$ ;  $P = .0014$ ) (Table 3), with late preterm infants demonstrating lower math scores compared with term ( $P = .0014$ ) but not early term ( $P = .07$ ) infants (Fig 1D).

#### Kindergarten Outcomes

Similar to preschool reading outcomes, after we controlled for covariates, children born late preterm demonstrated lower reading scores at kindergarten compared with other gestational age groups ( $F = 6.33$ ;  $P = .003$ ) (Table 3). Post hoc pairwise comparisons revealed that late preterm infants demonstrated

**TABLE 2** Child Characteristics by Gestational Age Groups

	Mean, SD or Weighted %				<i>P</i> <sup>*</sup>
	All	Late Preterm (34–36 wk)	Early Term (37–38 wk)	Term (39–41 wk)	
Weighted percentage	—	9.1	28.8	62.1	
Gender, male	50.5	49.5	50.9	50.5	.84
Birth weight, g	3359.2, 497.8	2873.5, 859.0	3247.8, 618.6	3481.7, 414.4	<.0001
Fetal growth					
Intrauterine growth restriction (<10%, small for gestational age)	10.4	10.0	9.8	10.8	.57
5-Minute Apgar >7	97.7	93.2	97.9	98.2	<.0001
Days of hospitalization					<.0001
0–1 d	91.7	70.7	92.9	94.2	
2–7 d	5.9	14.9	5.2	4.9	
8–14 d	1.5	8.0	1.6	0.6	
15–30 d	0.7	5.4	0.3	0.3	
>30 d	0.2	1.1	0.1	0.07	
Received early intervention (yes)					
9 mo	1.6	3.9	1.9	1.1	.0001
24 mo	2.2	3.0	2.5	1.9	.24
Age at assessment, mo					
Preschool	51.9, 5.1	52.0, 4.4	51.8, 5.2	51.9, 4.0	.39
Kindergarten	65.3, 3.6	65.5, 4.7	65.2, 4.1	65.3, 3.0	.20
Month of assessment, preschool					.38
August–October	64.4	62.0	63.4	65.1	
November–January	23.1	25.8	22.6	22.9	
February–June	12.6	12.1	13.9	12.0	
Month of kindergarten at assessment					.32
August–October	39.9	36.7	37.5	41.6	
November–January	50.4	52.5	54.0	48.4	
February–June	9.7	10.8	8.5	10.0	

\* *P* value was derived based on analysis of variance for continuous measures and  $\chi^2$  test for categorical data.

**TABLE 3** Mean (SE) and Group Differences: Developmental Outcomes by Gestational Age Groups

	Late Preterm (34–36 wk)	Early Term (37–38 wk)	Term (39–41 wk)	<i>F</i>	<i>P</i>
BSF-R (9 mo) T score	47.31 <sup>a</sup> (0.53)	49.12 <sup>b</sup> (0.44)	50.09 <sup>c</sup> (0.32)	13.97	<.0001
BSF-R (24 mo) T score	46.10 <sup>a</sup> (1.01)	45.59 <sup>a</sup> (0.86)	45.81 <sup>a</sup> (0.80)	0.41	.66
Preschool reading (Θ score)	−0.52 <sup>a</sup> (0.03)	−0.46 <sup>a,b</sup> (0.03)	−0.42 <sup>b</sup> (0.02)	9.44	.0002
Preschool math (Θ score)	−0.54 <sup>a</sup> (0.04)	−0.45 <sup>a,b</sup> (0.02)	−0.41 <sup>b</sup> (0.02)	7.07	.0014
Kindergarten reading (Θ score)	0.40 <sup>a</sup> (0.04)	0.51 <sup>b</sup> (0.03)	0.54 <sup>b</sup> (0.03)	6.33	.0027
Kindergarten math (Θ score)	0.30 <sup>a</sup> (0.06)	0.31 <sup>a</sup> (0.07)	0.32 <sup>a</sup> (0.07)	0.22	.81

All analyses adjusted for maternal age, maternal race or ethnicity, socioeconomic status at 9 mo, parenting, infant gender, birth weight, and receipt of early intervention services. Analyses at preschool and kindergarten also included age at assessment and month of school. Superscripts a, b, and c that differ from one another denote significant differences (*P* < .05) between late preterm, early term, and term infants at each timepoint.


lower kindergarten reading scores compared with early term (*P* = .02) and full-term (*P* = .0007) infants (Fig 1E). There were no differences in kindergarten math outcomes among the 3 gestational age groups (*F* = 0.22; *P* = .81) (Table 3, Fig 1F).

## DISCUSSION

This is the first longitudinal study to compare developmental outcomes of late preterm infants with term-born gestational groups

(early term and term) from infancy to kindergarten in a nationally representative, population-based sample from the United States. We found that the pattern of suboptimal development of late preterm infants appears to vary from 9 months through kindergarten. Similar to other longitudinal studies in infancy comparing outcomes of late preterm with early term and term infants,<sup>13</sup> we found that late preterm infants demonstrate lower developmental outcomes at 9 months compared

with term-born infants (early term and term groups). This association was not seen at 24 months, which is consistent with results from some studies<sup>14,26</sup> but differs from other studies.<sup>27,28</sup> At preschool and kindergarten timepoints, similar to previous studies of late preterm infants at preschool and early school age,<sup>10,11</sup> we found that late preterm infants demonstrate less optimal early reading skills in preschool and kindergarten and less optimal



**FIGURE 1** A, Mean cognitive scores at 9 months by gestational age categories. B, Mean cognitive scores at 24 months by gestational age categories. C, Mean preschool reading scores by gestational age categories. D, Mean preschool math scores by gestational age categories. E, Mean kindergarten reading scores by gestational age categories. F, Mean kindergarten math scores by gestational age categories. Superscripts a, b, and c that differ from one another denote significant differences ( $P < .05$ ) between late preterm, early term, and term infants at each timepoint.

mathematics skills at preschool compared with full-term groups.

Regarding our 24-month findings, although previous research with the ECLS-B has demonstrated lower developmental outcomes of late preterm infants compared with full-term infants at 24 months,<sup>27,28</sup> after correcting for covariates and adjusting for prematurity, we found no developmental differences between late preterm and full-term groups. These disparate results may be explained by previous reports not correcting for prematurity<sup>27</sup> or may be attributed to differences in how standardized measures of development were derived from existing developmental measures at 24 months in previous research.<sup>28</sup> In our analyses, we used the BSF-R Mental T scores, available in the ECLS-B dataset, to compare developmental outcome of late preterm with full-term groups at 24 months. In accordance with the ECLS-B codebook, the BSF-R T scores were based on chronological age, normed to the ECLS-B population, adjusted for prematurity, and designed to enable individual comparisons with the corresponding age reference population.<sup>16</sup> In other research focused on late preterm outcomes at 24 months,<sup>28</sup> development was assessed with a measure constructed by the authors, labeled as a derived mental developmental index and derived psychomotor developmental index, which may psychometrically differ from the standardized measures included in the ECLS-B dataset. Furthermore, whereas the BSF-R T scores were adjusted for prematurity, it is not clear whether the derived mental developmental index and derived psychomotor developmental index corrected for prematurity, which may also account for our contradictory findings at 24 months, despite our use of data from the same dataset. Other studies have also found no developmental

differences between late preterm and full-term infants at 2 years of age,<sup>14,26</sup> raising the possibility that the subtle developmental delays of late preterm infants in infancy may become less apparent in the toddler period, which may have implications for developmental surveillance in primary care.

Despite no developmental differences observed at 24 months, as in previous research,<sup>29</sup> we found that late preterm infants demonstrate less optimal developmental outcomes at preschool. This suggests that the preschool-age health supervision visit may be an especially important visit for pediatric providers to monitor for emerging developmental delays in children who were born late preterm and to facilitate appropriate management for developmental issues.<sup>30,31</sup> Children who were born late preterm who demonstrate delays on pediatric screening should be referred for a comprehensive developmental assessment to provide a diagnostic evaluation for developmental delay and to facilitate referrals for appropriate interventions. In addition, these children should be referred for a school-based psychoeducational evaluation to determine the need for school-based supports and services.<sup>32,33</sup>

There are some potential explanations for the pattern of development observed in late preterm infants from 9 months to kindergarten. Compared with infants born full term, the late preterm brain manifests neurodevelopmental immaturity, characterized by lower brain volume and less differentiated patterns of myelination and neural connectivity.<sup>34-37</sup> These structural differences in the brains of children born late preterm, including lower gray matter volume present in infancy and school age,<sup>38,39</sup> may be associated with the suboptimal development in early reading and math skills we identified, similar

to that which has been observed in children born full term.<sup>40,41</sup>

The lack of developmental differences in children born late preterm observed at 24 months and the reemergence of suboptimal development at preschool may also be related to limitations in the instruments used at the 24-month timepoint and to subtle differences in brain development that become apparent with advancing age. The mental scale of the BSID-II (after which the BSF-R was formulated)<sup>16</sup> was designed to assess sensory perceptual abilities, early verbal communication, and early number concepts<sup>42</sup> but may in fact be a partial measure of gross motor abilities and sensorimotor functioning<sup>43</sup> and may not be an accurate assessment of cognitive abilities in infancy. In addition, the neurocognitive deficits associated with late preterm birth, including deficits in early reading and math skills,<sup>44,45</sup> may not be reliably detected in the toddler period.

Our study had several strengths and limitations. The study includes a nationally representative sample, the results of which are generalizable to the population, and assessments of child development from infancy through kindergarten. In addition, in contrast to other studies that have used parent report questionnaires to assess development,<sup>13,14</sup> the ECLS-B administered direct child assessments to measure development, thus minimizing biases that can be associated with parent report measures.<sup>46</sup> One of the limitations of the study relates to different assessments of child development at infancy and the preschool and kindergarten timepoints. Because the BSF-R assessed different developmental constructs in infancy compared with the measures of early reading and math used at the preschool and kindergarten timepoints, it was deemed that the measures were not equivalent, and a longitudinal

approach to the data was not possible. As a result, we assessed developmental outcomes in a series of cross-sectional analyses rather than following the same child from infancy through kindergarten longitudinally. In addition, the ECLS-B did not include a measure of IQ at preschool and kindergarten, so the measures of early learning are limited to the early reading and math domains and cannot be generalized to an overall measure of intellectual aptitude. Furthermore, there is no information in the ECLS-B about illnesses and hospitalizations in the neonatal period, or the specific details regarding the

medical morbidities associated with late preterm birth<sup>47,48</sup> that may be associated with suboptimal developmental outcomes.

## CONCLUSIONS

We found small but meaningful mean differences in developmental outcomes between late preterm infants and full-term groups, which, when extrapolated to a population level, can have potentially significant public health implications for long-term outcomes.<sup>12,49</sup> Developmental differences in late preterm infants emerged between 24 months and preschool, suggesting that late preterm infants may benefit from

closer developmental monitoring, targeted assessments, and interventions before school entry.

## ABBREVIATIONS

BSF-R: Bayley Short Form–Research Edition  
BSID-II: Bayley Scales of Infant Development, Second Edition  
ECLS-B: Early Childhood Longitudinal Survey–Birth Cohort  
IRT: item response theory  
NCES: National Center for Education Statistics

Address correspondence to Prachi Shah, MD, MS, University of Michigan–Ann Arbor, Department of Pediatrics/Center for Human Growth and Development, 300 North Ingalls St, Room 1056, Ann Arbor, MI 48109. E-mail: prachis@umich.edu

PEDIATRICS (ISSN Numbers: Print, 0031-4005; Online, 1098-4275).

Copyright © 2016 by the American Academy of Pediatrics

**FINANCIAL DISCLOSURE:** The authors have indicated they have no financial relationships relevant to this article to disclose.

**FUNDING:** Supported by University of Michigan, *Eunice Kennedy Shriver* National Institute of Child Health and Human Development grant K08HD078506. Funded by the National Institutes of Health (NIH).

**POTENTIAL CONFLICT OF INTEREST:** The authors have indicated they have no potential conflicts of interest to disclose.

## REFERENCES

- Davidoff MJ, Dias T, Damus K, et al. Changes in the gestational age distribution among U.S. singleton births: impact on rates of late preterm birth, 1992 to 2002. *Semin Perinatol*. 2006;30(1):8–15
- Raju TNK, Higgins RD, Stark AR, Leveno KJ. Optimizing care and outcome for late-preterm (near-term) infants: a summary of the workshop sponsored by the National Institute of Child Health and Human Development. *Pediatrics*. 2006;118(3):1207–1214
- Damus K. Prevention of preterm birth: a renewed national priority. *Curr Opin Obstet Gynecol*. 2008;20(6):590–596
- Morse SB, Zheng H, Tang Y, Roth J. Early school-age outcomes of late preterm infants. *Pediatrics*. 2009;123(4). Available at: www.pediatrics.org/cgi/content/full/123/4/e622
- Petrini JR, Dias T, McCormick MC, Massolo ML, Green NS, Escobar GJ. Increased risk of adverse neurological development for late preterm infants. *J Pediatr*. 2009;154(2):169–176
- Kirkegaard I, Obel C, Hedegaard M, Henriksen TB. Gestational age and birth weight in relation to school performance of 10-year-old children: a follow-up study of children born after 32 completed weeks. *Pediatrics*. 2006;118(4):1600–1606
- Chyi LJ, Lee HC, Hintz SR, Gould JB, Sutcliffe TL. School outcomes of late preterm infants: special needs and challenges for infants born at 32 to 36 weeks gestation. *J Pediatr*. 2008;153(1):25–31
- Lipkind HS, Slopen ME, Pfeiffer MR, McVeigh KH. School-age outcomes of late preterm infants in New York City. *Am J Obstet Gynecol*. 2012;206(3):222.e1–222.e6
- van Baar AL, Vermaas J, Knots E, de Kleine MJK, Soons P. Functioning at school age of moderately preterm children born at 32 to 36 weeks' gestational age. *Pediatrics*. 2009;124(1):251–257
- Poulsen G, Wolke D, Kurinczuk JJ, et al. Gestational age and cognitive ability in early childhood: a population-based cohort study. *Paediatr Perinat Epidemiol*. 2013;27(4):371–379
- Quigley MA, Poulsen G, Boyle E, et al. Early term and late preterm birth are associated with poorer school performance at age 5 years: a cohort study. *Arch Dis Child Fetal Neonatal Ed*. 2012;97(3):F167–F173
- Chan E, Quigley MA. School performance at age 7 years in late preterm and early term birth: a cohort study. *Arch Dis Child Fetal Neonatal Ed*. 2014;99(6):F451–F457
- Schonhaut L, Armijo I, Pérez M. Gestational age and developmental risk in moderately and late preterm

- and early term infants. *Pediatrics*. 2015;135(4). Available at: [www.pediatrics.org/cgi/content/full/135/4/e835](http://www.pediatrics.org/cgi/content/full/135/4/e835)
14. Brown HK, Speechley KN, Macnab J, Natale R, Campbell MK. Mild prematurity, proximal social processes, and development. *Pediatrics*. 2014;134(3). Available at: [www.pediatrics.org/cgi/content/full/134/3/e814](http://www.pediatrics.org/cgi/content/full/134/3/e814)
  15. Nord C, Andreassen C, Branden L, et al. *Early Childhood Longitudinal Study, Birth Cohort (ECLS-B), User's Manual for the ECLS-B Nine-Month Public-Use Data File and Electronic Code Book*. Washington, DC: US Department of Education, NCES; 2004
  16. Nord C, Edwards B, Andreassen C, Green JL, Wallner-Allen K. *Early Childhood Longitudinal Study, Birth Cohort (ECLS-B), User's Manual for the ECLS-B Longitudinal 9-Month: 2-Year Data File and Electronic Codebook (NCES 2006-046)*. Washington, DC: US Department of Education, National Center for Education Statistics; 2006
  17. Bayley N. *Bayley Scales of Infant and Toddler Development*. 2nd ed. San Antonio, TX: Harcourt Assessment; 1993
  18. Andreassen C, Fletcher P. *Early Childhood Longitudinal Study Birth Cohort (ECLS-B) Psychometric Report for the 2-Year Data Collection (NCES 2007-084)*. Washington, DC: National Center for Educational Statistics, Institute of Educational Sciences; 2007
  19. Snow K, Derecho A, Wheelless S, et al; National Center for Education Statistics. *Early Childhood Longitudinal Study, Birth Cohort (ECLS-B) Kindergarten 2006 and 2007 Data File User's Manual (2010-010)*. Washington, DC: Institute of Educational Sciences, US Department of Education; 2009
  20. Nord C, Edwards B, Hilpert R, et al. *Early Childhood Longitudinal Study, Birth Cohort (ECLS-B), User's Manual for the ECLS-B Nine-Month Restricted-Use Data File and Electronic Code Book (NCES 2004-092)*. Washington, DC: National Center for Education Statistics; 2004
  21. Spong CY. Defining "term" pregnancy: recommendations from the Defining "Term" Pregnancy Workgroup. *JAMA*. 2013;309(23):2445–2446
  22. Sumner GS. *A Quick Summary of What the Teaching Scale Measures*. Seattle, WA: NCAST-AVENUE Publications; 1994
  23. Snow K, Thalji L, Derecho A, et al; National Center for Education Statistics. *Early Childhood Longitudinal Study, Birth Cohort (ECLS-B) 9-Month—Preschool Restricted-Use Data File and Electronic Codebook*. Washington, DC: US Department of Education; 2007
  24. Engle WA. A recommendation for the definition of "late preterm" (near-term) and the birth weight-gestational age classification system. *Semin Perinatol*. 2006;30(1):2–7
  25. Base SAS [computer program]. Version 9.4. Procedures Guide: Statistical Procedures. Cary, NC: SAS Institute Inc; 2014.
  26. Reuner G, Weinschenk A, Pauen S, Pietz J. Cognitive development in 7- to 24-month-old extremely/very-to-moderately/late preterm and full-term born infants: the mediating role of focused attention. *Child Neuropsychol*. 2015;21(3):314–330
  27. Nepomnyaschy L, Heğyi T, Ostfeld BM, Reichman NE. Developmental outcomes of late-preterm infants at 2 and 4 years. *Matern Child Health J*. 2012;16(8):1612–1624
  28. Woythaler MA, McCormick MC, Smith VC. Late preterm infants have worse 24-month neurodevelopmental outcomes than term infants. *Pediatrics*. 2011;127(3). Available at: [www.pediatrics.org/cgi/content/full/127/3/e622](http://www.pediatrics.org/cgi/content/full/127/3/e622)
  29. Kerstjens JM, de Winter AF, Bocca-Tjeertes IF, ten Vergert EMJ, Reijneveld SA, Bos AF. Developmental delay in moderately preterm-born children at school entry. *J Pediatr*. 2011;159(1):92–98
  30. Shapiro-Mendoza C, Kotelchuck M, Barfield W, et al. Enrollment in early intervention programs among infants born late preterm, early term, and term. *Pediatrics*. 2013;132(1). Available at: [www.pediatrics.org/cgi/content/full/132/1/e61](http://www.pediatrics.org/cgi/content/full/132/1/e61)
  31. Limbos MM, Joyce DP. Comparison of the ASQ and PEDS in screening for developmental delay in children presenting for primary care. *J Dev Behav Pediatr*. 2011;32(7):499–511
  32. Caravale B, Mirante N, Vagnoni C, Vicari S. Change in cognitive abilities over time during preschool age in low risk preterm children. *Early Hum Dev*. 2012;88(6):363–367
  33. Lichtenberger EO. General measures of cognition for the preschool child. *Ment Retard Dev Disabil Res Rev*. 2005;11(3):197–208
  34. Kinney HC. The near-term (late preterm) human brain and risk for periventricular leukomalacia: a review. *Semin Perinatol*. 2006;30(2):81–88
  35. Walsh JM, Doyle LW, Anderson PJ, Lee KJ, Cheong JLY. Moderate and late preterm birth: effect on brain size and maturation at term-equivalent age. *Radiology*. 2014;273(1):232–240
  36. Oros D, Altermir I, Elia N, et al. Pathways of neuronal and cognitive development in children born small-for-gestational age or late preterm. *Ultrasound Obstet Gynecol*. 2014;43(1):41–47
  37. van Soelen ILC, Brouwer RM, Peper JS, et al. Effects of gestational age and birth weight on brain volumes in healthy 9-year-old children. *J Pediatr*. 2010;156(6):896–901
  38. Munakata S, Okada T, Okahashi A, et al. Gray matter volumetric MRI differences late-preterm and term infants. *Brain Dev*. 2013;35(1):10–16
  39. Rogers CE, Barch DM, Sylvester CM, et al. Altered gray matter volume and school age anxiety in children born late preterm. *J Pediatr*. 2014;165(5):928–935
  40. Linkersdörfer J, Jurcoane A, Lindberg S, et al. The association between gray matter volume and reading proficiency: a longitudinal study of beginning readers. *J Cogn Neurosci*. 2015;27(2):308–318
  41. Rotzer S, Kucian K, Martin E, von Aster M, Klaver P, Loenneker T. Optimized voxel-based morphometry in children with developmental dyscalculia. *Neuroimage*. 2008;39(1):417–422
  42. Nellis L, Gridley BE. Review of the Bayley Scales of Infant Development—Second edition. *J Sch Psychol*. 1994;32(2):201–209

43. Crowe TK, Deitz JC, Bennett FC. The relationship between the Bayley Scales of Infant Development and preschool gross motor and cognitive performance. *Am J Occup Ther.* 1987;41(6):374–378
44. Baron IS, Erickson K, Ahronovich MD, Coulehan K, Baker R, Litman FR. Visuospatial and verbal fluency relative deficits in “complicated” late-preterm preschool children. *Early Hum Dev.* 2009;85(12):751–754
45. Baron IS, Litman FR, Ahronovich MD, Baker R. Late preterm birth: a review of medical and neuropsychological childhood outcomes. *Neuropsychol Rev.* 2012;22(4):438–450
46. Rogers BT, Booth LJ, Duffy LC, et al. Parents’ developmental perceptions and expectations for their high-risk infants. *J Dev Behav Pediatr.* 1992;13(2):102–107
47. Engle WA, Tomashek KM, Wallman C; Committee on Fetus and Newborn, American Academy of Pediatrics. “Late-preterm” infants: a population at risk. *Pediatrics.* 2007;120(6):1390–1401
48. Jain L. School outcome in late preterm infants: a cause for concern. *J Pediatr.* 2008;153(1):5–6
49. Lindström K, Winbladh B, Haglund B, Hjern A. Preterm infants as young adults: a Swedish national cohort study. *Pediatrics.* 2007;120(1):70–77

## Developmental Outcomes of Late Preterm Infants From Infancy to Kindergarten

Prachi Shah, Niko Kaciroti, Blair Richards, Wonjung Oh and Julie C. Lumeng

*Pediatrics* 2016;138;

DOI: 10.1542/peds.2015-3496 originally published online July 25, 2016;

### Updated Information & Services

including high resolution figures, can be found at:  
<http://pediatrics.aappublications.org/content/138/2/e20153496>

### References

This article cites 40 articles, 12 of which you can access for free at:  
<http://pediatrics.aappublications.org/content/138/2/e20153496#BIBL>

### Subspecialty Collections

This article, along with others on similar topics, appears in the following collection(s):  
**Developmental/Behavioral Pediatrics**  
[http://www.aappublications.org/cgi/collection/development:behavioral\\_issues\\_sub](http://www.aappublications.org/cgi/collection/development:behavioral_issues_sub)  
**Cognition/Language/Learning Disorders**  
[http://www.aappublications.org/cgi/collection/cognition:language:learning\\_disorders\\_sub](http://www.aappublications.org/cgi/collection/cognition:language:learning_disorders_sub)  
**Fetus/Newborn Infant**  
[http://www.aappublications.org/cgi/collection/fetus:newborn\\_infant\\_sub](http://www.aappublications.org/cgi/collection/fetus:newborn_infant_sub)  
**Neonatology**  
[http://www.aappublications.org/cgi/collection/neonatology\\_sub](http://www.aappublications.org/cgi/collection/neonatology_sub)

### Permissions & Licensing

Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at:  
<http://www.aappublications.org/site/misc/Permissions.xhtml>

### Reprints

Information about ordering reprints can be found online:  
<http://www.aappublications.org/site/misc/reprints.xhtml>

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN™



# PEDIATRICS®

OFFICIAL JOURNAL OF THE AMERICAN ACADEMY OF PEDIATRICS

## **Developmental Outcomes of Late Preterm Infants From Infancy to Kindergarten**

Prachi Shah, Niko Kaciroti, Blair Richards, Wonjung Oh and Julie C. Lumeng

*Pediatrics* 2016;138;

DOI: 10.1542/peds.2015-3496 originally published online July 25, 2016;

The online version of this article, along with updated information and services, is located on the World Wide Web at:

<http://pediatrics.aappublications.org/content/138/2/e20153496>

Pediatrics is the official journal of the American Academy of Pediatrics. A monthly publication, it has been published continuously since 1948. Pediatrics is owned, published, and trademarked by the American Academy of Pediatrics, 141 Northwest Point Boulevard, Elk Grove Village, Illinois, 60007. Copyright © 2016 by the American Academy of Pediatrics. All rights reserved. Print ISSN: 1073-0397.

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN™

