

---

## ERRATA

**Flynn JT, Kaelber DC, Baker-Smith CM, et al; SUBCOMMITTEE ON SCREENING AND MANAGEMENT OF HIGH BLOOD PRESSURE IN CHILDREN. Clinical Practice Guideline for Screening and Management of High Blood Pressure in Children and Adolescents. *Pediatrics*. 2017; 140(3):e20171904**

Errors occurred in the American Academy of Pediatrics “Clinical Practice Guideline for Screening and Management of High Blood Pressure in Children and Adolescents” (*Pediatrics* 2017;140(3):e20171904; <http://pediatrics.aappublications.org/content/140/3/e20171904>). In Table 19, the dosage for Clonidine should have read 2–5 mcg/kg per dose up to 10 mcg/kg per dose given every 6–8 h, and the dosage for Fenoldopam should have read 0.2–0.5 mcg/kg per min up to 0.8 mcg/kg per min. To avoid confusion, the Greek letters “ $\mu$ ” and its capital “M” have been removed and “mcg” (micrograms) is used in all instances in the table. The electronic versions of the article have been corrected.

doi:10.1542/peds.2017-3035

**Flynn JT, Kaelber DC, Baker-Smith CM, et al; SUBCOMMITTEE ON SCREENING AND MANAGEMENT OF HIGH BLOOD PRESSURE IN CHILDREN. Clinical Practice Guideline for Screening and Management of High Blood Pressure in Children and Adolescents. *Pediatrics*. 2017; 140(3):e20171904**

*Pediatrics* 2017;140;

DOI: 10.1542/peds.2017-3035 originally published online November 30, 2017;

<b>Updated Information &amp; Services</b>	including high resolution figures, can be found at: <a href="http://pediatrics.aappublications.org/content/140/6/e20173035">http://pediatrics.aappublications.org/content/140/6/e20173035</a>
<b>Subspecialty Collections</b>	This article, along with others on similar topics, appears in the following collection(s): <b>Cardiology</b> <a href="http://www.aappublications.org/cgi/collection/cardiology_sub">http://www.aappublications.org/cgi/collection/cardiology_sub</a> <b>Cardiovascular Disorders</b> <a href="http://www.aappublications.org/cgi/collection/cardiovascular_disorders_sub">http://www.aappublications.org/cgi/collection/cardiovascular_disorders_sub</a>
<b>Permissions &amp; Licensing</b>	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: <a href="http://www.aappublications.org/site/misc/Permissions.xhtml">http://www.aappublications.org/site/misc/Permissions.xhtml</a>
<b>Reprints</b>	Information about ordering reprints can be found online: <a href="http://www.aappublications.org/site/misc/reprints.xhtml">http://www.aappublications.org/site/misc/reprints.xhtml</a>

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN®



# PEDIATRICS<sup>®</sup>

OFFICIAL JOURNAL OF THE AMERICAN ACADEMY OF PEDIATRICS

**Flynn JT, Kaelber DC, Baker-Smith CM, et al; SUBCOMMITTEE ON SCREENING AND MANAGEMENT OF HIGH BLOOD PRESSURE IN CHILDREN. Clinical Practice Guideline for Screening and Management of High Blood Pressure in Children and Adolescents. *Pediatrics*. 2017; 140(3):e20171904**  
*Pediatrics* 2017;140;

DOI: 10.1542/peds.2017-3035 originally published online November 30, 2017;

The online version of this article, along with updated information and services, is located on the World Wide Web at:

<http://pediatrics.aappublications.org/content/140/6/e20173035>

Pediatrics is the official journal of the American Academy of Pediatrics. A monthly publication, it has been published continuously since 1948. Pediatrics is owned, published, and trademarked by the American Academy of Pediatrics, 345 Park Avenue, Itasca, Illinois, 60143. Copyright © 2017 by the American Academy of Pediatrics. All rights reserved. Print ISSN: 1073-0397.

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN<sup>®</sup>

