

Adolescent Dating Violence and Nonmedical Prescription Drug Use

Elizabeth Miller, MD, PhD

In this issue of *Pediatrics*, Clayton et al¹ report on the associations between adolescent dating violence (DV) victimization and the nonmedical use of prescription drugs (NMUPD) using the Youth Risk Behavior Surveillance System. Given our national focus on the opioid epidemic, studies on associations of NMUPD with other health risk exposures among adolescents, such as DV victimization, are timely. Because most researchers conducting studies on NMUPD among adolescents have relied on emergency department samples or limited geographic areas, researchers conducting a study using nationally representative data to estimate prevalence ratios add needed perspective. With a sample of 10 443 male- and female-identified US high school students who had dated in the past 12 months, Clayton et al¹ provide sex-stratified analyses revealing that experiencing both physical and sexual DV victimization is associated with NMUPD for both sex categories. Stratifying by sex category identifies some subtle but important differences. Among boys, there is an association of lifetime NMUPD with sexual violence victimization, whereas among girls, lifetime NMUPD is associated with physical DV victimization. Among girls, NMUPD is associated with a higher frequency of sexual violence victimization (4 or more times in the past year) but not a lower exposure to sexual violence victimization.

Since 1999, the national Youth Risk Behavior Survey led by the Centers for Disease Control and Prevention has provided estimates of physical DV victimization. In 2013, with input

from DV experts and practitioners, the physical DV survey item was revised to add frequency of experiencing such victimization. Additionally, an item that asked specifically about sexual DV and had the same response choices was added, which allowed students to report how many times they had experienced such victimization.² These changes in the measurement of DV revealed a substantial sex category difference in prevalence estimates, with female students reporting a significantly higher frequency of DV victimization (either physical or sexual) compared with male students (20.9% vs 10.4%). Clayton et al¹ report similar prevalence estimates from the 2015 data (21.4% vs 9.6%). The merits of adding this sexual DV item are especially apparent in this study, in which a higher frequency of sexual violence exposure appears to be associated with NMUPD among both male and female students. Although sexual violence victimization is more commonly reported by female students (15.6% vs 5.4%), it is notable that such victimization is associated with NMUPD for male students. Because sexual minority youth have a higher prevalence of violence victimization as well as substance use,³ sexual minority status may be relevant. However, in this study the association of NMUPD with DV victimization remained even after adjusting for sexual identity, suggesting other potential mechanisms to explain this relationship. Further studies are needed to elucidate the contexts of sexual violence exposure for male students and how this may be related to NMUPD.

The associations between DV victimization and adolescent substance



Division of Adolescent and Young Adult Medicine,
Children's Hospital of Pittsburgh of UPMC, University of
Pittsburgh School of Medicine, Pittsburgh, Pennsylvania

Opinions expressed in these commentaries are those of the author and not necessarily those of the American Academy of Pediatrics or its Committees.

DOI: <https://doi.org/10.1542/peds.2017-3162>

Accepted for publication Sep 21, 2017

Address correspondence to Elizabeth Miller, MD, PhD, Division of Adolescent and Young Adult Medicine, Oakland Medical Building, 3420 Fifth Ave, Pittsburgh, PA 15213. E-mail: elizabeth.miller@chp.edu

PEDIATRICS (ISSN Numbers: Print, 0031-4005; Online, 1098-4275).

Copyright © 2017 by the American Academy of Pediatrics

FINANCIAL DISCLOSURE: The author has indicated she has no financial relationships relevant to this article to disclose.

FUNDING: Supported in part by grant K24HD075862 from the Eunice Kennedy Shriver National Institute of Child Health and Human Development. Funded by the National Institutes of Health (NIH).

POTENTIAL CONFLICT OF INTEREST: The author has indicated she has no potential conflicts of interest to disclose.

COMPANION PAPER: A companion to this article can be found online at www.pediatrics.org/cgi/doi/10.1542/peds.2017-2289.

To cite: Miller E. Adolescent Dating Violence and Nonmedical Prescription Drug Use. *Pediatrics*. 2017;140(6):e20173162

abuse are well documented.⁴ Because NMUPD is likely to co-occur with other drug use, other substances (ie, cigarettes, alcohol, marijuana, and other illicit drugs) were added to the adjusted models; the prevalence ratios remained significant for the most part, albeit with smaller point estimates, suggesting some unique ways in which NMUPD may be related to violence victimization. Because the study was cross-sectional, it was not possible to make causal inferences in the analyses. Particularly challenging is that the NMUPD measure asks about lifetime use only (not past year use), precluding examination of temporal associations. The NMUPD measure is also not specific to a particular drug (ie, stimulant versus pain medication). The DV victimization items are restricted to the past 12 months, but many respondents may have much longer histories of physical and/or sexual abuse. The authors note that the relationship is likely to be bidirectional: NMUPD may increase vulnerability to violence victimization, and such victimization may increase the likelihood of maladaptive coping strategies, including substance abuse. It is also possible that both DV victimization and NMUPD share common causes. For instance, in a previous study, we analyzed

retrospective data on the temporal ordering of mental disorders, the initiation of dating, and the occurrence of DV.⁵ We found that mental disorders that preceded initiation of dating (including but not limited to substance use disorders) were associated with subsequent physical DV victimization (as well as perpetration). Other psychiatric disorders predictive of physical DV included attention-deficit/hyperactivity disorder. Thus, early-onset mental disorders may predispose youth to NMUPD as well as DV victimization. Longitudinal, ethnographic, and social network studies are needed to understand patterns of NMUPD and how these may or may not be related to violence victimization in intimate relationships and other poor behavioral health outcomes.

Clinicians and frontline providers serving adolescents should recognize that young people at risk for substance use, including NMUPD, are likely to have exposure to unhealthy and abusive relationships, which can further exacerbate substance misuse. Positive youth development approaches known to reduce adolescent substance abuse and violence may be especially pertinent for tackling this nexus of NMUPD and DV victimization.

ABBREVIATIONS

DV: dating violence
NMUPD: nonmedical use of prescription drugs

REFERENCES

1. Clayton HB, Lowry R, Basile KC, Demissie Z, Bohm MK. Physical and sexual dating violence and nonmedical use of prescription drugs. *Pediatrics*. 2017;140(6): e20172289
2. Vagi KJ, O'Malley Olsen E, Basile KC, Vivolo-Kantor AM. Teen dating violence (physical and sexual) among US high school students: findings from the 2013 National Youth Risk Behavior Survey. *JAMA Pediatr*. 2015;169(5):474–482
3. Marshal MP, Friedman MS, Stall R, et al. Sexual orientation and adolescent substance use: a meta-analysis and methodological review. *Addiction*. 2008;103(4):546–556
4. Exner-Cortens D, Eckenrode J, Rothman E. Longitudinal associations between teen dating violence victimization and adverse health outcomes. *Pediatrics*. 2013;131(1):71–78
5. McCauley HL, Breslau JA, Saito N, Miller E. Psychiatric disorders prior to dating initiation and physical dating violence before age 21: findings from the National Comorbidity Survey Replication (NCS-R). *Soc Psychiatry Psychiatr Epidemiol*. 2015;50(9):1357–1365

Adolescent Dating Violence and Nonmedical Prescription Drug Use

Elizabeth Miller

Pediatrics 2017;140;

DOI: 10.1542/peds.2017-3162 originally published online November 20, 2017;

Updated Information & Services

including high resolution figures, can be found at:
<http://pediatrics.aappublications.org/content/140/6/e20173162>

References

This article cites 5 articles, 2 of which you can access for free at:
<http://pediatrics.aappublications.org/content/140/6/e20173162#BIBL>

Subspecialty Collections

This article, along with others on similar topics, appears in the following collection(s):
Injury, Violence & Poison Prevention
http://www.aappublications.org/cgi/collection/injury_violence_-_poison_prevention_sub
Substance Use
http://www.aappublications.org/cgi/collection/substance_abuse_sub

Permissions & Licensing

Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at:
<http://www.aappublications.org/site/misc/Permissions.xhtml>

Reprints

Information about ordering reprints can be found online:
<http://www.aappublications.org/site/misc/reprints.xhtml>

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN®



PEDIATRICS®

OFFICIAL JOURNAL OF THE AMERICAN ACADEMY OF PEDIATRICS

Adolescent Dating Violence and Nonmedical Prescription Drug Use

Elizabeth Miller

Pediatrics 2017;140;

DOI: 10.1542/peds.2017-3162 originally published online November 20, 2017;

The online version of this article, along with updated information and services, is located on the World Wide Web at:

<http://pediatrics.aappublications.org/content/140/6/e20173162>

Pediatrics is the official journal of the American Academy of Pediatrics. A monthly publication, it has been published continuously since 1948. Pediatrics is owned, published, and trademarked by the American Academy of Pediatrics, 345 Park Avenue, Itasca, Illinois, 60143. Copyright © 2017 by the American Academy of Pediatrics. All rights reserved. Print ISSN: 1073-0397.

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN®

