

Using Mobile Device Sampling To Objectively Measure Screen Use in Clinical Care

Libby Matile Milkovich, MD,^{ab} Sheri Madigan, PhD^{cd}

The widespread cultural adoption of media devices (eg, smartphones and tablets) in the last decade has changed the nature of screen time and consumption in young children. The single-user platforms of media devices promote solitary use¹ and allow access to streaming videos, gaming, and the Internet: anytime and anywhere. Moreover, unlike traditional television viewing, mobile devices use gamification and persuasive design to grab and maintain the user's attention.

Media viewing is an environmental factor that has a direct impact on young children's health and development.²⁻⁷ Unfortunately, the large majority of preschoolers are exceeding screen time guidelines⁸ at a time when their learning capacity is vast. Accordingly, pediatricians have a role in guiding families in adopting healthy device habits.⁹ Traditionally, clinicians have relied on caregiver reports of child screen use to guide clinical recommendations, but these reports may be inaccurate,¹⁰ casting doubt on their utility for evaluating problematic media habits. What if clinicians could more accurately capture children's mobile device use to help families gain awareness on how digital media use may be impinging on children's health and development?

In this issue of *Pediatrics*, Radesky et al¹¹ are the first to trial an objective measurement of young children's mobile device use, referred to as "mobile device sampling." They used 2 modalities based on the device's

operating system to gather data on device use by children between the ages of 3 and 5 years: a passive monitoring app for Android users and the battery feature in iOS devices, which captured the amount of time the device was used as well as apps used over a 7- to 10-day period. Comparing the mobile device sampling to retrospective reports from the caregivers about children's mobile device use, they concluded that caregiver-reported duration of children's unshared mobile device use had low accuracy. Specifically, approximately one-third (29%) of caregivers were accurate reporters of child screen use, whereas one-third of caregivers either over- (35%) or underreported (36%) screen usage by ± 60 minutes a day.

An important caveat before a fuller discussion of the clinical implications of these findings is that the typical home has 5 Internet-connected devices (eg, tablet, smartphone, computer, etc),^{12,13} possibly allowing for discrepancy in reporting use when only 1 device is monitored. Thus, although passively collecting data on mobile devices is a momentous step forward methodologically for accurately collecting screen use data, it likely does not capture the full breadth of exposure in the child's digital media ecology.¹⁴

In addition to revealing the inaccuracy of caregiver self-report, several additional clinically relevant trends were revealed in the study by Radesky et al.¹¹ First, ~15% of children were on

^aDivision of Developmental and Behavioral Health, Department of Pediatrics, Children's Mercy Hospital, Kansas City, Missouri; ^bDepartment of Pediatrics, School of Medicine, University of Missouri-Kansas City, Kansas City, Missouri; ^cDepartment of Psychology, Faculty of Arts, University of Calgary, Calgary, Alberta, Canada; and ^dAlberta Children's Hospital Research Institute, Calgary, Alberta, Canada

Opinions expressed in these commentaries are those of the authors and not necessarily those of the American Academy of Pediatrics or its Committees.

DOI: <https://doi.org/10.1542/peds.2020-1242>

Accepted for publication Apr 13, 2020

Address correspondence to Libby Matile Milkovich, MD, Division of Developmental and Behavioral Health, Department of Pediatrics, Children's Mercy Hospital, 2401 Gillham Rd, Kansas City, MO 64108. E-mail: emilkovich@cmh.edu

PEDIATRICS (ISSN Numbers: Print, 0031-4005; Online, 1098-4275).

Copyright © 2020 by the American Academy of Pediatrics

FINANCIAL DISCLOSURE: The authors have indicated they have no financial relationships relevant to this article to disclose.

FUNDING: No external funding.

POTENTIAL CONFLICT OF INTEREST: The other authors have indicated they have no potential conflicts of interest to disclose.

COMPANION PAPER: A companion to this article can be found online at www.pediatrics.org/cgi/doi/10.1542/peds.2019-3518.

To cite: Milkovich LM and Madigan S. Using Mobile Device Sampling To Objectively Measure Screen Use in Clinical Care. *Pediatrics*. 2020; 146(1):e20201242

their device ≥ 4 hours per day (not accounting for other device use), which far exceeds the screen time guidelines of ≤ 1 hour per day of high-quality programming for preschoolers.¹⁵ Second, unregulated video streaming services (YouTube and YouTube Kids) were the most commonly used apps (~44–113 minutes per day on average). Video streaming apps are not recommended for this age group,^{16–18} making the high duration of use and popularity of these apps clinically concerning. Third, the authors report that some preschoolers were accessing and using gaming apps, as well as apps with violent content (eg, *Terrorist Shooter* and *Flip the Gun*), which have been correlated with increased aggression and interest in guns.^{19,20} Taken together, these findings point to the need for pediatricians to be aware of their pediatric patients' device use.

Methodologically, the study by Radesky et al¹¹ moves the field forward to more accurately understanding children's mobile device use data. But what does mobile device sampling mean for pediatricians who seek to accurately understand their patients' media use to facilitate guidance on managing their digital media ecology?

Mobile device sampling can accurately reveal trends in a patient's duration and content of media use, which could help a pediatrician identify specific targets for intervention. Removing reporting bias improves the clinician's ability to formulate relevant interventions, creating opportunities for conversations about the reality of implementing technology use interventions. For example, if the content of app use is gaming related, violent, or developmentally inappropriate, the pediatrician can guide caregivers and children to access and use age-appropriate content. Similarly, when the duration

of use exceeds the screen use guidelines, pediatricians can work with caregivers in developing and sustaining a family media plan.²¹ Mobile device sampling could also be used to accurately track intervention progress over time.

The potential benefits of mobile device sampling need to be balanced with the caregiver's acceptance of this potentially useful clinical method. Moreover, the feasibility of adopting this method clinically needs further consideration given the pediatrician's time constraints with patients. Therefore, future research should be used to address the acceptability and feasibility of mobile device sampling to elucidate its appropriateness for clinical use.

REFERENCES

1. Munzer TG, Miller AL, Weeks HM, Kaciroti N, Radesky J. Parent-toddler social reciprocity during reading from electronic tablets vs print books. *JAMA Pediatr.* 2019;173(11):1076–1083
2. Adelantado-Renau M, Moliner-Urdiales D, Cavero-Redondo I, Beltran-Valls MR, Martinez-Vizcaino V, Alvarez-Bueno C. Association between screen media use and academic performance among children and adolescents: a systematic review and meta-analysis. *JAMA Pediatr.* 2019;173(11):1058–1067
3. Christakis DA, Garrison MM, Herrenkohl T, et al. Modifying media content for preschool children: a randomized controlled trial. *Pediatrics.* 2013;131(3):431–438
4. Hutton JS, Dudley J, Horowitz-Kraus T, DeWitt T, Holland SK. Associations between screen-based media use and brain white matter integrity in preschool-aged children. *JAMA Pediatr.* 2020;174(1):e193869
5. Madigan S, Browne D, Racine N, Mori C, Tough S. Association between screen time and children's performance on a developmental screening test. *JAMA Pediatr.* 2019;173(3):244–250
6. Madigan S, McArthur BA, Anhorn C, Eirich R, Christakis DA. Associations between screen use and child language skills: a systematic review and meta-

analysis [published online ahead of print March 23, 2020]. *JAMA Pediatr.* doi:10.1001/jamapediatrics.2020.0327

7. Nathanson AI, Aladé F, Sharp ML, Rasmussen EE, Christy K. The relation between television exposure and executive function among preschoolers. *Dev Psychol.* 2014;50(5):1497–1506
8. Madigan S, Racine N, Tough S. Prevalence of preschoolers meeting vs exceeding screen time guidelines. *JAMA Pediatr.* 2019;174(1):93–95
9. Council on Communications and Media. Media and young minds. *Pediatrics.* 2016;138(5):e20162591
10. Yuan N, Weeks HM, Ball R, Newman MW, Chang Y-J, Radesky JS. How much do parents actually use their smartphones? Pilot study comparing self-report to passive sensing. *Pediatr Res.* 2019;86(4):416–418
11. Radesky JS, Weeks HM, Ball R, et al. Young children's use of smartphones and tablets. *Pediatrics.* 2020;146(1):e20193518
12. Pew Research Center. A third of Americans live in a household with three or more smartphones. 2017. Available at: <https://www.pewresearch.org/fact-tank/2017/05/25/a-third-of-americans-live-in-a-household-with-three-or-more-smartphones/>. Accessed March 24, 2020
13. Common Sense Media. The Common Sense census: media use by kids age zero to eight. 2017. Available at: <https://www.commonsensemedia.org/research/the-common-sense-census-media-use-by-kids-age-zero-to-eight-2017>. Accessed April 2, 2020
14. Barr R. Growing up in the digital age: early learning and family media ecology. *Curr Dir Psychol Sci.* 2019; 28(4):341–346
15. American Academy of Pediatrics. American Academy of Pediatrics announces new recommendations for children's media use. 2016. Available at: <https://www.aap.org/en-us/about-the-aap/aap-press-room/Pages/American-Academy-of-Pediatrics-Announces-New-Recommendations-for-Childrens-Media-Use.aspx>. Accessed April 2, 2020
16. Kievlan PM; Common Sense Media. YouTube Kids: app review. 2015. Available at: <https://www>.

- commonsensemedia.org/app-reviews/youtube-kids. Accessed March 24, 2020
17. Coon C; Common Sense Media. YouTube: website review. 2011. Available at: <https://www.commonsensemedia.org/website-reviews/youtube>. Accessed March 24, 2020
 18. Matte C; Common Sense Media. Netflix: app review. 2010. Available at: <https://www.commonsensemedia.org/app-reviews/netflix>. Accessed March 24, 2020
 19. Anderson CA, Shibuya A, Ihori N, et al. Violent video game effects on aggression, empathy, and prosocial behavior in Eastern and Western countries: a meta-analytic review. *Psychol Bull.* 2010;136(2):151–173
 20. Chang JH, Bushman BJ. Effect of exposure to gun violence in video games on children's dangerous behavior with real guns: a randomized clinical trial. *JAMA Netw Open.* 2019; 2(5):e194319
 21. Healthy Children; American Academy of Pediatrics. Family media plan. Available at: <https://www.healthychildren.org/English/media/Pages/default.aspx>. Accessed April 2, 2020

Using Mobile Device Sampling to Objectively Measure Screen Use in Clinical Care

Libby Matile Milkovich and Sheri Madigan

Pediatrics 2020;146;

DOI: 10.1542/peds.2020-1242 originally published online June 1, 2020;

Updated Information & Services	including high resolution figures, can be found at: http://pediatrics.aappublications.org/content/146/1/e20201242
References	This article cites 13 articles, 3 of which you can access for free at: http://pediatrics.aappublications.org/content/146/1/e20201242#BIBL
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): Media http://www.aappublications.org/cgi/collection/media_sub Screen Time http://www.aappublications.org/cgi/collection/screen_time_sub
Permissions & Licensing	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: http://www.aappublications.org/site/misc/Permissions.xhtml
Reprints	Information about ordering reprints can be found online: http://www.aappublications.org/site/misc/reprints.xhtml

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN®



PEDIATRICS[®]

OFFICIAL JOURNAL OF THE AMERICAN ACADEMY OF PEDIATRICS

Using Mobile Device Sampling to Objectively Measure Screen Use in Clinical Care

Libby Matile Milkovich and Sheri Madigan

Pediatrics 2020;146;

DOI: 10.1542/peds.2020-1242 originally published online June 1, 2020;

The online version of this article, along with updated information and services, is located on the World Wide Web at:

<http://pediatrics.aappublications.org/content/146/1/e20201242>

Pediatrics is the official journal of the American Academy of Pediatrics. A monthly publication, it has been published continuously since 1948. Pediatrics is owned, published, and trademarked by the American Academy of Pediatrics, 345 Park Avenue, Itasca, Illinois, 60143. Copyright © 2020 by the American Academy of Pediatrics. All rights reserved. Print ISSN: 1073-0397.

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN[®]

