



Participation of Children and Adolescents in Live Crisis Drills and Exercises

David J. Schonfeld, MD, FAAP,^a Marlene Melzer-Lange, MD, FAAP,^b Andrew N. Hashikawa, MD, MS, FAAP,^c Peter A. Gorski, MD, MPA, FAAP,^{d,e} COUNCIL ON CHILDREN AND DISASTERS, COUNCIL ON INJURY, VIOLENCE, AND POISON PREVENTION, COUNCIL ON SCHOOL HEALTH

Children and adolescents should be included in exercises and drills to the extent that their involvement advances readiness to meet their unique needs in the event of a crisis and/or furthers their own preparedness or resiliency. However, there is also a need to be cautious about the potential psychological risks and other unintended consequences of directly involving children in live exercises and drills. These risks and consequences are especially a concern when children are deceived and led to believe there is an actual attack and not a drill and/or for high-intensity active shooter drills. High-intensity active shooter drills may involve the use of real weapons, gunfire or blanks, theatrical makeup to give a realistic image of blood or gunshot wounds, predatory and aggressive acting by the individual posing to be the shooter, or other means to simulate an actual attack, even when participants are aware that it is a drill. This policy statement outlines some of the considerations regarding the prevalent practice of live active shooter drills in schools, including the recommendations to eliminate children's involvement in high-intensity drills and exercises (with the possible exception of adolescent volunteers), prohibit deception in drills and exercises, and ensure appropriate accommodations during drills and exercises based on children's unique vulnerabilities.

BACKGROUND

Historically, children of all ages have generally not been included in crisis preparedness efforts in the United States, including participation in live drills and exercises, and certainly not to the extent that children are represented in the general population. This lack of planning and practice for the needs of children represents a significant oversight that increases the vulnerability of children in the event of a crisis.¹ However, increasing concerns about the risk of mass casualty events in schools throughout the United States have given rise to crisis preparedness efforts that now include

abstract

^aNational Center for School Crisis and Bereavement, Children's Hospital Los Angeles and Department of Clinical Pediatrics, Keck School of Medicine, University of Southern California, Los Angeles, California; ^bDivision of Emergency Medicine, Department of Pediatrics, Medical College of Wisconsin and Children's Wisconsin, Milwaukee, Wisconsin; ^cDepartments of Emergency Medicine and Pediatrics, Michigan Medicine, University of Michigan, Ann Arbor, Michigan; ^dDepartments of Pediatrics and Humanities, Health, and Society, Herbert Wertheim College of Medicine, Florida International University, Miami, Florida; and ^eDepartment of Public Health Sciences, Miller School of Medicine, University of Miami, Miami, Florida

Policy statements from the American Academy of Pediatrics benefit from expertise and resources of liaisons and internal (AAP) and external reviewers. However, policy statements from the American Academy of Pediatrics may not reflect the views of the liaisons or the organizations or government agencies that they represent.

Drs Schonfeld, Melzer-Lange, Hashikawa, and Gorski all contributed to the manuscript concept and design, critically reviewed and revised the manuscript and earlier drafts, and approved the final manuscript as submitted.

The guidance in this statement does not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate.

All policy statements from the American Academy of Pediatrics automatically expire 5 years after publication unless reaffirmed, revised, or retired at or before that time.

To cite: Schonfeld DJ, Hashikawa AN, et al. AAP COUNCIL ON CHILDREN AND DISASTERS, COUNCIL ON INJURY, VIOLENCE, AND POISON PREVENTION, COUNCIL ON SCHOOL HEALTH. Participation of Children and Adolescents in Live Crisis Drills and Exercises. *Pediatrics*. 2020;146(3):e2020015503

children in high-intensity live crisis exercises such as active shooter drills, which are increasingly held in schools and involving children of all ages, including early elementary school- and preschool-aged children as well as college students. For the purpose of this policy statement, “children” will be used to refer to children and youth of all ages (ie, 0–21 years of age), unless stated otherwise. The American Academy of Pediatrics (AAP) recommends that children be included in exercises and drills only to the extent that their involvement advances adult readiness to meet the unique needs of children in the event of a crisis and/or furthers their own preparedness or resiliency. However, there is also a need to be cautious about the potential psychological risks of directly involving children in live exercises and drills. These risks are especially a concern when children are deceived so that they believe there is an actual attack and not a drill and/or for high-intensity active shooter drills.

A lockdown is an emergency procedure to minimize risk of harm to students and staff when a significant threat of violence within (or near) the school is present. A lockdown generally involves the immediate movement of students and staff into rooms in which doors are locked and students remain quiet. Other security measures are often followed, including darkened lights, shades on exterior windows, and covered doors, and children moving to an area that is not visible from hallways. Lockdown drills are when lockdown procedures are practiced in the absence of a threat, including as a form of preparation for a possible armed assailant (in which case, some people may refer to this as an active shooter drill). High-intensity active shooter drills may involve the use of real weapons, gunfire or blanks, theatrical makeup to give a realistic image of blood or gunshot wounds, predatory and aggressive acting by the individual posing to be the shooter, or

other means to simulate an actual attack, even when participants are aware that it is a drill.²

STATEMENT OF PROBLEM

The majority of school districts currently require active shooter drills, among other emergency drills and exercises within schools and other community settings.³ If planned and conducted thoughtfully with sufficient attention to the potential emotional impact of participation and conducted in a manner that is developmentally appropriate, exercises such as lockdown drills may be completed without a major negative impact to most children.⁴ However, in practice, active shooter drills are often planned and conducted without guidance from those familiar with the unique needs and vulnerabilities of individual or groups of children, which is critical to inform best practices. The unique needs of young children (eg, those in early care and education settings), children who suffered traumatic events in the past, and those with physical, intellectual, and neurodevelopmental disabilities are rarely considered and addressed in live exercise planning. Preparedness initiatives and approaches need to be evaluated to ensure that they are effective, and research is needed to demonstrate that these initiatives do not cause untoward distress or other unintended consequences for individual or groups of children and school staff or other adult participants.

EVIDENCE BASE

Although there is general agreement that the direct involvement of children should be based on the value of including them in crisis drills and exercises, their age and developmental capabilities, and their personal vulnerabilities, there is a limited evidence base on how to make these assessments. Mass shootings in schools, although highly visible in the media and social consciousness, are

rare events. These events, therefore, provide limited opportunities to test the efficacy of interventions in real-life situations. School safety, especially related to school shootings, has generated opportunities for products and services that together represent major financial investments, without much or any evidence of efficacy.⁵ Products promoted for purchase by schools now include bulletproof barriers or shelters intended to accommodate the full class and teacher that can be used as panic rooms in the event of a school shooting.⁶ These types of training and interventions proposed have rarely been evaluated, despite an escalating demand for both.

Recently, researchers have begun to question the efficacy of some popular training approaches. For example, Dorn⁷ conducted more than 8000 one-on-one controlled video and audio simulations and, in the study, found that school personnel who completed active shooter training designed to train people to make decisions among various crisis response options (eg, whether to run, hide, or physically attack a shooter) were almost twice as likely to misjudge many critical action steps in simulations compared with untrained school staff who relied on common-sense actions. For example, adults who completed the training were more likely to attack a child who was holding a gun and threatening suicide or run from a classroom when staying within the room was the safer alternative.

It is possible, and even likely, that other well-intentioned preparedness efforts may inadvertently cause children and adults to place themselves in additional danger in a crisis situation. Children (and adults) might be taught to fight a heavily armed intruder; when fleeing or hiding would be a more appropriate response. Children taught to provide first aid to a bleeding peer or remain near an injured person to comfort them may remain in harm’s way in an

active shooter event and place themselves at increased risk of becoming a casualty.

Some students and school personnel may feel empowered by being able to actively participate in live exercises because they may feel that it better prepares them for possible events. These individuals may, however, underestimate how others with different personalities, coping styles, personal histories, and individual vulnerabilities may respond. Children and adults who receive training to respond to a crisis may feel comforted because it provides them an illusion of control. However, such efforts could result in increased guilt if the individual is not able to respond in the idealized fashion in a real event. For example, children taught to fight back against an armed intruder or adult staff who are armed with a weapon to shoot a potential attacker may feel substantial guilt if they end up fleeing (appropriately) or are unable to save the life of a child or peer in an actual attack. These and other unintended consequences need to be carefully considered, and programs need to be evaluated more strategically for efficacy before being widely implemented. Even initiatives with good intentions may cause serious harm.

Unfortunately, there is not much evidence to guide best practices. Survivors or family members of individuals who died in crisis events may be powerful advocates for preparedness efforts and feel passionately about the need to take active steps to protect students and staff from school crisis events. Parents and other community members may simply be unwilling to wait until preparedness approaches are adequately evaluated. Pediatricians and other pediatric health care providers can provide important insights into the developmental needs and vulnerabilities of children of all ages that can help inform best practices.

Law enforcement personnel who place their own lives in jeopardy have the unenviable responsibility of protecting children from such acts of violence and may understandably suggest taking virtually any action that may save a child's life, thereby leading them to recommend involving children in high-intensity drills. Their passion may need to be balanced with concerns of unintended mental and physical consequences and/or the lack of evidence about the efficacy of certain approaches.

Law enforcement personnel benefit from regular and realistic opportunities to practice critical skills, much as physicians do. It, therefore, stands to reason that these professionals would seek opportunities to identify and then practice how best to respond to active shooter scenarios in schools and other settings. The question is whether and in which situations children and adolescents should be actively engaged in such live exercises and how the exercises should be conducted to minimize the negative impacts on students. Guidelines developed by the National Association of School Psychologists and National Association of School Resource Officers recommend that schools follow a hierarchy of preparedness strategies, beginning with simple discussion-based exercises, before even considering complex (in-person or live) operations-based drills. These organizations also recommend the inclusion of school mental health professionals in both the planning and implementation of drills so that careful consideration can be given to the appropriate involvement of children and potential means to minimize distress for all participants.^{8,9}

In contrast, some schools have conducted active shooter exercises without advance notice and misled students and/or staff members that it was an actual shooting event,

complete with a police response and, in at least one situation, armed weapons pointed at school-aged children. This is based on the belief that simulations that evoke the same level of distress as real events better prepare participants to act appropriately at a time of true crisis.² During one recent live exercise in which high school students were deceived to believe it was a real event, children sobbed hysterically, vomited, or fainted, and some children sent farewell notes to parents. Children risked physical harm when a stampede ensued, and students jumped over fences to escape.¹⁰ In one situation, staff were intentionally shot at close range with pellets as part of the training.¹¹

High-intensity crisis preparedness efforts may contribute to a distorted sense of risk in children and perspective that adults and peers need to be viewed as potential killers. More broadly, these activities can increase children's anxiety and fear that the world is a threatening place.¹² This atmosphere of a continuous threat of violent death is likely to increase anxiety further among children when frequent threats directed at the school or present in the community lead to lockdown procedures. It should not be a surprise that there are reports of young children writing frantic notes while in lockdown, including one 7-year-old who wrote "Love mom and dad" with marker on her arm and later explained to her mother that it was "In case the bad guy got to us and I got killed, you and daddy would know that I love you" after her body was discovered.^{10,13} Even infants and toddlers in early child care settings, who will have little understanding of the implications of gun violence, may nonetheless react negatively with increased anxiety, stress, and helplessness to the stressful context, loud noises, and disruptive environment of active shooter drills, especially when the adults are themselves distressed. Stakeholders can instead be focused on equipping children with the skills

needed and expectations of peaceful coexistence rather than an expectation for and preparation to recover from mass violence. Resources directed to prevention efforts are more cost-effective and have wider benefits to potential victims, survivors, and society.

The December 2018 report of the Federal Commission on School Safety¹⁴ included the following statement: “While there is some disagreement over whether it is appropriate to subject students to active shooter training, as school shootings become more prevalent, more schools are opting to drill their students on how to respond to an active shooter situation. According to a 2016 US Government Accountability Office report, an estimated 67% of school districts conduct active shooter drills involving their students. Whether to conduct active shooter drills with the student population is something each community must determine for itself. For those that do elect to conduct active shooter drills with students, they should ensure that the training is age-appropriate and designed in a manner not to unduly traumatize any of the participants.”

The determination of what is generally age-appropriate and/or likely to be traumatizing to children when conducting a live crisis exercise or drill is something that can be determined at a national level. There is a general lack of national recommendations on whether to include children in active shooter exercises and other crisis drills. This policy statement aims to provide those recommendations.

CONCLUSIONS

The AAP supports advocacy efforts at the national and state levels to ensure that the unique needs of children are fully considered in crisis preparedness efforts, including, when appropriate, the involvement of children in live exercises and drills.

However, the AAP also recognizes the importance of ensuring that preparedness efforts are effective but do not cause children untoward psychological distress or lead to other unintended consequences.

RECOMMENDATIONS

1. Eliminate children’s routine involvement in high-intensity drills and exercises. Children should generally only be involved in crisis exercises when their involvement is of direct benefit to them and/or other children, rather than only of benefit to adult professionals. If the goal of a high-intensity drill or exercise is for adult responders to practice their roles (eg, to train law enforcement and/or medical personnel), then alternatives such as manikins or adults playing the roles of children should be sufficient, or the activity can occur outside of the hours when students are present in schools or preschools. First responders may need to practice being in a high-stress situation involving active shooters, but the same is not true for school-aged children. Therefore, only adolescents who have a personal desire to participate (eg, volunteers from a drama club or teenagers who plan a career in law enforcement or as an emergency medical technician) should have the option to be included in high-intensity drills and exercises until evidence is gathered that such drills or exercises are of sufficient benefit to warrant the likely distress of other participants.
2. Obtain active consent/assent of adolescent volunteer participants. If adolescents volunteer to be involved in high-intensity live exercises, they should be carefully briefed on what will be involved and the feelings that the experience may engender (including for those with undisclosed personal

vulnerabilities, such as anxiety or past traumatic experiences) and told that they are under no pressure to volunteer. For this reason, active consent (for those youth able to provide consent) or active consent from a legal guardian and assent from the adolescent should generally be required for live high-intensity exercises, rather than the use of passive consent procedures. Children who are of an age and developmental ability to provide consent/assent for procedures that may cause modest physical discomfort or modest emotional distress to an average child (eg, donating blood in a blood drive for example) may be permitted to provide consent/assent to participate in such exercises; younger children should not be allowed to participate. Even adolescents who have been appropriately briefed and are capable of providing consent/assent may still not disclose personal vulnerabilities and/or may underestimate the distress that participation may ultimately cause.

3. School personnel or other adults present during drills should remain vigilant for psychological distress. It is critical to minimize the distress children may experience throughout any exercise. Simulations involving real weapons, gunfire or blanks, theatrical makeup to give a realistic image of blood or gunshot wounds, predatory and aggressive acting by the individual posing to be the shooter, or other means to accurately simulate an actual attack are likely to still be traumatic to some and should require careful justification. Even if children have agreed to participate in an exercise, they ought to be instructed to discontinue participation if it is causing any physical or emotional

distress and explicitly given permission to take a break from the exercise for any reason. Adult monitors should be observing children's reactions and checking on them periodically throughout the exercise. Even when exercises or drills do not include any elements that may be felt likely to engender distress, some children and adults may nevertheless experience distress. For this reason, adults should carefully monitor the reactions of children and adults to any exercises and drills, with oversight by an experienced member of the team planning the exercise or drill, and provide supportive services as indicated.

4. Eliminate deception in drills and exercises. Notice of drills should be provided to parents, students, and staff members. Students, staff, and families of students should not be led to believe that an exercise is a real event or misled about the injury to or death of others. Such a practice is harmful and unethical and is not justified by a theoretical benefit of evaluating people's response under extreme levels of stress. State AAP chapters can advocate that schools and emergency response agencies prohibit the use of deception in live drills and exercises and any related simulations (eg, mock death notifications and funerals). Instead, it should be mandatory to notify parents, students, and staff members of planned live crisis drills and exercises. Pediatricians can review the policies of local school districts, inquire about their current practices related to drills and exercises, and offer guidance as described in this policy.
5. Focus on teaching skills rather than simulating distressing crisis events. The goal of live exercises and drills is to teach skills before

actively testing them in a more pressured context that may degrade performance, thereby helping to promote and demonstrate competence rather than overwhelming people by their failures. Stakeholders planning drills and exercises should articulate that the learning objectives for adult and child participants are different and ensure that the drills and exercises highlight or teach specific behaviors that promote safety rather than simply being used to highlight potential dangers or convey the seriousness of a crisis event. Feedback from all stakeholder groups, including students and staff, should be obtained after exercises and drills to identify any remaining gaps in knowledge and skills and ascertain if participation caused any distress or other unintended consequences.

6. Make accommodations that are based on children's unique vulnerabilities. In most situations, active shooter drills should be conducted as fire drills are generally conducted (without simulation of there being an active fire) using a well-discussed, calm approach to the safe movement of students and staff in the school building. In general, adults should avoid referencing these drills with names that may engender further distress, such as calling them "active shooter drills"; instead, terms such as "lockdown," "shelter in place," or "safety drills" are preferable. Children with a high level of personal vulnerability (eg, students with an anxiety disorder, previous traumatic experience, or physical disability) may require particular accommodations, including being excused from certain drills or exercises when such participation may be overwhelming.^{15,16} Parents and/

or guardians can be notified at the start of a school year about the likely drills that will be held and invited to bring any concerns about their child's participation to the school's attention. Pediatricians who become aware of such concerns should encourage and assist parents to communicate them directly to school authorities. In some situations, the accommodations may be part of a 504 Plan or incorporated into a student's Individualized Education Program. School personnel must be conscious of the unique needs of early childhood, child care, Head Start and Early Head Start, or preschool programs located on campus and consider ways to exclude or mitigate the impact on this vulnerable population.

7. Seek and incorporate student input. School personnel can give thought as to how to incorporate the input of students into safety discussions and planning for exercises and drills. Students can provide important insight into the risks that students may face in the event of a crisis, vulnerabilities that adults may not anticipate, and how best to prepare peers for exercises and drills and minimize their distress while participating. It is important, though, to remember that some students and staff may feel empowered by opportunities to engage actively in exercises and underestimate the distress it may cause other students with different personalities, coping styles, or preexisting vulnerabilities. Adults can talk with students after conducting drills and exercises to obtain their feedback about the experience and suggestions on how to optimize future exercises and drills.
8. Obtain multidisciplinary input into exercise and/or drill planning. To give careful consideration to the needs of all children in drills and

exercises, planning teams should be multidisciplinary and include pediatricians or other professionals with expertise in child development and behavioral health, such as school mental health providers (eg, school counselors, psychologists, and social workers). Such planning teams should also explore how best to incorporate the input of students, school and/or preschool staff of different professions, parents, and other community partners. Teachers and other school professionals care deeply about protecting children and may, therefore, have more emotional reactions to such exercises and drills than planners anticipate, even in the absence of any personal vulnerabilities such as preexisting trauma or loss. The impact of drills and exercises on adults should be given careful consideration as well.

9. Emphasize the role of prevention. Sufficient emphasis should be placed on the prevention of violence, including the necessary financial resources and professional efforts. These efforts include, among others, efforts in social-emotional learning, positive school climate and culture, early identification and effective and readily accessible treatment of behavioral health concerns and mental illness, educator and school administration training, deployment of sufficient mental health and support personnel in schools, and interdisciplinary threat assessment.⁵ The AAP and its members can work with others nationally to balance the rights of gun ownership with the need to protect the safety of children in a way that does not allow society to view mass shootings involving children as inevitable or as a “new normal” in society.

10. Promote legislative advocacy. All legislation requiring active shooter drills in schools should be required to follow best-practice guidelines, such as those from the National Association of School Psychologists and the National Association of School Resource Officers.⁸ Among other recommendations, these guidelines recommend that schools begin with simple discussion-based exercises (ie, tabletop exercises) before considering complex live drills.
11. Conduct research on the impact of exercises and drills. Funding for research is needed to evaluate the goals, efficacy, and potential unintended consequences of crisis preparedness activities involving children. Strategies that are likely to cause significant distress or other unintended consequences, such as high-intensity live exercises, should be evaluated before they are implemented, especially in the absence of evidence of their efficacy.

LEAD AUTHORS

David J. Schonfeld, MD, FAAP
 Marlene Melzer-Lange, MD, FAAP
 Andrew N. Hashikawa, MD, MS, FAAP
 Peter A. Gorski, MD, MPA, FAAP

COUNCIL ON CHILDREN AND DISASTERS EXECUTIVE COMMITTEE, 2019–2020

Steven Krug, MD, FAAP, Chairperson
 Carl Baum, MD, FACMT, FAAP
 Sarita Chung, MD, FAAP
 Deanna Dahl-Grove, MD, FAAP
 H. Dele Davies, MD, MS, MHCM, FAAP
 Eric Dziuban, MD, DTM, CPH, FAAP
 Aaron Gardner, MD, MS, FAAP
 Stephanie Griese, MD, MPH, FAAP
 Scott Needle, MD, FAAP
 David J. Schonfeld, MD, FAAP
 Joelle Simpson, MD, MPH, FAAP

STAFF

Laura Aird, MS

COUNCIL ON INJURY, VIOLENCE, AND POISON PREVENTION EXECUTIVE COMMITTEE, 2019–2020

Benjamin D. Hoffman, MD, FAAP, Chairperson
 Phyllis F. Agran, MD, MA, MPH, FAAP
 Michael Peter Hirsh, MD, FAAP
 Brian Duncan Johnston, MD, MPH, FAAP
 Sadiqa Kendi, MD, CPST, FAAP
 Lois Kaye Lee, MD, MPH, FAAP
 Kathy Wingo Monroe, MD, FAAP
 Judy Schaechter, MD, MBA, FAAP
 Milton Tenenbein, MD, FAAP
 Mark R. Zonfrillo, MD, MSCE, FAAP

LIAISONS

Suzanne Marie Beno, MD – *Canadian Paediatric Society*
 Jonathan D. Midgett, PhD – *Consumer Product Safety Commission*
 Bethany Miller, LCSW-C, MEd – *Health Resources and Services Administration*
 Alexander “Sandy” Sinclair – *National Highway Traffic Safety Administration*

STAFF

Bonnie Kozial

COUNCIL ON SCHOOL HEALTH EXECUTIVE COMMITTEE, 2019–2020

Cheryl L. De Pinto, MD, MPH, FAAP, Chairperson
 Marti Baum, MD, FAAP
 Nathaniel Brittingham Savio Beers, MD, MPA, FAAP
 Sara Moran Bode, MD, FAAP
 Erica J. Gibson, MD, FAAP
 Peter A. Gorski, MD, MPA, FAAP
 Viju Jacob, MD, FAAP
 Marian Larkin, MD, FAAP
 Sonja C. O’Leary, MD, FAAP
 Ryan Christopher Padrez, MD, FAAP
 Heidi Kristen Schumacher, MD, FAAP

LIAISONS

Shashank Vishnuprasad Joshi, MD – *American Academy of Child and Adolescent Psychiatry*
 Linda Mendonca, RN, MSN, PHNA-BC, NCSN, FNASN – *National Association of School Nurses*

STAFF

Stephanie Domain, MS

ABBREVIATION

AAP: American Academy of Pediatrics

This document is copyrighted and is property of the American Academy of Pediatrics and its Board of Directors. All authors have filed conflict of interest statements with the American Academy of Pediatrics. Any conflicts have been resolved through a process approved by the Board of Directors. The American Academy of Pediatrics has neither solicited nor accepted any commercial involvement in the development of the content of this publication.

DOI: <https://doi.org/10.1542/peds.2020-015503>

Address correspondence to David J. Schonfeld, MD, FAAP. E-mail: schonfel@usc.edu

PEDIATRICS (ISSN Numbers: Print, 0031-4005; Online, 1098-4275).

Copyright © 2020 by the American Academy of Pediatrics

FINANCIAL DISCLOSURE: The authors have indicated they have no financial relationships relevant to this article to disclose.

FUNDING: No external funding.

This document is copyrighted and is property of the American Academy of Pediatrics and its Board of Directors. All authors have filed conflict of interest statements with the American Academy of Pediatrics. Any conflicts have been resolved through a process approved by the Board of Directors. The American Academy of Pediatrics has neither solicited nor accepted any commercial involvement in the development of the content of this publication.

POTENTIAL CONFLICT OF INTEREST: The authors have indicated they have no potential conflicts of interest to disclose.

REFERENCES

1. Needle S, Wright J; Disaster Preparedness Advisory Council; Committee on Pediatric Emergency Medicine. Ensuring the health of children in disasters. *Pediatrics*. 2015; 136(5). Available at: www.pediatrics.org/cgi/content/full/136/5/e1407
2. Schonfeld DJ, Rossen E, Woodard D. Deception in schools-when crisis preparedness efforts go too far. *JAMA Pediatr*. 2017;171(11):1033–1034
3. US Government Accountability Office. *Emergency Management: Improved Federal Coordination Could Better Assist K–12 Schools Prepare for Emergencies*. Washington, DC: US Government Accountability Office; 2016
4. Zhe EJ, Nickerson AB. Effects of an intruder crisis drill on children's knowledge, anxiety, and perceptions of school safety. *School Psych Rev*. 2007; 36(3):501–508
5. Cornell DG. Threat assessment as a school violence prevention strategy. *Criminal Public Policy*. 2020;19(1): 235–252
6. Osborne M. Oklahoma elementary school installs bulletproof shelters in classrooms. 2018. Available at: <https://abcnews.go.com/US/oklahoma-elementary-school-installs-bulletproof-shelters-classrooms/story?id=53409001>. Accessed April 6, 2020
7. Dorn M. Safety & security: dangers of active shooter training programs. 2018. Available at: <https://www.netassets.org/blogs/net-assets/2018/10/04/safety-security-dangers-of-active-shooter-training>. Accessed April 6, 2020
8. National Association of School Psychologists. Best practice considerations for schools in active shooter and other armed assailant drills. Available at: <https://www.nasponline.org/resources-and-publications/resources-and-podcasts/school-climate-safety-and-crisis/systems-level-prevention/best-practice-considerations-for-schools-in-active-shooter-and-other-armed-assailant-drills>. Accessed April 6, 2020
9. Chung S, Foltin G, Schonfeld DJ, et al; American Academy of Pediatrics. *Pediatric Disaster Preparedness and Response Topical Collection*. Itasca, IL: American Academy of Pediatrics; 2019. Available at: <https://www.aap.org/en-us/advocacy-and-policy/aap-health-initiatives/Children-and-Disasters/Pages/Pediatric-Terrorism-And-Disaster-Preparedness-Resource.aspx>. Accessed April 6, 2020
10. Christakis E. Active-shooter drills are tragically misguided. *The Atlantic*. March 2019. Available at: www.theatlantic.com/magazine/archive/2019/03/active-shooter-drills-erika-christakis/580426/. Accessed April 6, 2020
11. Zraick K. Indiana teachers were shot with pellets during active-shooter drill, union says. *The New York Times*. March 22, 2019. Available at: <https://www.nytimes.com/2019/03/22/us/indiana-teachers-shot.html>. Accessed April 6, 2020
12. Woesner ME. The return of duck and cover and the imminence of death—what it means for physicians. *JAMA Pediatr*. 2018;172(6): 511–512
13. Higgins M. 7-year-old writes love note to parents on her arm 'in case I got killed' during school lockdown. 2019. Available at: <https://m.dailykos.com/stories/2019/2/13/1834418/-7-year-old-writes-love-note-to-parents-on-her-arm-in-case-i-got-killed-during-school-lockdown>. Accessed April 6, 2020
14. Federal Commission on School Safety. Final report of the Federal Commission on School Safety. 2018. Available at: <https://www2.ed.gov/documents/school-safety/school-safety-report.pdf>. Accessed April 6, 2020
15. Schonfeld DJ, Demaria T; Committee on Psychosocial Aspects of Child and Family Health, Disaster Preparedness Advisory Council. Supporting the grieving child and family. *Pediatrics*. 2016;138(3):e20162147
16. Schonfeld DJ, Demaria T; Disaster Preparedness Advisory Council and Committee on Psychosocial Aspects of Child and Family Health. Providing psychosocial support to children and families in the aftermath of disasters and crises. *Pediatrics*. 2015;136(4). Available at: www.pediatrics.org/cgi/content/full/136/4/e1120

Participation of Children and Adolescents in Live Crisis Drills and Exercises
David J. Schonfeld, Marlene Melzer-Lange, Andrew N. Hashikawa, Peter A. Gorski
and COUNCIL ON CHILDREN AND DISASTERS, COUNCIL ON INJURY,
VIOLENCE, AND POISON PREVENTION, COUNCIL ON SCHOOL HEALTH
Pediatrics 2020;146;

DOI: 10.1542/peds.2020-015503 originally published online August 24, 2020;

Updated Information & Services

including high resolution figures, can be found at:
<http://pediatrics.aappublications.org/content/146/3/e2020015503>

References

This article cites 5 articles, 1 of which you can access for free at:
<http://pediatrics.aappublications.org/content/146/3/e2020015503#BL>

Permissions & Licensing

Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at:
<http://www.aappublications.org/site/misc/Permissions.xhtml>

Reprints

Information about ordering reprints can be found online:
<http://www.aappublications.org/site/misc/reprints.xhtml>

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN®



PEDIATRICS®

OFFICIAL JOURNAL OF THE AMERICAN ACADEMY OF PEDIATRICS

Participation of Children and Adolescents in Live Crisis Drills and Exercises

David J. Schonfeld, Marlene Melzer-Lange, Andrew N. Hashikawa, Peter A. Gorski
and COUNCIL ON CHILDREN AND DISASTERS, COUNCIL ON INJURY,
VIOLENCE, AND POISON PREVENTION, COUNCIL ON SCHOOL HEALTH

Pediatrics 2020;146;

DOI: 10.1542/peds.2020-015503 originally published online August 24, 2020;

The online version of this article, along with updated information and services, is
located on the World Wide Web at:

<http://pediatrics.aappublications.org/content/146/3/e2020015503>

Pediatrics is the official journal of the American Academy of Pediatrics. A monthly publication, it has been published continuously since 1948. Pediatrics is owned, published, and trademarked by the American Academy of Pediatrics, 345 Park Avenue, Itasca, Illinois, 60143. Copyright © 2020 by the American Academy of Pediatrics. All rights reserved. Print ISSN: 1073-0397.

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN®

