



# Integrating Web Services/Applications to Improve Pediatric Functionalities in Electronic Health Records

Stuart T. Weinberg, MD, FAAP, FAMA,<sup>a</sup> Craig Monsen, MD, MS,<sup>b</sup> Christoph U. Lehmann, MD, FAAP, FACMI, FIAHSI,<sup>c</sup> Michael G. Leu, MD, MS, MHS, FAAP, FAMA,<sup>d</sup> COUNCIL ON CLINICAL INFORMATION TECHNOLOGY

The past decade has seen a substantial increase in the use of electronic health records (EHRs) by health care providers caring for children. However, gaps in pediatric-specific functionalities continue to exist in some EHR systems, including population-specific growth curves, immunization clinical decision support, weight-based medication dosing with rounding, calculation of pediatric hypertension percentiles, age-specific developmental assessment, newborn bilirubin nomograms, anticipatory guidance reminders, and other functionalities described elsewhere. Implementing pediatric functionalities into EHRs is critical to the provision of safe pediatric care. As an alternative to direct implementation in EHRs, EHR vendor agnostic Web applications, Web services, and application programming interfaces offer an opportunity to provide pediatric functionalities and eliminate the need for each vendor to develop these functionalities. Successful implementation of Web services and related technologies requires responsible attention from both EHR vendors and developers of Web services, Web applications, and application programming interfaces to the use of data terminology standards, adherence to privacy and security requirements, rigorous testing, change management processes, and robust system support and maintenance. Education of health care providers about opportunities to improve pediatric functionalities in EHRs by using these services can facilitate discussions in EHR user groups in which vendors can be lobbied to implement them. This policy statement emphasizes the need to address pediatric-specific functionalities in EHRs by providing insight and recommendations into the development, maintenance, integration, and support of these novel solutions.

## abstract

<sup>a</sup>Departments of Biomedical Informatics and Pediatrics, Vanderbilt University Medical Center, Nashville, Tennessee; <sup>b</sup>Center for Informatics, Atrius Health, Auburndale, Massachusetts; <sup>c</sup>Departments of Pediatrics, Bioinformatics, and Population and Data Sciences and Clinical Informatics Center, University of Texas Southwestern Medical Center, Dallas, Texas; and <sup>d</sup>Departments of Pediatrics and Biomedical Informatics and Medical Education, University of Washington and Seattle Children's Hospital, Seattle, Washington

This document is copyrighted and is property of the American Academy of Pediatrics and its Board of Directors. All authors have filed conflict of interest statements with the American Academy of Pediatrics. Any conflicts have been resolved through a process approved by the Board of Directors. The American Academy of Pediatrics has neither solicited nor accepted any commercial involvement in the development of the content of this publication.

Policy statements from the American Academy of Pediatrics benefit from expertise and resources of liaisons and internal (AAP) and external reviewers. However, policy statements from the American Academy of Pediatrics may not reflect the views of the liaisons or the organizations or government agencies that they represent.

The guidance in this statement does not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate.

All policy statements from the American Academy of Pediatrics automatically expire 5 years after publication unless reaffirmed, revised, or retired at or before that time.

DOI: <https://doi.org/10.1542/peds.2021-052047>

Address correspondence to Stuart T. Weinberg, MD. Email: [stwmnd@stwmnd.net](mailto:stwmnd@stwmnd.net)

**To cite:** Weinberg S T, Monsen C, Lehmann C U, et al. Integrating Web Services/Applications to Improve Pediatric Functionalities in Electronic Health Records. *Pediatrics*. 2021;148(1):e2021052047

## BACKGROUND

Between 2008 and 2015, adoption of a basic electronic health record (EHR) by children's hospitals increased from 10% to 55%. The percentage of acute care hospitals using a certified EHR by 2015 was 96%.<sup>1</sup> The percentage of office-based physicians in the United States using a certified EHR system was estimated to be 77.9% in 2015<sup>2</sup> and 94% in 2016.<sup>3</sup>

Many EHR systems lack pediatric functionalities, including plotting growth charts, computing anthropometric percentiles, tracking adherence to well-child visits and immunization schedules, and supporting weight-based dosing.<sup>4,5</sup> These core pediatric functionalities have been described for both the outpatient<sup>6</sup> and inpatient<sup>7</sup> settings. More recently, as part of the 21st Century Cures Act, additional core pediatric functionalities were recommended by the Health IT for the Care Continuum Task Force in conjunction with the Office of the National Coordinator for Health Information Technology as pediatric EHR certification criteria.<sup>8</sup> As an alternative to implementing these core features directly as core functionalities in EHR systems, Web services and Web applications offer opportunities to integrate and thereby increase the use of pediatric functionalities across multiple EHR systems by using standard technologies and terminologies for those EHR systems that provide access to Web services and applications.

## STATEMENT OF THE PROBLEM

Emerging evidence supports continuous development and modification of guidelines and clinical policies. Examples include:

1. In October 2016, the Centers for Disease Control and Prevention released a new recommendation

to the human papillomavirus vaccine schedule. The novel recommendation required only 2 doses spaced at least 6 months apart if the first dose was administered before age 15 years.<sup>9</sup>

2. In August of 2017, the American Academy of Pediatrics (AAP) published a clinical practice guideline that included "significant changes" in the screening and management of high blood pressure in children and adolescents, new normative pediatric blood pressure tables, and an action statement to include flags for abnormal blood pressure values both when the values are being entered and when they are being viewed.<sup>10</sup>
3. In February of 2017, the AAP published the fourth edition of *Bright Futures: Guidelines for Health Supervision of Infants, Children, and Adolescents*, containing a periodicity schedule of screenings and recommendations for 31 age-specific visits, from the newborn visit through visits for 21-year-olds.

These are but a few examples of pediatric-specific clinical guideline changes that provide significant challenges to EHR vendors who want to keep their clinical content up to date. In the current product development model, every vendor has to invest development resources to implement these new functionalities, guidelines, and clinical decision support. Often, vendors instead deploy content development tools with which each customer maintains embedded clinical content at a significant cost. Web services and Web applications offer solutions that can be shared among multiple EHRs and health care settings.

## Examples of Current Web Services and Web Applications

A Web service is software that resides on a server that can be accessed by multiple applications

and computers and provides functionality that does not involve user interaction, such as credit card authorization or medical calculations. A Web application can be accessed through a browser and has a user interface. There are pediatric examples that could serve as models for the integration of Web services and Web applications into existing EHRs.<sup>11-18</sup> It is important to apply the key considerations listed below when using these Web services and applications, especially those related to accuracy, testing, and transparency. Because Web services are smaller, more specialized software modules compared with EHRs, they have the advantage that they are easier to develop, test, and augment in a more rapid development cycle and do not have to rely on vendors to prioritize functions for development.

## Key Considerations in the Development, Integration, and Use of Web Services

As these resources continue to be developed and implemented, several key issues need to be considered by developers, vendors integrating these tools, organizations, and end-users:

1. Dependability, access time, and speed: The use of a Web service or Web application introduces an external dependency, which needs to be reliable. Vendors must ensure that EHRs fail gracefully when the Web service or Web application is unavailable and allow users to complete their tasks.
2. Privacy, security, and confidentiality: Developers of these tools and the EHR vendors that integrate them need to be compliant with all relevant Health Insurance Portability and Accountability Act regulations. Business associate agreements between developers and vendors may need to be

developed. Because health care providers assume responsibility, as per Health Insurance Portability and Accountability Act security rules, to “ensure the confidentiality, integrity, and availability of all e-PHI they create, receive, maintain, or transmit,”<sup>19</sup> it is important that vendors provide security information documenting this compliance. Audit logs of data sent to and received from the Web service should be maintained in the EHR.

3. Accuracy, testing, versioning, and change management: Developers need to rigorously test the performance and accuracy of their tools. The developer, in collaboration with the EHR vendor, should test the system in a production environment using exhaustive testing scenarios to ensure that (a) the Web service is available and functions properly and its performance is acceptable to users; (b) the Web service fails gracefully, informing the user and allowing tasks to be completed later (eg, if the Web service is not available, the health care provider can still use the EHR); and (c) the version of the Web service and data used to generate calculations and/or recommendations are recorded with each use. The latter will allow retrospective validation of past calculations and/or recommendations once an upgrade of the Web service becomes available. As new versions are developed, a versioning history should be in place so that end-users are aware of changes, and EHR vendors should have a clear process to communicate those changes. Before going live, health care provider end-users must have an opportunity to test the system using realistic patient data.
4. Standards in technology and terminology: There are well-established technical and terminology standards related to data

structure, data transport, and medical vocabularies (such as SNOMED CT, LOINC, and RxNorm) that should be adopted by Web services and Web applications.

5. Usability and transparency: Particularly with tools that deliver clinical decision support, Web application and/or service developers should provide, and EHR vendors should display, “show your work” functionality that allows end-users to understand underlying algorithms and how and why alerts and recommendations are generated.
6. Business models: Several business models exist for the use of Web services and Web applications by EHR vendors, including a subscription model, a per-use model, or a hybrid of the two. Vendors should be transparent if these costs are being transferred to end-users.

## RECOMMENDATIONS

The AAP recommends the following basic principles for the ideal integration of Web services, Web applications, and application programming interfaces into EHR systems:

1. Health care providers and other users of EHRs should know how to access their EHR vendor user groups, through which requests for additional pediatric functionalities can be addressed. Within these user groups, they should research whether Web services or Web applications exist that can be used without the vendor redeveloping the same functionality (eg, in application marketplaces).
2. EHR vendors should support the ability to integrate Web services and Web applications within their systems, consistent with current standards for data terminologies, transport protocols, and privacy

and/or security compliance. Vendors should be encouraged to make their interfaces uniform so that services can be available to different EHRs simultaneously.

3. Qualified health system or EHR vendor staff should consider integrating a Web service or Web application if:
  - a. pediatric functionality provided by an available Web service or Web application is not present in the EHR or
  - b. the functionality provided by the Web service or Web application enhances existing EHR functionality; and
  - c. uptime, privacy, and security are within acceptable parameters.
4. EHR vendors that integrate Web services and Web applications should actively communicate and be transparent with users about any changes in the content or delivery of these tools. For example, vendors should inform users when an integrated Web service or application has been updated and allow end-users the opportunity to steward Web services by providing feedback to mitigate any issues with accuracy.
5. Web service developers should demonstrate sustainability and support continued development and maintenance as clinical guidelines and technical standards change.
6. Web service developers should employ current standards for data terminologies, transport protocols, and privacy and/or security compliance in a uniform manner so that Web services do not need to be customized for various platforms.
7. Web service developers should engage pediatric subject matter experts in the creation and testing of Web services with pediatric clinical content. In addition, physician groups should make it easier to identify informaticians

who are willing to work with these developers and EHR vendors.

## CONCLUSIONS

Web services, Web applications, and application programming interfaces offer opportunities to extend and improve pediatric functionalities of existing EHRs. An increasing number of EHR vendors are making access to these tools possible. Pediatricians' awareness of these tools can facilitate discussions with EHR vendor user groups to implement these solutions where useful and feasible.

## LEAD AUTHORS

Stuart T. Weinberg, MD, FAAP, FAMIA  
Craig Monsen, MD, MS  
Christoph U. Lehmann, MD, FAAP, FACMI,

FIAHSI  
Michael G. Leu, MD, MS, MHS, FAAP, FAMIA

## COUNCIL ON CLINICAL INFORMATION TECHNOLOGY EXECUTIVE COMMITTEE, 2018–2020

Emily Chui Webber, MD, FAAP, Chairperson  
Gregg M. Alexander, DO  
Eric L. Beyer, MD, FAAP  
Sandy Lee Chung, MD, FAAP  
Kevin R. Dufendach, MD, MS, FAAP  
Alexander M. Hamling, MD, MBA, FAAP  
Marvin B. Harper, MD, FAAP  
Eric S. Kirkendall, MD, MBI, FAAP  
Eli M. Lourie, MD, MBI, FAAP, FAMIA  
Ann M. Mann, MD, FAAP  
Stephen J. Morgan, MD, FAAP  
Heather C. O'Donnell, MD, FAAP  
Reza Sadeghian, MD, MBA, MSc, FAAP  
Eric Shelov, MD, MBI, FAAP  
Srinivasan Suresh, MD, MBA, FAAP  
Andrew M. Wiesenthal, MD, SM, FAAP  
Jeffrey A. Wright, MD, FAAP

Stuart T. Weinberg, MD, FAAP, FAMIA –  
*Immediate Past Chairperson*

## LIAISONS

Dale C. Alverson, MD, FAAP – *Section on Telehealth Care*  
Francis Dick-Wai Chan, MD, FAAP – *Section on Advances in Therapeutics and Technology*  
Han Yu (Stephanie) Liou, MD – *Section on Pediatric Trainees*  
Melissa S. Van Cain, MD, FAAP – *Section on Pediatric Trainees*

## STAFF

Lisa Krams, MAHS

## ABBREVIATIONS

AAP: Academy of Pediatrics  
EHR: electronic health record

Copyright © 2021 by the American Academy of Pediatrics

**FINANCIAL DISCLOSURE:** The authors have indicated they have no financial relationships relevant to this article to disclose.

**FUNDING:** No external funding.

**POTENTIAL CONFLICT OF INTEREST:** Dr Lehmann has a board-of-directors relationship with the International Medical Informatics Association an editor-in-chief relationship with *Applied Clinical Informatics*; and Drs Weinberg, Monsen, and Leu have indicated they have no potential conflicts of interest to disclose.

## REFERENCES

- Henry J, Pylypchuk Y, Searcy T, Patel V. Adoption of electronic health record systems among U.S. non-federal acute care hospitals: 2008-2015. Available at: <https://dashboard.healthit.gov/evaluations/data-briefs/non-federal-acute-care-hospital-ehr-adoption-2008-2015.php>. Accessed June 21, 2018
- Jamoom E, Yang N. National Electronic Health Records Survey: 2015 state and national electronic health record adoption summary tables. Available at: [https://www.cdc.gov/nchs/data/ahcd/nehrs/2015\\_nehrs\\_web\\_table.pdf](https://www.cdc.gov/nchs/data/ahcd/nehrs/2015_nehrs_web_table.pdf). Accessed June 21, 2018
- Temple MW, Sisk B, Krams LA, Schneider JH, Kirkendall ES, Lehmann CU. Trends in use of electronic health records in pediatric office settings. *J Pediatr*. 2019;206:164–171.e2
- Wald JS, Haque SN, Rizk S, et al. Enhancing health IT functionality for children: the 2015 Children's EHR Format. *Pediatrics*. 2018;141(4):e20163894
- Lehmann CU, O'Connor KG, Shorte VA, Johnson TD. Use of electronic health record systems by office-based pediatricians. *Pediatrics*. 2015;135(1). Available at: [www.pediatrics.org/cgi/content/full/135/1/e7](http://www.pediatrics.org/cgi/content/full/135/1/e7)
- Dufendach KR, Eichenberger JA, McPheeters ML, et al. *Core Functionality in Pediatric Electronic Health Records*. Rockville, MD: Agency for Healthcare Research and Quality; 2015. Available at: [www.ncbi.nlm.nih.gov/books/NBK293626/](http://www.ncbi.nlm.nih.gov/books/NBK293626/). Accessed May 27, 2019
- Lehmann CU; Council on Clinical Information Technology. Pediatric aspects of inpatient health information technology systems. *Pediatrics*. 2015;135(3). Available at: [www.pediatrics.org/cgi/content/full/135/3/e756](http://www.pediatrics.org/cgi/content/full/135/3/e756)
- Health IT for the Care Continuum Task Force. Pediatric Health IT worksheets. Available at: <https://www.healthit.gov/sites/default/files/page/2019-03/PediatricHealthITWorksheets.pdf>. Accessed January 30, 2020
- Centers for Disease Control and Prevention. CDC recommends only two HPV shots for younger adolescents. 2016. Available at: <https://www.cdc.gov/media/releases/2016/p1020-HPV-shots.html>. Accessed June 21, 2018
- Flynn JT, Kaelber DC, Baker-Smith CM, et al; Subcommittee on Screening and Management of High Blood Pressure in Children. Clinical practice guideline for screening and management of high blood pressure in children and adolescents. *Pediatrics*. 2017;140(3):e20171904

11. Physician's Computer Company Pediatric EHR Solutions. A robust pediatric-focused EHR improves the immunization process. Available at: <https://blog.pcc.com/a-robust-pediatric-focused-ehr-improves-the-immunization-process>. Accessed May 27, 2019
12. Suralek M. Immunization calculation engine (ICE): an open source clinical decision support system for integration with health information systems. Available at: <https://www.hln.com/assets/pdf/ICE-OSEHRA-Summit-2017.pdf>. Accessed June 21, 2018
13. Longhurst C, Turner S, Burgos AE. Development of a Web-based decision support tool to increase use of neonatal hyperbilirubinemia guidelines. *Jt Comm J Qual Patient Saf*. 2009;35(5):256–262
14. BiliTool EMR. Bilitool.net Web site. Available at: <http://emr.bilitool.net/>. Accessed June 21, 2018
15. Boston Children's Hospital. Growth chart. Available at: <https://apps.smarthealthit.org/app/growth-chart>. Accessed May 27, 2019
16. Mandel JC, Kreda DA, Mandl KD, Kohane IS, Ramoni RB. SMART on FHIR: a standards-based, interoperable apps platform for electronic health records. *J Am Med Inform Assoc*. 2016;23(5):899–908
17. Healthcare Innovation. Mix of applications at showcase to demonstrate FHIR's potential. Available at: <https://www.hcinnovationgroup.com/interoperability-hie/blog/13027160/mix-of-applications-at-showcase-to-demonstrate-fhirs-potential>. Accessed May 27, 2019
18. MedlinePlus Connect. Linking patient portals and EHRs to consumer health information. 2018. Available at: <https://medlineplus.gov/connect/overview.html>. Accessed June 21, 2018
19. Department of Health & Human Services. Summary of the HIPAA security rule. Available at: <https://www.hhs.gov/hipaa/for-professionals/security/laws-regulations/index.html>. Accessed December 9, 2018

## Integrating Web Services/Applications to Improve Pediatric Functionalities in Electronic Health Records

Stuart T. Weinberg, Craig Monsen, Christoph U. Lehmann and Michael G. Leu  
*Pediatrics* 2021;148;

DOI: 10.1542/peds.2021-052047 originally published online June 28, 2021;

### Updated Information & Services

including high resolution figures, can be found at:  
<http://pediatrics.aappublications.org/content/148/1/e2021052047>

### References

This article cites 5 articles, 2 of which you can access for free at:  
<http://pediatrics.aappublications.org/content/148/1/e2021052047#BL>

### Subspecialty Collections

This article, along with others on similar topics, appears in the following collection(s):  
**Council on Clinical Information Technology**  
[http://www.aappublications.org/cgi/collection/council\\_on\\_clinical\\_information\\_technology](http://www.aappublications.org/cgi/collection/council_on_clinical_information_technology)  
**Health Information Technology**  
[http://www.aappublications.org/cgi/collection/health\\_information\\_technology\\_sub](http://www.aappublications.org/cgi/collection/health_information_technology_sub)

### Permissions & Licensing

Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at:  
<http://www.aappublications.org/site/misc/Permissions.xhtml>

### Reprints

Information about ordering reprints can be found online:  
<http://www.aappublications.org/site/misc/reprints.xhtml>

# American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN®



# PEDIATRICS<sup>®</sup>

OFFICIAL JOURNAL OF THE AMERICAN ACADEMY OF PEDIATRICS

## **Integrating Web Services/Applications to Improve Pediatric Functionalities in Electronic Health Records**

Stuart T. Weinberg, Craig Monsen, Christoph U. Lehmann and Michael G. Leu

*Pediatrics* 2021;148;

DOI: 10.1542/peds.2021-052047 originally published online June 28, 2021;

The online version of this article, along with updated information and services, is located on the World Wide Web at:

<http://pediatrics.aappublications.org/content/148/1/e2021052047>

Pediatrics is the official journal of the American Academy of Pediatrics. A monthly publication, it has been published continuously since 1948. Pediatrics is owned, published, and trademarked by the American Academy of Pediatrics, 345 Park Avenue, Itasca, Illinois, 60143. Copyright © 2021 by the American Academy of Pediatrics. All rights reserved. Print ISSN: 1073-0397.

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN<sup>®</sup>

