

the development of an appropriate microprocessor assisted on-line system.

F. FALLENSTEIN
H. U. BUCHER
R. HUCH
A. HUCH
Divisions of Perinatal Physiology
and Neonatology
Department of Obstetrics and Gynaecology
University Hospital
Zurich

REFERENCES

1. Peabody JL, Fallenstein F, Duc G, et al: A new method for the expression of the variability of oxygenation in infants. *Clin Res* 1980;28:125A
2. Horbar JD, Clark JT, Lucey JF: The newborn oxygram: Automated processing of transcutaneous oxygen data. *Pediatrics* 1980;66:848-851
3. Fallenstein F, Huch R, Huch A: Computer-aided tc PO₂ long period monitoring, in Kimmich HP (ed): *Monitoring of Vital Parameters During Extracorporeal Perfusion*. Basel, Karger, 1981, pp 221-225
4. Fallenstein F, Huch R, Huch A: Computerunterstuetzte tc PO₂ Langzeitueberwachung in der Neonatologie: On-line-Interpretation und Speicherung der Messdaten, in Hrsg, v Loewenich U (ed): *Paediatrische Intensivmedizin III*. New York, Thieme, 1982, pp 127-130
5. Mieth D, Duc G, Fallenstein F, et al: Computerunterstuetzte tc PO₂ Langzeitueberwachung in der Neonatologie: Klinische Ergebnisse, in Hrsg, v Loewenich U (ed): *Paediatrische Intensivmedizin III*. New York, Thieme, 1982, pp 130-134
6. Fallenstein F, Bucher HU, Huch A, et al: An improved microcomputer controlled system for transcutaneous PO₂ monitoring in neonatal intensive care. *Acta Obstet Gynecol Scand Suppl* 1982;109:99
7. Fallenstein F, Bucher HU, Huch R, et al: Neue Erfahrungen mit einem Kleinrechnersystem zur transcutanen Po₂-Ueberwachung in der neonatologischen Intensivpflege, in Hrsg Epple E, Frei R, Bleicher W, et al (eds): *Rechnergestuetzte Intensivpflege II*. New York, Thieme, 1983, pp 98-101
8. Bucher HU, Duc G, Gallenstein F, et al: Oxygen histogram: hypoxemic and hyperoxemic index in prematures, in Huch R, Huch A (eds): *Continuous Transcutaneous Blood Gas Monitoring*. New York, Marcel Dekker, 1983, pp 341-352
9. Fallenstein F, Bucher HU, Huch R, et al: Das zeitdynamische tc PO₂-Histogram—eine neue Moeglichkeit zur Darstellung der Ergebnisse bei der langzeitigen transkutanen Po₂-Ueberwachung, in Hrsg Dudenhausen W, Saling E (eds): *Perinatale Medizin*. New York, Thieme, in press 1985

ERRATUM

In the article "Value of Systolic Time Intervals in the Diagnosis of Large Patent Ductus Arteriosus in Fluid-Restricted and Mechanically Ventilated Preterm Infants" by Heitz et al (*Pediatrics* 1984;74:1069-1074), there is an error in the text. The last sentence of the second paragraph on page 1073 should read: All of these infants had a ratio of LPEP to RPEP >1.

ERRATUM
Pediatrics 1985;75;613

Updated Information & Services

including high resolution figures, can be found at:
<http://pediatrics.aappublications.org/content/75/3/613>

Permissions & Licensing

Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at:
<http://www.aappublications.org/site/misc/Permissions.xhtml>

Reprints

Information about ordering reprints can be found online:
<http://www.aappublications.org/site/misc/reprints.xhtml>

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN®



PEDIATRICS®

OFFICIAL JOURNAL OF THE AMERICAN ACADEMY OF PEDIATRICS

ERRATUM

Pediatrics 1985;75;613

The online version of this article, along with updated information and services, is located on the World Wide Web at:

<http://pediatrics.aappublications.org/content/75/3/613>

Pediatrics is the official journal of the American Academy of Pediatrics. A monthly publication, it has been published continuously since 1948. Pediatrics is owned, published, and trademarked by the American Academy of Pediatrics, 345 Park Avenue, Itasca, Illinois, 60143. Copyright © 1985 by the American Academy of Pediatrics. All rights reserved. Print ISSN: 1073-0397.

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN®

