

problems. Immunizations exist for diphtheria, tetanus, pertussis, measles, or rubella where a few shots will last a lifetime. We do not know how to inoculate against the effects of poverty. Diabetes is a better analogy; as long as children get their insulin daily, they will continue to do well. Children need nutrition, health care, safe environments, family support, and early childhood education daily. When you stop effective treatment or only provide partial treatment and the problem does not go away, it is incorrect to conclude that the treatment is not effective. Children who receive either educational benefits from Head Start or nutritional supplements from The Special Supplemental Food Program for Women, Infants, and Children (WIC) may be better off than children who receive neither, but certainly will not be as well off as children who receive both. Similarly, children who have medical care to treat lead poisoning or nutritional supplementation to treat malnutrition will not do as well as children who receive developmental enrichment in conjunction with these medical and nutritional benefits. If there are three problems, all of them need to be treated. If we only spend money to treat two problems, it should not be surprising that children are still ill or impaired. At the present time, even basic effective nutritional and early educational services such as WIC and Head Start are rationed to children and the majority of children who are eligible cannot receive them because of inadequate funding. In addition, eleven million American children do not have health insurance which exposes them to many preventable diseases. If we want to achieve the President's goal that all children enter school ready to learn by the year 2000, we have to provide the basic cost-effective services that support children's health and development and prevent impairment of the child's brain and soul. All children, whether drug-exposed or not, deserve no less.

ACKNOWLEDGMENTS

This work was supported by grants from the Harris Foundation, the Bureau of Maternal and Child Health (MCJ 009094), and National Institute for Drug Abuse (R01-DA-06532-02).

We thank Joel J. Alpert, MD, and Linda Mayes, MD, for their helpful comments and Jeanne McCarthy for her help in preparing the manuscript.

BARRY ZUCKERMAN, MD
 DEBORAH A. FRANK, MD
 Division of Behavioral and Developmental Pediatrics
 Department of Pediatrics
 Boston University School of Medicine/
 Boston City Hospital

REFERENCES

1. Mayes LC, Granger RH, Bornstein MH, Zuckerman B. The problem of prenatal cocaine exposure: A rush to judgement. *JAMA*. In press
2. Zuckerman B, Bresnahan K. Developmental and behavioral consequences of prenatal drug and alcohol exposure. *Pediatr Clin N Am*. 1991;38:1387-1406
3. Zuckerman B, Frank D. Marijuana and cocaine: clinical implications. In: Zagon I, Slotkin T, eds. *Maternal Substance Abuse and Neural Development*. Academic Press. In press
4. Chasnoff IJ, Griffith DR, Freier C, Murray J. Cocaine/polydrug use in pregnancy: two-year follow-up. *Pediatrics*. 1992;89:284-289
5. Rodning C, Beckwith L, Howard I. Characteristics of attachment organization and play organization in prenatally drug-exposed toddlers. *Dev Psychopathol*. 1990;1:277-289
6. Anastasiow NJ. Implications of the neurological model for early intervention. In: Meisels SJ, Shonkoff JP, eds. *Handbook of Early Childhood Intervention*. New York: Cambridge University Press; 1990
7. Goldman-Rakic PS, Galkin TW. Prenatal removal of frontal association cortex in the rhesus monkey: anatomical and functional consequences in postnatal life. *Brain Res*. 1978;52:451-485
8. Beckwith K, Parmalee A. EEG patterns in preterm infants, home environment, and later IQ. *Child Dev*. 1986;57:777-789
9. Lifschitz MH, Wilson GS, Smith EO, et al. Factors affecting head growth and intellectual function in children of drug addicts. *Pediatrics*. 1985;75:269-274
10. Mirochnick M, Meyer J, Cole J, et al. Circulating catecholamine in cocaine-exposed neonates: a pilot study. *Pediatrics*. 1991;88:481-485
11. Ward S, Schuetz S, Wachsmann L, et al. Elevated plasma norepinephrine levels in infants of substance-abusing mothers. *AJDC*. 1991;145:44-48
12. Parker S, Greer S, Zuckerman B. Double jeopardy: the impact of poverty on early child development in children at risk: current social and medical challenges. *Pediatr Clin N Am*. 1988;35:1227-1240
13. Finnegan L, Oehlberg SM, Regan DO, Rudraveff ME. Evaluation of parenting, depression, and violence profiles in methadone-maintained women. *Child Abuse Negl*. 1981;5:267
14. McGuhey PJ, Starfield B, Alexander C, Ensminger ME. Social environment and vulnerability of low birthweight children: a social-epidemiological perspective. *Pediatrics*. 1991;88:943-951
15. Infant Health and Development Program. Enhancing the outcomes of low-birthweight, premature infants: a multisite, randomized trial. *JAMA*. 1990;263:3035-3042
16. Phibbs CS, Bateman DA, Schwartz RM. The neonatal costs of maternal cocaine use. *JAMA*. 1991;266:1521-1526
17. Chasnoff IJ, Lnadress HJ, Barrett ME. The prevalence of illicit-drug or alcohol use during pregnancy and discrepancies in mandatory reporting in Pinellas County, Florida. *N Engl J Med*. 1990;322:1202-1206
18. Statewide prevalence of illicit drug use by pregnant women—Rhode Island. *MMWR*. 1990;39:225-227

ERRATUM

In the November issue of *Pediatrics*, a typographical error was overlooked in the Letter to the Editor, "Response to Pneumococcal Vaccine," by Gerald Schiffman (*Pediatrics* 1991;88:1074-1075). The last paragraph of the Letter should begin with: "I *do* agree with the authors that a level of 200 ng of antibody N/mL after immunization is hyporesponsive if, by that term, they mean not producing sufficient antibody for protection."

ERRATUM
Pediatrics 1992;89;339

Updated Information & Services

including high resolution figures, can be found at:
<http://pediatrics.aappublications.org/content/89/2/339>

Permissions & Licensing

Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at:
<http://www.aappublications.org/site/misc/Permissions.xhtml>

Reprints

Information about ordering reprints can be found online:
<http://www.aappublications.org/site/misc/reprints.xhtml>

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN®



PEDIATRICS®

OFFICIAL JOURNAL OF THE AMERICAN ACADEMY OF PEDIATRICS

ERRATUM

Pediatrics 1992;89;339

The online version of this article, along with updated information and services, is located on the World Wide Web at:

<http://pediatrics.aappublications.org/content/89/2/339>

Pediatrics is the official journal of the American Academy of Pediatrics. A monthly publication, it has been published continuously since 1948. Pediatrics is owned, published, and trademarked by the American Academy of Pediatrics, 345 Park Avenue, Itasca, Illinois, 60143. Copyright © 1992 by the American Academy of Pediatrics. All rights reserved. Print ISSN: 1073-0397.

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN®

