

ERRATA

Hoilette LK, Clark SJ, Gebremariam A, Davis MM. Usual Source of Care and Unmet Need Among Vulnerable Children: 1998–2006. *PEDIATRICS* 2009;123(2): e214–e219

An error occurred in the article by Hoilette et al, published in the February 2009 issue of *Pediatrics* (doi:10.1542/peds.2008-2454). On page e216, Table 1 should have read:

TABLE 1 Age and Race of Uninsured Children, and Children Reporting no Usual Source of Care, NHIS 1998 & 2006

Demographics	Uninsured		No USC	
	1998 Proportion (95% CI) N = 8 746 854 n = 1993	2006 Proportion (95% CI) N = 7 250 542 n = 1080	1998 Proportion (95% CI) N = 2 208 722 n = 552	2006 Proportion (95% CI) N = 2 358 232 n = 345
Age (years)				
0–5	30.1 (27.7–32.7)	25.9 (22.7–29.5)	16.5 (13.1–20.5)	17.8 (13.3–23.6)
6–11	34.7 (32.0–37.5)	34.7 (31.0–38.7)	34.0 (28.8–39.5)	28.2 (21.9–35.5)
12–17	35.2 (32.8–37.7)	39.3 (35.7–43.1)	49.6 (44.3–54.9)	54.0 (47.0–60.8)
Race/Ethnicity				
White	46.0 (42.8–49.2)	39.2 (35.0–43.6)	37.0 (31.6–42.7)	32.7 (25.5–40.8)
Black	15.3 (13.1–17.)	12.7 (10.4–15.5)	13.7 (10.3–18.0)	11.1 (7.1–16.8)
Hispanic	33.0 (30.2–36.0)	42.5 (38.2–46.8)	41.6 (36.3–47.2)	50.9 (43.5–58.4)
Asian	5.7 (4.1–8.0)	5.6 (4.0–7.7)	7.7 (5.2–11.2)	5.0 (2.6–9.4)

doi:10.1542/peds.2009-0360

Horvath A, Dziechciarz P, Szajewska H. The Effect of Thickened-Feed Interventions on Gastroesophageal Reflux in Infants: Systematic Review and Meta-analysis of Randomized, Controlled Trials. *PEDIATRICS* 2008;122(6): e1268–e1277

An error occurred in the article by Horvath et al, titled published in the December 2008 issue of *Pediatrics* (doi:10.1542/peds.2008-1900). On page e1272, in Figure 1 (Number of infants without regurgitation), the left graph label should read “Favors control” and the right graph label should read “Favors treatment.”

doi:10.1542/peds.2009-0200

American Academy of Pediatrics, Section on Ophthalmology, American Association for Pediatric Ophthalmology and Strabismus, American Academy of Ophthalmology, and American Association of Certified Orthoptists. Red Reflex Examination in Neonates, Infants, and Children. *PEDIATRICS* 2008;122(6): 1401–1404

An error occurred in the AAP policy statement “Red Reflex Examination in Neonates, Infants, and Children” (doi:10.1542/peds.2008-2624). Under the heading “Suggested Eye Drops for Dilation in Infants,” the component concentrations for Cyclomydril in the last sentence were incorrect and should be: cyclopentolate 0.2% and phenylephrine 1% (Cyclomydril). We regret the error.

doi:10.1542/peds.2009-0135

ERRATUM
Pediatrics 2009;123;1254
DOI: 10.1542/peds.2009-0200

Updated Information & Services

including high resolution figures, can be found at:
<http://pediatrics.aappublications.org/content/123/4/1254.2>

Permissions & Licensing

Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at:
<http://www.aappublications.org/site/misc/Permissions.xhtml>

Reprints

Information about ordering reprints can be found online:
<http://www.aappublications.org/site/misc/reprints.xhtml>

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN™



PEDIATRICS®

OFFICIAL JOURNAL OF THE AMERICAN ACADEMY OF PEDIATRICS

ERRATUM

Pediatrics 2009;123;1254
DOI: 10.1542/peds.2009-0200

The online version of this article, along with updated information and services, is located on the World Wide Web at:

<http://pediatrics.aappublications.org/content/123/4/1254.2>

Pediatrics is the official journal of the American Academy of Pediatrics. A monthly publication, it has been published continuously since 1948. Pediatrics is owned, published, and trademarked by the American Academy of Pediatrics, 141 Northwest Point Boulevard, Elk Grove Village, Illinois, 60007. Copyright © 2009 by the American Academy of Pediatrics. All rights reserved. Print ISSN: 1073-0397.

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN™

